







# About this database and how to use it

This Biological Products Database is a tool for growers that will assist with navigating the array of 'biological' products currently available to their farming business. We have compiled the information in response to questions from growers about available products. (Webinar on biopesticides available here.)

#### **Definition**

'Biological' products (also called 'biologicals') are defined as those that are derived from living organisms (plants, animals, microorganisms, fungi). The term encompasses a diverse range of products, and this is a fast-growing segment of agricultural inputs (definition from www.croplife.org).

This database includes a column that indicates

whether products have APVMA registration (Australian Pesticides and Veterinary Medicines Authority). Registered products are known as 'Biological Crop Protection' products. If a product is used for crop protection (i.e., used as a biopesticide) is must be registered for use in the crop and situation it is applied in. Contact the APVMA or Hort Innovation for more information. For products not registered with the APVMA, potential effects suggested by manufacturers are NOT efficacy claims and data on potential for phytotoxicity or residues do not exist.

## How was the database developed?

We have gathered information primarily from the manufacturers, via their websites and/or their representatives. We have attempted to strip away any confusion by laying out the bare bones of each product. We will include references to independent research as and when it becomes available.

### The database is a work in progress

The database is a work in progress and is not comprehensive. We have not carried out reviews of science-based literature for each product. If a column or cell is blank, it does not meant that there is no information, just that we have not found it yet (this is particularly the case for independent trial information). The database will be updated and published regularly as information becomes available.

## Is anything missing?

If you know of any products or trial information we have not included, or details that are inaccurate or incomplete, please either complete the spreadsheet at the bottom of this webpage (www.soilwealth.com. au/resources/global-scan-and-reviews/biological-products-database/) and/or get in touch - rm@rmcg. com.au.





#### **DISCLAIMER: VERY IMPORTANT**

This document does not include or offer advice of any kind. It is a collection of publicly available information. Very few products have been registered by the APVMA, a process that entails rigorous independent testing of efficacy, residues, phytotoxicity and potential effects on flora, fauna and people. We do not endorse any products and the database is not an exhaustive list. To the best of our knowledge the information is correct at the time of publishing.

The following explanations of 'Source' and 'Product Type' have been developed to provide clarity and aid with interpretation of the Biological Products Database. Some products do not fit neatly within these, where this is the case, the aim has been to provide the best fit for the product details available.

## **BIOLOGICAL PRODUCTS DATABASE - EXPLANATIONS - SOURCE**

microbial	Microbial products are products derived from various small, simple organisms. Microbial products may contain the organisms themselves and/or the metabolites they produce. Microbial products generally contain or are derived from four different subcategories:
	Bacteria - may prevent plant diseases by outcompeting plant pathogens in the rhizosphere, producing anti-fungal compounds, and by promoting plant and root growth. Examples of beneficial bacteria include Bacillus subtilis, Bacillus pumilus, Pseudomonas spp., and Streptomyces spp.
	• Protozoa - while most protozoa feed on bacteria and decaying organic matter, a wide range of protozoan species are insect parasites. For example, the protozoan <i>Nosema locustae</i> is known to be a natural biocontrol agent of many grasshopper species.
	• Viruses - can be very specific to particular insects or arthropods. For example, certain viruses can kill only one or a few species of Lepidoptera larvae (caterpillars), making them good candidates for management of crop pests with minimal off-target effects. The granulovirus of the codling moth ( <i>Cydia pomonella</i> ), or CpGV, is a good example of a commercially successful viral insecticide.
	• Yeasts - may work through competition with pathogens, e.g. for nutrients. For example, Candida oleophila Strain O, has been developed as an effective biocontrol for post-harvest fruit rots. It is applied to applies and pears after harvest — but before storage — to control particular fungal pathogens causing post-harvest decay such as grey mould (Botrytis cinerea) and blue mould (Penicillium expansum). Candida oleophila Strain O works primarily through competition for nutrients and precolonisation of plant wound sites.
plant extract	Water- or solvent-based plant extracts or essential oils (EOs) can contain valuable natural products, many of which can be used safely in pest and disease control due to their ability to degrade quickly. An important consideration is that EOs and plant extracts are biologically unstable as they are easily destroyed by environmental pH, oxygen, light, and moderate temperatures. EOs exhibit poor aqueous solubility and high volatility in general. Many extracts or EO biopesticides are often used without deeply understanding their mode of action. Water- or solvent-based extracts and EOs can improve plant resistance to biotic and abiotic stressors, and can be involved in metabolic processes that control plant tolerance to these stressors.
amino acids	Amino acid products are manufactured either by hydrolysis or enzymatic treatment of animal or plant protein feedstock. Amino acids are readily absorbed, transported, and utilised as a source of nitrogen and carbon for plants. This saves the energy expended by the plant to reduce organic matter, synthetic nitrates and ammonia into amino acids. Some amino acids are efficient metal ion chelators which can help with metal ion nutrient uptake and help protect plants from toxic levels of metal ions.
	Amino acids also function as biostimulants for plants, playing important roles in enhancing plant productivity, especially under abiotic and biotic stress conditions. Refer to <a href="https://www.growerssecret.com/amino-acids-as-biostimulants">https://www.growerssecret.com/amino-acids-as-biostimulants</a>



## BIOLOGICAL PRODUCTS DATABASE - EXPLANATIONS - SOURCE (CONTINUED)

seaweed extract	An extract produced from seaweed. It is usually a concentrated organic product (usually liquid, but can be soluble granules) that can be diluted and applied to seedlings and transplants as well as larger plants – see comments below for the specific functions of humic and fulvic acids.
	Nutrient content: Seaweed is a rich source of many essential plant nutrients such as nitrogen, phosphorus, potassium, and trace elements like iodine, zinc, and iron which can improve soil fertility.
	Microbial growth: Seaweed can act as a source of carbon and energy for microorganisms in the soil, stimulating their growth and activity.
	Root growth: Some studies suggest that seaweed extracts can have a positive impact on root growth and root health, which can improve overall plant growth and vigour.
	Disease suppression: The compounds present in seaweed can have an antimicrobial effect, inhibiting the growth of certain pathogens and helping to suppress plant diseases.
	Alginates: Seaweed contains alginates, a complex carbohydrate that can form gels in soil, which can improve soil structure and water-holding capacity, making it more conducive to healthy microbial growth.
	Hormones: Seaweed contains growth hormones like cytokinins and auxins that can promote root growth, cell division and elongation, which can help plants to better cope with environmental stress.
fish extract	Fish extract (also emulsion, or fish fertiliser) for plants, is a fast-acting, organic liquid product made from the by-products of the fishing and aquaculture industries. It is rich in nitrogen, phosphorus, and potassium, plus trace elements such as calcium, magnesium, sulphur, chlorine, and sodium.
seaweed/fish mix	A mix of seaweed and fish extracts described above.
humic/fulvic acid	When plants and animals are decomposed by bacteria, humic substances are released and are found naturally in soils. Humic substances are composed of: relatively small fulvic acids that dissolve in both acid and alkaline environments, larger humic acids that are soluble under alkaline conditions, and very large humins that are insoluble. Humic acids can be 100 000 times larger than fulvic acids. Humic acids used in soil amendments are often extracted from brown coal.
	Humic acid
	Humic acids can aid with nutrient cycling, microbial growth and disease suppression through the following mechanisms:
	Nutrient cycling: Humic acids can help to make nutrients such as nitrogen and phosphorus more available to plants by chelating or complexing them, making them more accessible to plant roots.
	Microbial growth: Humic acids can act as a source of carbon and energy for microorganisms in the soil, stimulating their growth and activity.
	Disease suppression: Humic acids can also have an antimicrobial effect, inhibiting the growth of certain pathogens and helping to suppress plant diseases.
	Fulvic acid
	Fulvic acid may stimulate root growth and affect root function to exude organic acids that can lead to increased nutrient uptake.
	Fulvic acid can also help to increase plant nutrient uptake by chelating (binding) minerals and other nutrients. Chelated minerals are easier for the plant to absorb and use.



## **BIOLOGICAL PRODUCTS DATABASE - EXPLANATIONS - PRODUCT TYPES**

fungicide	Product to control the growth of fungi and fungal spores. They can be made from a variety of chemical compounds including synthetic chemicals, botanicals, and microbial pesticides.
herbicide	Product to kill or control weeds. They can be made from a variety of chemical compounds, including synthetic chemicals, botanicals, and microbial pesticides. Some herbicides target specific weeds or groups of weed (e.g. grasses), while others have a broader spectrum of activity.
insecticide	Product to kill or control a population of insects. They can be made from a variety of chemical compounds, including synthetic chemicals, botanicals, and microbial pesticides. Some insecticides target specific insects, while others have a broader spectrum of activity.
miticide	Product to kill or control a population of mites. They can be made from a variety of chemical compounds, including synthetic chemicals, botanicals, and microbial pesticides.
pest deterrent	A plant pest deterrent is a substance or method used to prevent or discourage the presence of pests. These pests can include insects, mites, nematodes, and other animals that feed on plants or cause damage to the foliage, roots, or fruit of plants. Plant pest deterrents can include a variety of chemical and non-chemical methods, such as:
	Biological controls, such as the use of predators or pathogens that feed on or kill pests
	Botanical repellents, such as certain essential oils or plant extracts that have been shown to repel certain pests and also
	Physical barriers, such as screens or nets, which can physically prevent pests from reaching the plants.
disease suppressant	A plant disease suppressant is a substance or method that is used to prevent or reduce the incidence or severity of plant diseases. These diseases can be caused by a variety of pathogens, such as bacteria, fungi, viruses, and nematodes. Disease suppressants can include a variety of chemical and non-chemical methods, such as:
	1. Biological controls: The use of beneficial microorganisms such as bacteria or fungi that can outcompete or inhibit the growth of pathogens in the soil or on the plant surface.
	2. Botanical extracts and essential oils: Some plant extracts and essential oils have been found to have antimicrobial properties, which can help to suppress the growth of pathogens.
	Products should be supported via:
	1. Crop rotation: rotating crops can help to reduce the build-up of pathogens in the soil, which can help to reduce the incidence of diseases.
	2. Cultural controls: Sanitation practices, such as removing and destroying infected plant debris, can help to reduce the incidence of diseases.
	3. Nutrient management: Proper nutrition can help plants to better cope with disease stress and improve overall plant health.
	4. Environmental control: Manipulating the environment by controlling temperature, humidity, light intensity can help plants to better cope with pathogens.



## BIOLOGICAL PRODUCTS DATABASE - EXPLANATIONS - PRODUCT TYPES (CONTINUED)

stress	There are several ways to increase stress resistance in plants; the following may be used in products:
resistance	1. Microorganisms: Some microorganisms can promote plant growth and stress tolerance by improving nutrient uptake, protecting against pathogens, and producing plant growth-promoting compounds.
	2. Hormonal treatments: Some phytohormones such as cytokinins and gibberellins have been shown to increase stress tolerance in plants by promoting cell division and elongation.
	However, sole reliance on products will not be successful. Other methods that should be used at the same time are:
	1. Variety selection (breeding): Selecting and breeding plants that are naturally more tolerant to stress conditions such as drought, heat, cold, and disease.
	2. Proper nutrition: Providing plants with adequate and balanced nutrition can help them to better cope with stress.
	3. Water management: Proper irrigation and drainage can help plants to better tolerate drought stress and prevent effects of waterlogging.
	4. Mulching: Mulching, e.g. planting into cover crop residues, can help to reduce soil moisture loss, moderate soil temperature and suppress weed growth, which can help plants to better tolerate stress conditions.
	5. Crop rotation: rotating crops can help to reduce the build-up of pests and diseases, as well as improve soil health, which can help plants to better tolerate stress conditions.
	6. Environmental control: Manipulating the environment by controlling temperature, humidity, light intensity can help plants to better tolerate stress conditions.
crop nutrition product	Crop nutrition products can include a variety of chemical and organic compounds that provide plants with macronutrients and/or micronutrients (such as zinc, copper, and iron). These products can be applied to soil or foliage in various forms such as granular, liquid, and foliar sprays.
growth stimulant/ regulator	A plant growth stimulant is a substance or a microorganism that when applied to plants, can improve their growth and development. Plant growth stimulants can be in the form of hormones, enzymes, minerals, or microorganisms that are applied to the soil or the foliage of plants. They can be used to improve crop yields, and/or increase the tolerance of plants to environmental stress. Some examples of plant growth stimulants include auxins, cytokinins, gibberellins (which are produced by plants) or humic acids which naturally occur in soils.
soil biology stimulant	A soil biology stimulant is a substance that is used to enhance the diversity and activity of microorganisms in the soil, which can improve soil health and plant growth. Soil biology stimulants can include a variety of microorganisms such as bacteria, fungi, and protozoa, as well as organic compounds such as humic acids (see 'Source' definitions above) and seaweed extracts. The microorganisms help to break down organic matter, improve nutrient cycling, and promote root growth, leading to healthier and more productive plants. Soil biology stimulants can be applied through soil drench, foliar spray or seed coating.
wetting agent	A chemical added to reduce the surface tension of a liquid and allow it to spread more easily and evenly over plant surfaces (reduces beading). Also known as a surfactant.

			Product type	lr.	gredient(s)		Use			[ <u></u>	I	T		
rade Name	Source	Registered Product Type (APVMA	Has been used as / for (not registered)	Active Ingredient(s) (APVMA Registered Products)	Main ingredient(s) of non registered products	Registered Use (APVMA Registered)	Has been used as / for (not registered)2	Стор	Manufacturer	Formulation	Australian Certified Organic	рН	Analysis	Trial Information
tinovate Biofungicid	e microbial	Registered) fungicide	-	Streptomyces lydicus strain WYEC 108	  -	Preventative control of foliar diseases		vegetable crops and others (foliar diseases, soilborne diseases	s Novozymes BioAg Limited	powder	Yes	n/a	Streptomyces lydicus strain WYEC 108 at 1 x 10^7	Trials undertaken by
						(incl. powdery mildew) and soilborne diseases (incl. Fusarium wilt, Rhizoctonia root rot, Pythium damping off) + Biological soil amendment (to supplement nutrient availability, plant growth)	3	through seed treatment, see label); <b>all crops</b> (biological soil amendment)	(Novozymes Biologicals Ltd), Canada / Novozymes Australia Pty Ltd, NSW				CFU/g	manufacturer (protected data with APVMA)
otector	microbial	fungicide	-	Aureobasidium pullulans strains DSM 14940 & 14941	-	control (preventative) of grey mould (Botrytis cinerea), suppression of sclerotinia (Sclerotinia sclerotiorum); other diseases as per label	-	fruiting vegetables (eggplant, melon, capsicum, tomato, zucchini) and berries	Nufarm Australia Ltd, Victoria	granular	Yes	-	Aureobasidium pullulans strains DSM 14940 & 14941 at minimum 2.5 x 10^9 CFU/g	-
erenade Opti	microbial	fungicide	-	Bacillus amyloliquefaciens strain QST 713	-	Botrytis, bacterial spot	-	registered for grapes, strawberries, <b>tomatoes, chillies, capsicums, avocado</b> , tropical fruit crops.	Bayer CropScience	granular	Yes		Bacillus amyloliquefaciens strain QST 713 1.3x10^10 CFU/g	https://www.crop.bayer.com.au/pr ucts/bayer-biologics/serenade- opti#tab-4
erenade Prime	microbial	fungicide	-	Bacillus amyloliquefaciens strain QST 713 (1.34%)	-	rhizoctonia, black scurf, pineapple disease	-	Soil ameliorant for <b>vegetables</b> , tree crops, row crops, berries, other small fruits.		liquid	Yes	4.5 - 8.5	1.3x10^12 CFU/g	https://www.crop.bayer.com.au/pr ucts/bayer-biologics/serenade- primelltab-3
erifel Biofungicide	microbial	fungicide		Enzyme alpha-amylase (from <i>Bacillus</i> amyloliquefaciens strain MBI600, formerly named <i>Bacillus subtilis</i> strain MBI600)		Preventative control of <i>Botryits cinerea</i> in grapes and strawberries + minor use permits for control of soil-borne and foliar pathogens in non-food nursery stocks	Preventative control of soilborne diseases (incl. Pythium damping off, Fusarium wilt, Verticillium wilt, Phytophthora root rot, Rhizoctonia root/crown rot, Sclerotinia stem rot) and foliar diseases (incl. anthracnose, powdery mildew, grey mould) in vegetable crops and others	horticultural crops (including grapes, strawberries, <b>vegetables</b> ; + others	) BASF Australia Ltd.	powder	Yes	n/a	Erzyme alpha-amylase from <i>Bacillus</i> amyloliugeleiens strain MBI600 at 110 g/kg (> 5.5 x 10^10 CFU/g)	Trials undertaken by Eurofins is grape and strawberry (+ protected data of manufacture with APVMA)
morex Gold	plant extract	fungicide		Tea tree oil (Melaleuca alternifolia)		Preventative control of foliar diseases (powdery mildew, Botrytis grey mould)	-	horticultural crops (capsicum, cucurbits, tomato - powdery mildew) and grapes (Botrytis grey mould, powdery mildew)	Stockton (Israel) Ltd, Israel / Syngenta Australia Pty Ltd, NSW	liquid /	No	8.9 - 9.6	Tea tree oil ( <i>Melaleuca alternifolia</i> ) at 222 g/L (28% w/v), ethanol (4% w/v)	Trials undertaken by manufacturer (protected data with APVMA)
ogall	microbial	fungicide (not registered for vegetables)	-	Agrobacterium radiobacter var. radiobacter strain K1026	-	Preventative control of crown gall disease (Rhizobium radiobacter, R. rhizogenes) in stone fruit, nut trees, ornamentals	-	almond, pecan, rose, stone fruit, walnut (registered) + vegetable crops (non registered)	Bio-Care Technology Pty Ltd (Bio-Care); Becker Underwood Pty Ltd, NSW / BASF Australia Ltd, Victoria	powder	No	n/a	K1026 at 1 x 10^9 CFU/g peat	-
tervene	microbial	fungicide (not regtistered for vegetables)		Polyoxin D zinc salt. Polyoxin D is a fermentation product of <i>Streptomyce</i> <i>caraoi</i> subsp. <i>assensis</i> . The zinc salt of Polyoxin D may be classified as synthetic because of an additional purification step.	-	control of grey mould ( <i>Botrytis cinerea</i> ), powdery mildew, Rhizopus fruit rot	-	grapes, berries, apples; potentially other horticultural crops incl vegetables in future	. Nufarm Australia Ltd, Victoria	granular	No	7.5 (1% solution 23.2 °C)		-
ioweed Organic	plant extract	herbicide	-	Pine oil (not specified)	-	Control of wide range of weeds, see label	-	orchards, vineyards and others, see label	GreenPro Solutions Pty Ltd, Oueensland	liquid	Yes	7	Pine oil 680 g/L	Protected trial (efficacy and safety) data with APVMA
Agree WG biological nsecticide	microbial	insecticide		Bacillus thuringiensis Berliner subsp aizawai		armyworm   cabbage moth   cabbage white butterfly   cotton budworm or bollworm   grapevine moth   light brown apple moth   looper moth   native budworm or bollworm   painted vine moth   pear looper   soybean looper		amenity tree   cereal grain   cotton   forestry   fruit crop   herb   macadamia   cilised crop   ornamental   tobacco   tur   vegetables - see label   vine	Certis U.S.A. L.L.C.	granular	No	-	Bacillus thuringiensis Berliner subsp. aizawai strain GC-91 concentration not given.	sarety) data with APVMA
acchus WG	microbial	insecticide	-	Bacillus thuringiensis subsp. aizawai strain GC-91 (1200 ITU/mg)	-	lepidoptera larvae	-	all crops	Campbell Chemicals	granular	n/a	4.1	Bacillus thuringiensis subsp. aizawai strain GC-91 (1200 ITU/mg)	-
Biocrystal Kurstaki Biological insecticide	microbial	insecticide	-	Bacillus thuringiensis subsp. kurstaki strain HD-1	•	armyworm   cabbage moth   cabbage white butterfly   Helicoverpa armigera   light brown apple moth   looper - Chrysodexis spp.   native budworm or bollworm   pear looper   soybean looper   tobacco looper or looper caterpillar   une moth		adzuki bean   amenity tree   canola   cereals   chickpea   cotton   faba bean   field bean   field pea   forestry   frut   therb   lentil   linola   lucerne   lupin - weed free seedbed   mung bean   navy bean   niskeed crop   ornamental   pigeor pea   safflowers   sorghum   soybean   sunflower   tobacco   turf   wegetable   vetch   vine	Grevillia Ag Pty Limited	liquid	No	n/a	Bacillus thurngiensis subspecies kurstaki strain HD  1. Concentration not given.	-
TI 1200	microbial	insecticide	-	Bacillus thuringiensis subsp. israelensis serotype H14a	-	mosquito larvae		all crops	Barmac Industries	liquid	n/a	4.8	not supplied	-
ampbell Bacchus WG iological insecticide	microbial	insecticide	-	Bacillus thuringiensis Berliner subsp aizawai	-	armyworm   cabbage moth   cabbage white butterfly   cotton budworm or bollworm   light brown apple moth   looper   native budworm or bollworm   succeptible insect species - see label   vine moth	-	agricultural non-crop areas   amenity tree   cereal grain   forestry   fruit   herb   macadamia   oilseed crop   ornamental   tobacco   turf   <b>vegetable</b>   vine	Colin Campbell (Chemicals) Pty Ltd	granular	No	n/a	Bacillus thuringiensis Berliner subsp. aizawai strain GC-91 concentration not given.	-
elfin WG biological secticide	microbial	insecticide		Bacillus thuringiensis Berliner var. kurstoki	Bacillus thuringiensis Berliner var. kurstoki	armyworm   cabbage moth   cabbage white butterfly   cluster caterpillar   corn earworm   grapevine moth   helicoverpo armigera   lawn armyworm   light brown apple moth   looper   looper - Chrysodeixis sp.   native budworm or bollworm   painted vine moth   pear looper   soybean looper   tobacco looper or looper caterpillar   vine moth		amently tree   cereal grain   forestry   fruit   herb   oilseed crop   omamental   tobacco   turf   vegetables - see label   whe	Certis U.S.A. L.L.C.	granular	No	n/a	Bocillus thruringiensis subspecies kurstoki strain SA 11. Concentration not given.	
Pel DF biological secticide dry flowable		insecticide	-	Bacillus thuringiensis subsp kurstaki strain ABTS-351	-	armyworm   cabbage moth   cabbage white butterfly   cotton budworm or bollworm   green looper   light brown apple moth   native budworm or bollworm   pear looper   soybean looper   tobacco looper   vine moth	-	amenity plantings   cereal grain   forestry   fruit   herb   oilseed crop   ornamental   tobacco   turf   <b>vegetable</b>   vine			Yes	n/a	Bocillus thruringiensis subspecies kurstaki strain ABTS-351. Concentration not given.	manufacturer
iPel SC biological isecticide suspension oncentrate	microbial	insecticide		Bacillus thuringiensis subsp kurstaki strain ABTS-351	-	armyworm   cabbage moth   cabbage white butterfly   cotton budworm or bollworm   green looper   native budworm or bollworm   pear looper   soybean looper   tobacco looper	-	lupin   mung bean   navy bean   oilseed crop   <b>pigeon pea</b>   <b>pulse crops</b>   safflower oilseed   sorghum   soybean   sunflower   vetch	Pty Ltd	liquid	Yes	n/a	Bacillus thruringiensis subspecies kurstaki strain ABTS-351, concentration not given; hydrocarbon liquid 683g/L	https://sumitomo- chem.com.au/sites/default/filet terature/dipelsc broadacre bro hure.pdf
iemstar Helicoverpa nanagement through ioscience biological nsecticide	microbial	insecticide	-	Nuclear polyhedrosis virus of Helicoverpa zea	-	Helicoverpa spp.	-	chickpea   cotton   lettuce   maize   sorghum   sweet corn	Certis U.S.A. L.L.C.	liquid	No	n/a	Helicoverpa zea virus, 2 x 10^9 POB/mL	-







			Product type		ngredient(s)		Use							
de Name	Source	Registered Product Type (APVMA	Has been used as / for (not registered)	Active Ingredient(s) (APVMA Registered Products)	Main ingredient(s) of non registered products	Registered Use (APVMA Registered)	Has been used as / for (not registered)2	Сгор	Manufacturer	Formulation	Australian Certified Organic	pН	Analysis	Trial Information
mstar LC biological ecticide	microbial	Registered) insecticide		Nuclear polyhedrosis virus of Helicoverpa zea		Helicoverpa armigera   Helicoverpa punctigera		adzuki bean   apple   asparagus   blackberry   blueberry   boyserberry   brasis a ledfy wegetables - see label   broad bean   broccol   brussels sprunts   cabbage   canola oliseed crop   capsicum or pepper   caufflower   celery   cucumber   eggplant   endive   faba bean   fised pea groesteery   green ban be green fill   fettor   faba bean   fised pea groesteery   green ban be green fill   fettor   labe bean   fised pea groesteery   green ban be green fill   fettor   labe bean   linseed crop   lucerne   maize   maize - see label   melon   mung bean   nash pear   nany bean   ol seed crop - see label for inclusions   peanut oliseed   pigeon pea   potato   pumpkin   raspherry   frubarb   roquette (rucola)   safflower oliseed   silver beet   snow pea   sorghum   soybean   spinach   squash   strawberry   sugars nap pea   sunflower oliseed   sweet corn   tomato   vetch   watermelon   zucchini	Sipcam (Agricrop)	liquid	No	n/a	Helicoverpa zea virus, 2 x 10^9 POB/mL	-
en Guard SC	microbial	insecticide	-	Metarhizium anisopliae var. acridum	-	australian plague locust - nymphs	-	agricultural area - general   crop establishment weed control	BASF Australia Ltd.	both, to be	No	n/a	Metarhizium anisopliae var acridum spores, 4 x	-
ological insecticide reen Guard SC	microbial	insecticide	-	spores Metarhizium anisopliae var. acridum	-	grasshopper   wingless grasshopper australian plague locust - nymphs	-	forage crop   non-crop area - general   pasture   agricultural area - general   forage crop   grape - table	BASF Australia Ltd.	mixed liquid	No	n/a	10^10/g  Metarhizium anisopliae var acridum spores	-
emium biological secticide				spores		grasshopper   wingless grasshopper		grape - wine   non-crop area - general   pasture		'				
een Guard ULV ological insecticide	microbial	insecticide	-	Metarhizium anisopliae var. acridum spores		australian plague locust - nymphs   grasshopper   migratory locust - nymphs   spur-throated locust - nymphs & adults   wingless grasshopper	- 5	agricultural area - general   non-crop area - general   pasture & forage crops	BASF Australia Ltd.	liquid	No	n/a	Metarhizium anisopliae var acridum spores, 300g/L	-
elicovex biological secticide	microbial	insecticide		Nuclear polyhedrosis virus of Helicoverpa armigera		Helicoverpa armigera   Helicoverpa punctigera		adzuki bean i appile   berry fruit   blackberry   blueberry   bluebyenberry   brassica leafy vegetables - see   abbel   brassica vegetables   broad bean   broccoli   brussels sprouts   cabbage   cando alosed crop   capsicum or pepper   cauliflower   celery   cereal grain   chickpea   chili   chinese broccol   cotton   cowpea   cranberry   cucumber   cucurbit   currant   eggplant   endive   faba bean   field peel   friuting vegetable   gooseberry   green bean   green or garden pea   kidney or mexican bean   labab bean   lader wegetable   legume   lentil   lettuce   lima bean   linseed oil crop   lucerne   lupin   maize   maize- see label   melon   mung bean   nash pear   navy bean   oilseed crop   oilseed mustard   ornamenta   fant   peanu, oilsed crop   oilseed mustard   ornamenta   fant   peanu, scame   silver beet   snow pea   sorghum   soybean   spinach   squash   strawberry   sugar sap pea   sunflower oilsed   bear   sunflower scame   silver com   tomator   veeth   watermelon	Andermatt Biocontrol Ag	liquid	No	NG	Nucleopolyhedrovirus of Helicoverpa armiger a T.5 x 10^9 polyhedral inclusion bodies per milliitre.	
liocide biological	microbial	insecticide	-	Nuclear polyhedrosis virus of	-	Helicoverpa spp.	-	chickpea   cotton   lettuce   maize   sorghum   sweet corn	Bioflexus Pty Ltd	liquid	No	n/a	Nucleopolyhedrovirus of Helicoverpa armigera 2 x	-
isecticide invelva active Success Neo Delegate	microbial	insecticide	-	Helicoverpo armigera Spinetoram (mixture of Spinetoram and Spinetoram L in approximate ratio of 3 to 1). Spinetoram is a fermentation product of Saccharopolyspora spinosa and a structural analogue of spinosad		control of range of insect pests (incl. lepidopteran fall armyworm)		vegetable crops, fruit crops, herbs, ornamentals	Corteva Agriscience Australia Pty Ltd, New South Wales		No	Neo: 7.1 (1% pH electrode Delegate 8.7 (1% p electrode	10-9 POE/mL.  Success Neo:  Spinetoram at 120 g/L: spinetoram (spinetoram), spinetoram (11.71%, propylene glycol < 10.0%; pinetoram (11.71%, propylene glycol < 10.0%; pinetoram at 250 g/g; spinetoram (spinetoram) if spinetoram (12.50%, oddum N-methyl-N-eleoylatarine < 5%, thankum dioxide < 5.0%, quartz < 1.0%.	-
turalure Fruit Fly Bai ncentrate	it microbial	insecticide	-	Spinosad (mixture of Spinosyn A an Spinosyn D in an approximate ratio of 17 to 3). Spinosad is a fermentation product of Saccharopolyspora spinosa.	d -	control of fruit flies (incl. Qld fruit fly, Mediterranean fruit fly)	-	vegetable crops, fruit crops, nut crops, ornamentals and trees	Corteva Agriscience Australia Pty Ltd, New South Wales	liquid	Yes	pH	Spinosad at 0.24 g/L: spinosad (spinosyn A, spinosyn D) 0.02%, spinosyn D) 0.02%, sorbitan/monocatadecanoate/poly(oxy-1,2- ethanediyl) derivatives < 5.0%, propylene glycol < 5.0%.	-
lcova active ntrust Organic	microbial	insecticide	-	Spinosad (mixture of Spinosyn A an Spinosyn D in an approximate ratio of 17 to 3). Spinosad is a fermentation product of Saccharopolyspora spinosa.		control of range of insect pests (incl. diamondback moth, thrips, leaf miners)	-	vegetable crops, fruit crops, herbs, ornamentals and forestry	Corteva Agriscience Australia Pty Ltd, New South Wales	liquid	Yes	8.0 - 9.5 (1% pH electrode	Spinosad at 240 g/L: spinosad (spinosyn A, spinosyn D) 22.54%,  p) propylene glycol >= 10.0 - < 20.0%,  polyethoxylated dodecyl alcohol >= 1.0 - < 3.0%,  spinosyn B >= 0.25 - < 1.0%.	-
cam Delfin WG logical insecticide	microbial	insecticide		Bacillus thuringiensis subspecies kurstaki strain SA-11		armyworm   cabbage moth   cabbage white butterfly   Helicoverpa armigera   light brown apple moth   looper   native budworm or bollworm   painted vine moth   pear looper   soybean looper   vine moth	e	amenity tree   cereal grain   forestry   fruit   general agricultural use   herb   non-agricultural area - general   oilseed crop   ornamental   tobacco   turf   vegetable   vine	Sipcam (Agricrop)	granular	No	n/a	Bacillus thruringiensis subspecies kurstaki strain SA 11. Concentration not given.	-
knar 1200 SC	microbial	insecticide		Bacillus thuringiensis subsp. israelensis serotype H14		Control of first to early fourth instar mosquito larvae ( <i>Culicidae</i> family)	-	all crops - (stagnant and standing ponds, etc.)	Valent BioSciences Corporation USA / Sumitomo Chemical Australia Pty Ltd, NSW	, liquid	No	-	Bacillus thuringiensis subsp. israelensis strain SA3A at minimum potency of 1200 ITU/mg (= 5.6% w/w)	-
ctolex	microbial	insecticide		Seed inoculation / foliar spray to form a natural physical barrier to diseases	-	Control of first to early fourth instar mosquito larvae ( <i>Culex</i> spp., <i>Anopheles</i> spp.)		all crops - (stagnant and standing ponds, etc.)	Valent BioSciences Corporation USA / Sumitomo Chemical Australia Pty Ltd, NSW		No	n/a	Bacillus sphaericus strain 2362, strain ABTS-1743 fermentation solids and solubles - no numbers supplied	-
fer biological ecticide	microbial	insecticide		Beauveria bassiana	-	chrysanthemum aphid - suppression of   green peach aphid - suppression of   greenhouse whitelfy - suppression of   onion thrips - suppression of silverleaf whitelfy - suppression of   silverleaf whitelfy - suppression of   who spotted spider mite - suppression of   western flower thrip - suppression of   western flower flower flower flower flower flo		protected vegetables and ornamentals	BASF Australia Ltd.	liquid	No	NG	Beauveria bassiana strain PPRI 5339 >8 x 10^9 CFU/ml	-
VUS Armigen ological insecticide	microbial	insecticide	-	Nuclear polyhedrosis virus of Helicoverpa armigera		Helicoverpa spp.		berryfruit (all)   brassica vegetables (all)   celery   cereal grains (all)   chickpeas   cotton   cucurbits   fruiting vegetables   lucerne (alfalfa)   oliseeds (all)   ornamental flowers and plants (all)   pome fruit (all)   potatoes   pulses (all)   sognum   sweetcom	AgBiTech Pty Ltd	liquid	Yes	n/a	Helicoverpa armigera virus 7.5 x 10^9 POB/mL	-







	I _	1	Product type	In	gredient(s)		Use			l _	1		1	
rade Name	Source	Registered Product Type (APVMA	Has been used as / for (not registered)	Active Ingredient(s) (APVMA Registered Products)	Main ingredient(s) of non registered products	Registered Use (APVMA Registered)	Has been used as / for (not registered)2	Стор	Manufacturer	Formulation	Australian Certified Organic	рН	Analysis	Trial Information
/US Max biological secticide	microbial	Registered) insecticide		Nuclear polyhedrosis virus of Helicoverpa armigera	-	Helicoverpa armigera   Helicoverpa punctigera	-	berryfruit (all)   brassica vegetables (all)   celery   cereal grains (all)   chickpeas   cotton   cucurbits   fruiting vegetables   lucerne (alfaita)   oliseeds (all)   ornamental flowers and plants (all)   pome fruit (all)   potatoes   pulses (all)   screen   sweetomes	AgBiTech Pty Ltd	liquid	Yes	n/a	Helicoverpa armigera virus 5.0 x 10^9 POB/mL	-
tari WG BTA ogical insecticide er dispersible	microbial	insecticide		Bacillus thuringiensis subsp. aizawai	-	cabbage centre grub   cabbage cluster caterpillar   cabbage moth   cabbage white butterfly	-	all) sorghum sweetcom   brassicaspp.orcolecrop broccoli brusselssprouts   cabbage cauliflower	Sumitomo Chemical Australia Pty Ltd	granular	Yes	n/a	Bacillus thuringiensis subsp. aizawai. Concentration not given.	Trials undertaken by manufacturer
inule star WG biological	microbial	insecticide	-	Bacillus thuringiensis subspecies	-	cotton budworm or bollworm   native	-	chickpea   cotton   cotton - pre-squaring	Certis U.S.A. L.L.C.	granular	No	n/a	Bacillus thuringiensis Berliner subsp. aizawai strain	-
secticide ectobac WG	microbial	insecticide	-	kurstaki strain SA-12 Bacillus thuringiensis subsp.	-	budworm or bollworm common banded mosquito   common	-	all crops	Sumitomo Chemical Australia	granular	Yes	n/a	GC-91 concentration not given.  Bacillus thuringiensis subsp. israelensis strain	-
ecosus No	THE GOID	in security.		israelensis strain AM65-52		Australian anopheline   Culex australicu:   saltmarsh mosquito   saltwater culex   brown house mosquito   Dengue vectors including: Aedes aegypti and Aedes albopictus		un ci opa	Pty Ltd	Signatur			AM65-52 Minimum Potency 3000 ITU/mg	
o-Oil Hippo	plant extract	insecticide	-	Emulsifiable botanical oil	-	acaricide (carmine mite, two-spotted	-	horticultural crops, see label	Organic Crop Protectants Pty	liquid	Yes	-	Emulsifiable botanical oils 850 g/L	https://ocp.com.au/wp- content/uploads/2014/08/OC
commercial)						spider mite, insecticide (aphids, whitefly scale, mealy bug); adjuvant (improves wetting and sticking of sprays insecticides, fungicides, foliar fertilisers)			Ltd, New South Wales				(oils not specified)	o-Oil+Comm+Flyer FA LR.pdf
yGanic	plant extract	insecticide		pyrethrins		greenhouse thrips   passion vine hopper   macadamia lace bug   diamondback moth   pea aphids   beet armyworm   potato aphids   fruitfly   rutherglen bug   spiders		avocados   brassicas   capsicums   chillies   citrus   eggplants   grapes   kiwifruits   lettuces   macadamias   stone fruits   strawberries   tomatoes   leafy vegetables   legume vegetables	Sumitomo Chemical Australia Pty Ltd		Yes	n/a	13g/L Pyrethrins	https://www.sumitomo- chem.com.au/sites/default/fil- ature/pyganic_brochure_2022
ero-X	plant extract	pest deterrent		Extract of butterfly pea ( <i>Clitoria</i> ternatea)	-	Suppression of diamondback moth in brassicas. Control/Suppression of green mirids, silver leaf white fly (Biotype B) and Heliothis in cotton. Reduction in formation of the microsclerotia of Verticillium dahliae in cotton		brassicas, cotton	Innovate AG Pty Ltd, New South Wales	liquid	No (SXC allowed input only)	:   -	Clitoria ternatea extract at 400 g/L. Extract contains different cyclic peptides (cyclotides).	https://innovate- ag.com.au/pteetsok/2021/05/0- Sero-X-Technical-Manual-Email- Version.pdf
rowGreen tend Plant Oil Adjuvan		wetting agent		Emulsified vegetable oil	-	addition to horticultural sprays to increase spray deposition and penetration, droplet spread and uptake on the target to assist spray drift control and rainfastness	-	all crops	GrowGreen Pty Ltd, Queensland	liquid	Yes	-	Emulsified vegetable oil 832 g/L (Blend of highly degummed canola oils blended with vitamins A & E)	-
nertrol Horti stanical Oil sncentrate	plant extract	wetting agent	-	Emulsifiable botanical oil	-	improves rainfastness, drift control, wetting and sticking, biological activity o sprays	- f	all crops	Ltd, New South Wales	liquid	Yes	-	Emulsifiable botanical oil 850 g/L (100% canola oil)	
renade Soil Activ	microbial	-	crop nutrition	Bacillus amyloliquefaciens strain QST 713	-	not registered	soil health, nutrient uptake	Soil ameliorant (nutrient uptake) for <b>vegetables</b> and other horticultural crops	Bayer CropScience	liquid	Yes	-	Bacillus amyloliquefaciens QST 713 at no less than 1.0 10^12 CFU/L	https://www.crop.bayer.com.a ucts/bayer-biologics/serenade activ#tab-4
mifol K	amino acids	not registered	crop nutrition	not registered	Amino Acids + Potassium	Not Registered	Increase fruit fill & quality	all crops	Rovensa ANZ (Tradecorp)	Liquid	No	11.2	Potassium 38.6%, L-α free amino acids 7.5% (all	https://tradecorpaustralia.com
mino-max	amino acids	not registered	crop nutrition	not registered	amino acids	not registered	crop health	all crops	Nutri-Tech Solutions (NTS)	liquid	Yes	5 to 6	W/v) Nitrogen 5.78%, Amino acids 40%, Free amino	=amifol+k&x=0&y=0 -
mino-Tech	amino acids	not registered	crop nutrition	not registered	amino acids	not registered	crop health	all crops	Nutri-Tech Solutions (NTS)	liquid	Yes	3.5 to 5	0.16%, Sulphur 3950mg/L, Calcium 1040mg/L, Magnesium 94mg/L, Iron 9mg/L, Zinc 7mg/L,	-
rtigofol Ultra	amino acids	not registered	crop nutrition	not registered	amino acids, nitrogen, potassium	not registered	crop health	all crops	Agronutrition	liquid	No	8.4	Boron 1 mg/L Nitrogen 10%, phosphorus 1.5%, potassium 7%,	
ologiCAL PLUS TE	composite/blen	d not registered	crop nutrition	not registered	calcium acetate	not registered	crop health	all crops	SLTEC	liquid	No	6.5-7.5	trace elements 38.0% molasses, 0.23% kelp, 0.2% Humic, 0.2%	-
rtiCoat	'	d not registered	crop nutrition	not registered	information not provided	not registered	reduce leaf scorch, increase nutrient use	all crops	Omnia	liquid fertilise	r No	>10	Fish, 5.9% Ca, 1.8% K, 1.7% S  Potassium >4.5% wt/vol, Humic and Fulvic acids,	-
							efficiency			coating			seaweed, amino acids, trace elements and vitamins, coating polymers.	
rtile Veg	composite/blen	d not registered	crop nutrition	not registered	NPK and trace elements in glycine amino aci chelate form	f not registered	nutrition (foliar fertiliser)	all crops	Zadco (JH Biotech)	granular	Yes	n/a	Nitrogen 10%, Phosphorous 10%, Potassium 23%, Sulphur 4%, Magnesium 2%, Zinc 0.03%, Iron 0.018%, Manganese 0.027%, Copper 0.008%, Boron 0.005%, Molybdenum 0.004%	-
maKelp	composite/blen	d not registered	crop nutrition	not registered	humate and kelp	not registered	nutrient use efficiency/soil health	all crops	Omnia	liquid	Yes	>10	Potassium 4% wt/vol, amino acids, plant growth stimulants, trace elements	-
ega-Kel-P	composite/blen	d not registered	crop nutrition	not registered	kelp, fulvic acid, chemical elements	not registered	nutrition (foliar fertiliser)	vineyard, orchard, broadacre, <b>vegetables</b>	Omnia	liquid	No	<3	Nitrogen 4% wt/vol, Phosphorous 9%, Potassium 2.1%, Sulphur 2.7%, Manganese 1.9%, Zinc EDTA 1.3%, Copper EDTA 0.23%, Iron EDTA 0.18%, Boron 0.22%, Molybdenum 0.03%, Magnesium 1.3%, amino acids, seaweed, fulvic acids,	-
ew Era Better Grow	composite/blen	d not registered	crop nutrition	not registered	composted poultry manure	not registered	soil health, nutrient uptake	all crops	Sustainable Farming Solutions	pellets	Yes	n/a	biostimulants, uptake enhancers. 4.0% N, 1.8% P, 2.2% K, 3.2% Ca, 0.5% S, 0.6% Mg, 0.2% Fe, 370ppm Zn, 170ppm Cu, 500ppm Mn	-
w Era Premium	composite/blen	d not registered	crop nutrition	not registered	meat, bone, fish meal; seaweed extract, composted poultry manure	not registered	pre-plant fertiliser for vegetables; basal fertiliser for fruit trees	all crops	Sustainable Farming Solutions	pellets	Yes	n/a	3.6% N, 3.1% P, 4% K, 6.3% Ca , 1.6% S, 0.7% Mg, 0.2% Fe, 0.03% Zn, 0.03% Mn, 1.4% Si	https://sustainablefarming.com als/trials-database/
w Era Protein Meal	composite/blen	d not registered	crop nutrition	not registered	animal protein blend	not registered	slow release source of natural N	all crops	Sustainable Farming Solutions	n/a	Yes	n/a	13% N	https://sustainablefarming.com
reCROP VAM	composite/blen	d not registered	crop nutrition	not registered	4 VAM species: Claroideoglomus etunicatum,	not registered	Pre-plant fertiliser/biological seed coating	all mycorrhizal crops	LawrieCo Pty Ltd trading as	powder +	Yes	8.0 - 8.3	Multiple microbial species at 32,500 propagules/L,	als/trials-database/
	,				Funneliformis mosseoe, Rhizophagus irregularis, Rhizophagus aggregatus; 5 Bacillus spp.: B. subtilis, B. laterasporus, B. licheniformus, B. megaterium, B. pumilus; 1 Peenibacillus sp.: Ps polymyxa; 4 Trichoderma spp.: T. harzianum, T. viride, T koningii, T. polysporum; humic and fulvic acids		for enhanced fertiliser uptake, soil health, mycorrhizae		LawrieCo, South Australia	liquid			Phosphorus 1.68%, Otatssium 0.71%, Sulphur 0.15%, Calcium 5.17%, Silicate 2.52 %, Zinc oxide 2.40%, Manganese carbonate 1.53%, Humic acid 4.40%, Fulvic acid 3.18% (all %=w\/%)	
qua Power 5-1-1	fish extract	not registered	crop nutrition	not registered	hydrolysed fish protein and bone meal	not registered	nutrition	all crops	Zadco (JH Biotech)	liquid	Yes	n/a	Nitrogen 5%, Phosphorous 1%, Potassium 1%, 20 amino acids, 13 vitamins, 8 minerals (trace amounts)	-
rm Saver liquid fish	fish extract	not registered	crop nutrition	not registered	fish extract	not registered	nutrition	all crops	Nutri-Tech Solutions (NTS)	liquid	Yes	4 to 5	Nitrogen 3.31%, Phosphorous 0.3%, Potassium 0.55%, Sulphur 0.71%, Magnesium 248 mg/L, Calcium 135mg/L	
Fish Emulsion	fish extract	not registered	crop nutrition	not registered	fish emulsion	not registered	crop health	all crops	SLTEC	liquid	No	3.5-4.0	100% Fish Emulsion, 2.5% N	-







			Product type		Ingredient(s)	l	llse -	·	1					I
rade Name	Source	Registered	Has been used as / for (not	Active Ingredient(s) (APVMA	Main ingredient(s) of non registered	Registered Use (APVMA Registered)	Has been used as / for (not registered)2	Crop	Manufacturer	Formulation	Australian	nН	Analysis	Trial Information
		Product Type (APVMA	registered)	Active Ingredient(s) (APVMA Registered Products)	Main ingredient(s) of non registered products		g,-				Certified Organic			
aFish	fish extract	not registered)	crop nutrition	not registered	Fish emulsion (not specified) containing	not registered	2 step nutrition application: soil fertiliser	vegetables, vines, vegetables as soil fertiliser and foliar spray	BioAg Pty Ltd,	liquid	Yes	3.0 - 4.0	100% fish emulsion obtained using a natural	
					macro+ micronutrients		followed by foliar spray to enchance nutrient availability and soil health	,	New South Wales				enzyme process at low temperature. All %=w/v%: Nitrogen 2.5%, Phosphorus 1.25%, Potassium 0.25%, Calcium 0.5%, Sodium (NaCl salt) < 36%	
id Fish	fish extract	not registered	crop nutrition	not registered	97.5% cold processed liquid fish	not registered	crop health	all crops	Eco Growth	liquid	Yes	n/a	Nitrogen 2.5%. Phosphorous 0.41%. Potassium	-
1311	iisi extuce	notregistered	C op roution	not registered	57.5% Cod processed riquid rish	not registered	Crop reduit	uncrops	Eco Growa	IIIquio			0.14%, Sulphur 0.16%, Calcium 0.31%, Magnesium 0.03%, Iron 0.08%, Zinc 6ppm, Manganese 1ppm, Copper 1ppm, Boron 4ppm	
ri-Sea liquid fish	fish extract	not registered	crop nutrition	not registered	amino acids, natural nitrogen, trace elements	not registered	nutrition, soil biology	all crops	Nutri-Tech Solutions (NTS)	liquid	Yes	2.2 - 4.2	Nitrogen 5%, Phosphorous 0.65%, Potassium 1.32%, Sulphur 1.65%, Calcium 0.19%, Magnesium	-
afish	fish extract	not registered	crop nutrition	not registered	fish extract	not registered	nutrition	all crops	Omnia	liquid	Yes	<4	0.11%  Nitrogen 2.5% wt/vol, Phosphorous 1.25%wt/vol, 19 amino acids	-
i-Fulv	humic/fulvic	not registered	crop nutrition	not registered	humic and fulvic acids, potassium	not registered	soil and crop health	all crops	Agronutrition	liquid	no	12.8	fulvic acid 15%, humic acid 10%, Potassium 4.15%	
Fulvate Humate	humic/fulvic	not registered not registered	crop nutrition crop nutrition	not registered not registered		not registered not registered	plant uptake soil health, soil biology, crop health	all crops all crops	Eco Growth	liquid	Yes	n/a n/a	1% K w/v, 10.1% fulvic acid Humic acid 12.2%, Potassium 2.2%	-
up	humic/fulvic	not registered	crop nutrition	not registered	potassium fulvate	not registered	enhanced fertiliser uptake, soil health	all crops	Sustainable Farming Solutions	liquid	Yes	3.5-4	10% Fulvic acid with potassium	-
Activ	humic/fulvic	not registered	crop nutrition	not registered	fulvic acids, amino acids	not registered	crop health	all crops	Agronutrition	liquid	No	6	fulvic acids 24%, organic matter 35%, amino acids 8%	
vic Acid Powder	humic/fulvic	not registered not registered	crop nutrition	not registered not registered	potassium fulvate fulvic acid	not registered not registered	enhanced fertiliser uptake, soil health  crop health, soil biology	all crops all crops	Sustainable Farming Solutions  Nutri-Tech Solutions (NTS)	soluble powder granular	Yes	n/a	95% Fulvic acid with potassium  Fulvic Acid 70%, Nitrogen 2.5%, Phosphorous	-
nc Acid Fowder	nameravic	not registered	Crop natition	nocregistered	Idivic acid	notregistered	crop health, soil blology	an crops	Naurrecti Solutions (N13)	granulai	les	IVa	0.1%, Potassium 6.9%, Sulphur 3.9%, Magnesium 1.8%, Calcium 1%	
		not registered		not registered		not registered		all crops			Yes	n/a	Humic acids 70%	-
max mic [K] WSG/WSP	humic/fulvic humic/fulvic	not registered not registered	crop nutrition crop nutrition	not registered not registered	humic acid (from leonardite)  Humic acid, fulvic acid, potassium	not registered not registered	soil health soil carbon, soil biology	all crops all crops	Zadco (JH Biotech) Sipcam (Agricrop)	granular	Yes		0 Humic acid 80% !5 Humic acid 67%, Fulvic acid 7%, Potassium 10%	-
mus 400	humic/fulvic	not registered	crop nutrition	not registered	lignite, ligno-sulphates, cellulose	not registered	water infiltration, soil health	all crops	Eco Growth	granular	Yes	n/a	Nitrogen 0.9%, Phosphorous 0.4%, Potassium 0.12%, Sulphur 0.15%, Calcium 16.9%, Magnesium 0.8%, Iron 0.2%, Silicon 11.3%, Carbon 58%, Molybdenum 143 ppm	-
draHume	humic/fulvic	not registered	crop nutrition	not registered	High grade leonardite (source of humic acids	not registered	soil fertiliser to enchance nutrient availability and soil health	all crops	BioAg Pty Ltd, New South Wales	liquid	Yes	9.5 - 10.	Potassium Humate in solution 13% w/v, Total Potassium > 1.5% w/v	-
Ivate 10%	humic/fulvic	not registered	crop nutrition	not registered	potassium fulvate	not registered	nutrient uptake	all crops	Omnia	liquid	Yes	<3.5	Potassium > 1% wt/vol, Potassium Fulvate 10% wt/vol	-
ımate 26%	humic/fulvic	not registered	crop nutrition	not registered	potassium humate, potassium fulvate	not registered	nutrient uptake	all crops	Omnia	liquid	Yes	>10	Potassium >5% wt/vol, Potassium Humate + Potassium Fulvate 26% wt/vol	-
umate S100	humic/fulvic	not registered	crop nutrition	not registered	potassium humate, potassium fulvate	not registered	nutrient retention, water holding capacity	all crops	Omnia	granular	Yes	>10	Potassium >15% wt/vol, Potassium Humate + Potassium fulvate 85-95%	-
uid Humus ganic-N	humic/fulvic humic/fulvic	not registered not registered	crop nutrition crop nutrition	not registered not registered	humic acid nitrogen & fulvic acids	not registered not registered	crop health, soil biology managing crop nitrogen demand & building	all crops	Nutri-Tech Solutions (NTS) Sustainable Farming Solutions	liquid liquid	Yes	5.5-7.5	5 Potassium humate 12.6% 10% N w/v with amino acids, 23% fulvic acids w/v,	https://sustainablefarming
		-					yield. Supports crops under stress				103		37.5% organic C w/v	als/trials-database/
al Earth	humic/fulvic	not registered	crop nutrition	not registered	humic and fulvic acids	not registered	improving soil structure, promoting microbial activity, reducing Phosphorous lockup	all soil grown crops	Sustainable Farming Solutions	pellets	Yes	9.5-11	40% humic and fulvic acids (with potassium), 37.9% silicates, Ca-0.22% Fe-2.43% Mg-0.54% S- 0.39% K-3.44% Cu-17ppm Co-7.7ppm Mn-52ppm Mo-1.05ppm Na-0.34% P-150ppm Se-0.81ppm, Zr 11.5ppm	https://sustainablefarming als/trials-database/
-N	microbial	not registered	crop nutrition	not registered	nitrogen fixing bacteria - Azotobacter species		nitrogen	all crops	Nutri-Tech Solutions (NTS)	liquid	Yes	n/a	not supplied	
P Advance	microbial microbial	not registered not registered	crop nutrition crop nutrition	not registered not registered	Azotobacter spp., Bacillus subtilis Azotobacter sp., Azosporillum, Bacillus subtilis,	not registered	Phosphorous crop health, soil biology	all crops all crops	Nutri-Tech Solutions (NTS) Eco Growth	liquid additive in	Yes	n/a	not supplied not supplied	-
	microbial	notregistered	crop nutruon	not registered	Bacillus megaterium, cellulosic fungi (Chaetomium spp.), mycorrhiza (Glomus intraradices), Pseudomonas spp., Rhizobium,	not registered	crop realth, soil biology	an crops		other fertilise products	r	100	пос зарушей	
tform	microbial	not registered	crop nutrition	not registered	Streptomyces, Trichoderma. 5 species mycorrhizal fungi and a range of Trichoderma and bacterial species (no detailed info given)	not registered	root system	all crops	Nutri-Tech Solutions (NTS)	granular	Yes	n/a	not supplied	-
o High Tech	plant extract	not registered	crop nutrition	not registered	plant extracts	not registered	set, lengthening rachis (grapes)	berries   grapes   <b>fruiting vegetables</b>   nuts   citrus	Kimitec	liquid	No	n/a	2.9% NATCA, 3.2% TCA, 8.7% Free Amino acids, 1.9% Total N, 1.9% Organic N, 7.7% K	https://sustainablefarmin als/trials-database/
gol B2M	seaweed extrac		crop nutrition	not registered	Ascophyllum nodosum seaweed	not registered	crop health	all crops	Agronutrition	liquid	No	6.9	Magnesium 3%, Sulphur 4.4%, Boron 3%, seaweed extracts	
rgol MoB		t not registered	crop nutrition	not registered	Ascophyllum nodosum Ascophyllum nodosum seaweed	not registered	crop health	all crops all crops	Agronutrition	liquid	No No	8	Boron 4%, Molybdenum (%age not stated) and seaweed extracts Nitrogen 9%, phosphorus 2.3%, magnesium 4%,	
vgol Z2M		t not registered	crop nutrition	not registered	Ascophyllum nodosum seaweed Ascophyllum nodosum seaweed	not registered	crop health	all crops	Agronutrition Agronutrition	liquid	No	1.8	trace elements, seaweed extracts  Sulphur 8%, Zinc 4%, Magnesium 3%, Manganese	
onia K		t not registered	crop nutrition	not registered	Ascophyllum nodosum seaweed	not registered	crop health	all crops	Agronutrition	powder	Yes (NASAA)	10	4%, seaweed extracts Potassium 17%, seaweed extracts	
inocal		t not registered	crop nutrition	not registered	amino acid chelated calcium	not registered	crop health	all crops	Seawins	liquid	SXC certified	6.2	4 calcium 17%, L-free amino acids, 11% total	-
Kelp	spawpod ovtrac	t not registered	cron nutrition	not registered	kelp extract, potassium	not registered	crop health	all crops	SLTEC	liquid	No	85-95	nitrogen (organic) 1.3% 20% Kelp, 3.2% K	-
draSea 50	seaweed extrac	t not registered	crop nutrition	not registered	seaweed extracts (Ascophyllum nodosum)	not registered	Foliar nutrition spray during the most	vegetables, fruit/nut tree crops, grapes,cereals, cotton,	BioAg Pty Ltd,	liquid	Yes	8.5 - 10	100% seaweed extract (Ascophyllum nodosum).	https://www.bioag.com.a
					containing macro + trace/micronutrients, proteins (enzymes, amino acids), carbohydrates, plant growth hormone-like compounds showing auxin- and cytokinin-like activity.		vulnerable crop stages and/or during abiotic stress conditions to enchance nutrient uptake and root growth	sugarcane	New South Wales				Nitrogen 0.33 - 0.55%, Phosphorus 0.006 - 0.01%, Potassium 7.5 - 9.5%, Sulphur 0.96 - 1.18%, Calcium 240 - 320 ppm, Sodium 0.7 - 1.5%, Magnesium 1,920 - 3040 ppm, Boron 95 - 320 ppm, Iron 48 - 320 ppm, Manganese 160 - 480 ppm, Copper 45 - 270 ppm, Zinc 48 - 160 ppm	/hydrasea-50-trail-insert-
elp	seaweed extrac	t not registered	crop nutrition	not registered	bull kelp	not registered	nutrition	all crops	Omnia	liquid	Yes	>9	(%=w/v%) Potassium 3.7% wt/vol, Sulphur 1.3% wt/vol, Kelp extracts 9-10% wt/vol, amino acids, growth hormones	-
xar Ca xar K	seaweed extrac	t not registered t not registered	crop nutrition crop nutrition	not registered not registered		not registered not registered	crop health crop health	all crops all crops	Agronutrition Agronutrition	liquid liquid	No No	8.2 13.6	Calcium 14%, seaweed extracts seaweed extracts, nitrogen 4%, potassium 26%	
xar Mg	seaweed extrac	t not registered	crop nutrition	not registered	Ascophyllum nodosum and magnesium	not registered	crop health	all crops	Agronutrition	liquid	No	3.4	Nitrogen 7%, magnesium 7%, seaweed extracts	
utri-Kelp	seaweed extrac	t not registered	crop nutrition	not registered	Ascophyllum nodosum (giberellins, cytokinins, auxins)	not registered	nutrition, soil biology, stress	all crops	Agronutrition Nutri-Tech Solutions (NTS)	granular	Yes	n/a	Nitrogen 7%, magnesium 7%, seaweed extracts Nitrogen 1.17%, Phosphorous 0.23%, Potassium 19.12%, Sulphur 1.8%, Magnesium 0.37%, Calcium 0.34%, Silicon 679ppm, Iron 471ppm, Boron 135ppm, Zinc 38ppm, Manganese 37ppm,	-
													Molybdenum 2ppm, Cobalt 1ppm	
urakelp eaChange Liquid Kelp	seaweed extrac	t not registered	crop nutrition	not registered	bull kelp (Durvillaea potatorum)	not registered	crop health	all crops all crops	Omnia Nutri-Tech Solutions (NTS)	liquid	Yes Yes	4	kelp extracts 9-10% Potassium 1.39%, Calcium 0.09%, Iodine 22mg/L	-







		1	Product type		Ingredient(s)		Use			I				l
rade Name	Source	Registered Product Type (APVMA	Has been used as / for (not registered)	Active Ingredient(s) (APVMA Registered Products)	Main ingredient(s) of non registered products	Registered Use (APVMA Registered)	Has been used as / for (not registered)2	Стор	Manufacturer	Formulation	Australian Certified Organic	pН	Analysis	Trial Information
eanergy		Registered) t not registered	crop nutrition	not registered		not registered	crop health, stress tolerance	all crops	Sipcam (Agricrop)	liquid	No		Nitrogen 1%, Phosphorous 0.95%, Potassium 3.5%, Sulphur 7.5%, Calcium 0.6%, Magnesium 0.6%, Iron 200ppm, Manganese 6ppm, Zinc 18ppm, Copper 6ppm, Betaine 2%	-
uper Kelp liquid		not registered	crop nutrition	not registered	Ascophyllum sp & Durvillaea sp	not registered	reduces stress effects in crops	all crops	Sustainable Farming Solutions	liquid	Yes	4-4.5	Soluble K - 2%; Seaweed extract; alginic acid - 1.5%	https://sustainablefarming.com.au als/trials-database/
iper Kelp powder		not registered	crop nutrition	not registered	Ascophyllum sp	not registered	reduces stress effects in crops	all crops		soluble powder	Yes	10-10.5	Alginic Acid 12-18%, N 1.5%, K 17-22%	https://sustainablefarming.com.a als/trials-database/
ri-Kelp	seaweed extract	not registered	crop nutrition	not registered	Laminaria, Sargassum, Ascophyllum nodosum	not registered	crop health	all crops	Nutri-Tech Solutions (NTS)	granular	Yes	n/a	Alginic acid 18%, Nitrogen 0.89%, Potassium 15%, Iron 1.07%, Sulphur 1.05%, Calcium 0.45%, Magnesium 0.17%, Silicone 445ppm, Manganese 92ppm, Zinc 48ppm, Boron 46ppm, Copper 34ppm, Cobalt 8ppm, Molybdenum 5ppm	
minoPlus	seaweed/fish	not registered	crop nutrition	not registered	fish extract 50-100%, kelp extract 25-50%	not registered	nutrition	all crops	Omnia	liquid	Yes	4	N: 2.1% wt/vol, Natural Amino Acids, Plant growth stimulants, Trace Elements, Chelating Agents.	-
co Vital	seaweed/fish	not registered	crop nutrition	not registered	chelated fish extract, kelp, plant extracts	not registered	crop health, stress tolerance	all crops	Eco Growth	liquid	Yes	n/a	Nitrogen 2%, Phosphorous 0.6%, Potassium 0.4%, Calcium 0.5%, Magnesium 0.2%, Iron 0.07%, Zinc 750ppm, Manganese 704ppm, Copper 730ppm, Molybdenum 1ppm, Boron 34ppm, Cobalt 8ppm	-
oliPepta	microbial	not registered	disease suppressant	not registered	Bacillus amyloliquefaciens strain pm 414	not registered	Seed inoculation / foliar spray to form a natural physical barrier to diseases	all crops	Novum Lifesciences, Queensland	liquid	Yes	3.3 - 4.8	All % as %w/v. Bacillus amyloliquefaciens strain pm 414 (total concentration < 1%). Non-hazardous	-
rich-a-soil	microbial	not registered	disease suppressant	not registered	spores of beneficial fungus <i>Trichoderma viride</i> (indigenous strain)	not registered	root system, fusarium resistance	turf, intensive horticulture	Metcalf BioControl, Tasmania	powder	Yes	n/a	components < 1%. Water up to 100%  Trichoderma viride (indigenous strain) at 5 x 10^10 spores/g	-
C-3	plant extract	not registered	disease suppressant	not registered	cottonseed oil, corn oil, garlic extract, oleic acid, lauric acid, sodium bicarbonate	not registered	powdery mildew	susceptible crops	Zadco (JH Biotech)	liquid	Yes	n/a	Cottonseed oil 30%, corn oil 30%, garlic extract 23%, oleic acid 2%, lauric acid 1%, sodium	-
ee-Tagonizer Bee ectoring Powder	microbial	not registered	fungicide	not registered	spores of beneficial fungus <i>Trichoderma</i> harzianum strain Td81b	not registered	entomovectoring: beneficial fungus that is carried by bees to colonise flowers and assist with fruit set, control of fungal pathogens	crops reliant on bee pollination for fruit set, including vegetables	Metcalf BioControl (Biocontrol Australia Pty Ltd), Tasmania	powder	Yes	n/a	bicarbonate 2%, water 12%  Trichoderma harzianum strain Td81b at 2 x 10^8 spores/g	https://awitc.com.au/wp- content/uploads/2016/07/130 Met If.pdf
ipoguard	microbial	not registered	fungicide	not registered	lipopeptides derived from bacterial strains (not specified)	not registered	biofungicide	all crops	Metagen Pty Ltd,	liquid	No	-	not supplied	-
letcalf amatum (Isolates	microbial	not registered	fungicide	not registered	spores of beneficial fungus Trichoderma hamatum strains AVA2 and AVC1	not registered	Beneficial microbe that is a natural enemy of <i>Phytophthora</i> disease	all crops	Metcalf BioControl, Tasmania	powder	Yes	n/a	Trichoderma hamatum strains AVA2 and AVC1 at 5 x 10^10 spores/g	-
dAVC1 & TdAVA2) letcalf d67	microbial	not registered	fungicide	not registered	spores of beneficial fungus <i>Trichoderma</i> koningii strain Td67	not registered	Beneficial microbe that is a natural enemy of grey mould (Botrytis cinerea)	all crops	Metcalf BioControl, Tasmania	powder	Yes	n/a	Trichoderma koningii strain Td67 at 5 x 10^10 spores/g	https://awitc.com.au/wp- content/uploads/2016/07/130_Me
letcalf d81b	microbial	not registered	fungicide	not registered	spores of beneficial fungus <i>Trichoderma</i> harzianum strain Td81b	not registered	of grey mould (Botrytis cinerea) and brown	all crops	Metcalf BioControl, Tasmania	powder	Yes	n/a	Trichoderma harzianum strain Td81b at 5 x 10^10 spores/g	https://awitc.com.au/wp- content/uploads/2016/07/130 Me
crecio	plant extract	not registered	growth stimulant	not registered	amino acids, humic acid	not registered	rot (Monilinia spp.) root stimulant	all crops	Agronutrition	liquid	no	11	L- Tryptophane, L-methionine, humic acids, N 12%,	If.pdf
ealeaf Origin	plant extract	not registered	growth stimulant	not registered	amino acids, seaweed extracts, nitrogen,	not registered	crop health	all crops	Agronutrition	liquid	No	8	P 2%, K 8% Nitrogen 6%, potassium 4%, amino acids 6%,	
mino Boss	amino acids	not registered	growth stimulant/ regulator	not registered	potassium 50% (635g/L) Amino Acids, 26% Organic	not registered	crop health	all crops	Sipcam (Agricrop)	liquid	Yes	6 to 7	seaweed extracts Alanine 5.4%, Arginine 0.5%, Aspartic acid 1.6%,	
					Nitrogen, 8% Organic Carbon.								Glutamic acid 5.2%, Glycine 12%, Hydroxylysine 2.1%, Hydroxyproline 3.5%, Histidine 0.4%, Isoleucine 0.9%, Leucine 1.8%, Lysine 1.7%, Methionine 0.7%, Crnithine 2.5%, Phenylalanine 1.2%, Proline 6.9%, Serine 0.3%, Threonine 0.5%, Tyrosine 1.2%, Valine 1.6%, Carbon 26%, Nitrogen	
iower 'n' Fruit Maker	amino acids	not registered	growth stimulant/ regulator	not registered	Nitrogen, 8% Organic Carbon.	not registered	crop health	all crops	Sipcam (Agricrop)	liquid	Yes	6 to 7	Alanine S.A%, Arginine 0.5%, Aspartic acid 1.6%, Glutamic acid S.2%, Glytine 12%, Hydroxylysine 2.1%, Hydroxylorile a.55%, Histoline 0.4%, Isoleucine 0.9%, Leucine 1.3%, Lysine 1.7%, Methionine 0.7%, Cmithine 2.5%, Phenyalanine 1.2%, Proline 6.9%, Serine 0.3%, Threonine 0.5%, Tyrosine 1.2%, Valine 1.6%, Carbon 26%, Nitrogen 8%	-
rotifert LMW 8 alance & Grow	amino acids composite/blend	not registered d not registered	growth stimulant/ regulator growth stimulant/ regulator	not registered not registered	amino acids, peptides Fermented product - Microbial inoculum: fungi,bacteria, yeast and protozoans (not specified); Liquid food source containing calcium and phosphate, vitramins, minerals, proteins, enzymes, amino acids and carbohydrates (not specified).	not registered not registered	crop health Foliar nutrition spray to enhance vegetative growth	all crops all crops	Sipcam (Agricrop) BioAg Pty Ltd, New South Wales	liquid liquid	No Yes	6 to 7	Protein hydrolyzates, animal 50% Micro-organisms (unknown g/L). All % as ww%: Nitrogen 0.1%, Phosphorus 1.3%, Potassium 0.4%, Sulphur 0.8%, Calcium 0.5%, Magnesium 0.03%, Sodium 0.1%	https://www.bioag.com.au/trials- demonstrations/.
oliCal 19	composite/blend	not registered	growth stimulant/ regulator	not registered		not registered	nutrition	all crops	Omnia	liquid	No	2.5	Calcium 19% wt/vol	-
uit & Balance	composite/blend	not registered	growth stimulant/ regulator	not registered	Fermented product - Microbial inoculum: fungi, bacteria, yeast and protozoans (not specified): Liquid food source containing vitamins, minerals, proteins, enzymes, amino acids, carbohydrates, and growth promoters (not specified).	not registered	Foliar nutrition spray to enhance reproductive growth (flowering, fruit set)	all crops	BioAg Pty Ltd, New South Wales	liquid	Yes	4.5	Not supplied	https://www.bioag.com.au/trials- demonstrations/
	74 40 1 1	not registered	growth stimulant/ regulator growth stimulant/ regulator	not registered not registered	silicon, kelp, humic acid humic acid/ fulvic acid/ fish extract/ molasses	not registered not registered	crop health	all crops all crops	Nutri-Tech Solutions (NTS) SLTEC	liquid liquid	Yes Yes	11 to 12 10.0-11.0	Potassium 10.6%, Silicon 10.38% 8% Molasses, 8% kelp, 6.6% Fish, 8% Fulvic, 3.4% k	
hoto-Finish JuadSHOT	composite/blend	i not registered				not registered	nutrition, stress, soil biology	all crops	Nutri-Tech Solutions (NTS)	granular	Yes	6.7	Fulvic Acid 35%, Alginic acid 9%, Nitrogen 1.69%,	-
uadSHOT	composite/blend	not registered	growth stimulant/ regulator	not registered	kelp, fulvic acid, alginic acid	_							Potassium 11%, Sulphur 2.48%, Magnesium	
uadSHOT timulate	composite/blend		growth stimulant/ regulator growth stimulant/ regulator	not registered  not registered		not registered	Pre-plant soil conditioner/fertiliser to stimulate beneficial microbial activity in the root zone and biological processes: nitroger fixation, phosphorus solubolisation, growth hormone production.	all crops	YLAD Living Soils, New South Wales	compost style	Yes	7.3 - 8.1	Potassium 11%, Sulphur 2.48%, Magnesium 0,98%, Calcium 0.72%, Iron 0.53% Ilinoculum: Micro-organisms (concentrations not specified); Manure 30 - 60%, Wheat straw 30%, Compost 20%, Clay 10%.	
	composite/blend composite/blend composite/blend	i not registered i not registered not registered			Micro-organisms (not specified); Manure, Wheat straw, Compost, Clay.	not registered not registered not registered	stimulate beneficial microbial activity in the root zone and biological processes: nitrogen fixation, phosphorus	· ·		compost style	Yes No No	5.0-6.0	0.98%, Calcium 0.72%, Iron 0.53% Inoculum: Micro-organisms (concentrations not specified); Manure 30 - 60%, Wheat straw 30%, Compost	Seed inoculation / foliar spray to form a natural physical barrier diseases







<u> </u>			Product type		Ingredient(s)		Use							<u> </u>
rade Name	Source	Registered Product Type (APVMA	Has been used as / for (not registered)	Active Ingredient(s) (APVMA Registered Products)	Main ingredient(s) of non registered products	Registered Use (APVMA Registered)	Has been used as / for (not registered)2	Сгор	Manufacturer	Formulation	Australian Certified Organic	рН	Analysis	Trial Information
. Sub	microbial	not registered	growth stimulant/ regulator	not registered	Bacillus subtilis, activator	not registered	crop health	all crops	Nutri-Tech Solutions (NTS)	liquid	Yes	n/a	not supplied	-
lio-Plex	microbial	not registered	growth stimulant/ regulator	not registered	Azobacter spp.	not registered	leaf life	all crops	Nutri-Tech Solutions (NTS)	liquid	Yes	n/a	not supplied	-
iaSil	microbial	not registered	growth stimulant/ regulator	not registered	Micronised diatomaceous earth (fossilised remains of diatoms, a type of hard-shelled protists)	not registered	Applied as a seed coating, seedling drench, soil application, fertigation and a foliar spray (best in combination with LoliPepta product) for plant growth stimulation and environmental stress resilience	all crops	Novum Lifesciences, Queensland	powder	Yes	-	Elements expressed as %w/w. Diatomaceaous earth ≥ 95%, Silica as quartz < 3%	
ndo-Fight	microbial	not registered	growth stimulant/ regulator	not registered	mix of 5 products - RhizoPhos, RhizoGuard, Mycorrhiza, AspeN, DiaSil	not registered	crop health, soil biology	all crops	Novum Lifesciences, Queensland	liquid and granular	Yes	7 -8	Azotobacter chroococcum, A. brasilense, Bacillus amyloliquefaciens [strain rm303] 1x10 <sup>9</sup> CFU/ml, Verticillium chlamydosporum, Rhizophagus irregularis	-
nionmate	microbial	not registered	growth stimulant/ regulator	not registered	Trichoderma atroviride	not registered	root growth	onions	Agrimm	granular	Yes	n/a	not supplied	-
antmate Granular	microbial	not registered	growth stimulant/ regulator	not registered	Trichoderma harzianum	not registered	crop health	all crops	Agrimm	granular	Yes	n/a	Trichoderma harzianum 1 x 10^6 CFU/g	-
izomax	microbial	not registered		not registered	Bacillus amyloliquefaciens	not registered	crop health	all crops	Novum Lifesciences, Queensland	liquid	Yes	4.5 - 8.5	1 x 10 <sup>9</sup> CFU/ml	-
ootmate quadron	microbial microbial	not registered not registered	growth stimulant/ regulator growth stimulant/ regulator	not registered not registered	Trichoderma harzianum Pseudomonas fluorescens	not registered not registered	crop health	all crops all crops	Agrimm Novum Lifesciences, Queensland	granular	No Yes	n/a 4.5 - 8.5	not supplied  1 x 10 <sup>8</sup> CFU/ml	-
pmate icho-shield	microbial microbial	not registered not registered	growth stimulant/ regulator growth stimulant/ regulator	not registered not registered	Trichoderma harzianum Trichoderma harzianum, T. lignorum, T. koningii	not registered not registered	crop health	all crops all crops	Agrimm Nutri-Tech Solutions (NTS)	granular granular	No Yes	n/a n/a	not supplied not supplied	-
ttucemate ycogel	microbial microbial	not registered not registered	growth stimulant/ regulator growth stimulant/ regulator	not registered not registered	Trichoderma atroviride	not registered not registered	crop health soil health, nutrient uptake	lettuce most crops	Agrimm Kimitec	powder liquid gel	Yes Yes	4.5 n/a	Trichoderma atroviride 5 x 10^8 CFU/g  Rhizophagus irregularis in sterile gel; 50,000 CFU/mL	https://sustainablefarming.com.a
icleon Liquid rtiliser Enzyme Iditive	microbial	not registered	growth stimulant/ regulator	not registered	enzymes - lipase, mannanase		enhances nutrient availability to soil microbes and plant roots resulting in improvements in soil and plant health, growth and yield.	all crops	Elemental Enzymes	liquid	no	5.0 - 10.0	Lipase 750mU/mL, Mannanase 350U/mL	als/trials-database/ https://sustainablefarming.com.a oduct/nucleon/
antmate Drench	microbial	not registered	growth stimulant/ regulator	not registered	Trichoderma harzianum	not registered	crop health	all crops	Agrimm	powder	Yes	4.5	Trichoderma harzianum 1 x 10^8 CFU/g	-
antmate Foliar abel X Canola	microbial	not registered	growth stimulant/ regulator	not registered	Trichoderma atroviride	not registered	crop health	all crops canola	Agrimm Sustainable Farming Solutions	powder	Yes	4.5	Trichoderma atroviride 1 x 10^9 CFU/g Trichoderma spp. 5 x 10^7 CFU/g	- https://euctoigrhish
	microbiai	not registered	growth stimulant/ regulator	not registered	endophytic <i>Trichoderma</i> spp.	not registered	yield, crop health, soil health	canoia	Sustainable Farming Solutions	treatment	res	6-7		https://sustainabletarming.com.a als/trials-database/
ibel-X Cereal	microbial	not registered	growth stimulant/ regulator	not registered	endophytic <i>Trichoderma</i> spp.	not registered	yield, crop health, soil health	wheat   barley   oats   rye   spelt   triticale	Sustainable Farming Solutions	dry seed treatment	Yes	6-7	Trichoderma spp. 5 x 10^7 CFU/g	https://sustainablefarming.com.a als/trials-database/
ibel-X Corn	microbial	not registered	growth stimulant/ regulator	not registered	endophytic <i>Trichoderma</i> spp.	not registered	yield, crop health, soil health	field corn   popcorn   <b>sweetcorn</b>   sunflowers	Sustainable Farming Solutions	dry seed treatment	Yes	6-7	Trichoderma spp. 7 x 10^7 CFU/g	https://sustainablefarming.com.a als/trials-database/
bel-X Hort	microbial	not registered	growth stimulant/ regulator	not registered	endophytic <i>Trichoderma</i> spp.	not registered	yield, crop health, soil health	vegetables	Sustainable Farming Solutions	soluble powder	Yes	6-7	Trichoderma spp. 7 x 10^7 CFU/g	https://sustainablefarming.com.a als/trials-database/
i-Culture	microbial	not registered	growth stimulant/ regulator	not registered	Bacillus licheniformis, Bacillus methylotrophicus, Bacillus subtilis	not registered	crop health	all crops	SLTEC	liquid	No	n/a	Bacillus licheniformis 1 x 10^8 CFU/ml, Bacillus methylotrophicus 2 x 10^8 CFU/ml, Bacillus subtilis 2 x 10^8 CFU/ml, water based culture medium	-
tiwave	plant extract	not registered	growth stimulant/ regulator	not registered	plant extracts (no further information given)	not registered	crop health	all crops	Valagro	liquid	No	6	.4 Nitrogen 3%, Potassium 5.8%, Iron 0.5% Zinc 0.08%, Organic carbon (soluble in water) 12%	-
oe-Tech	plant extract	not registered	growth stimulant/ regulator	not registered	gibberellins, indole acetic acid, polysaccharides, aloins, saponins, B vitamins	not registered	crop health	all crops	Nutri-Tech Solutions (NTS)	liquid	Yes	3.7 to 4.5	Whole leaf Aloe vera extract 100%	-
itallon	plant extract	not registered	growth stimulant/ regulator	not registered	proprietary plant extracts; fulvic acid	not registered	Increasing fruit size and yield	all fruiting crops	Kimitec	liquid	Yes	7-9	46.6% fulvic acids , 2.5% N w/v, 7.8% K w/v	https://sustainablefarming.com.a als/trials-database/
nefit PZ	plant extract	not registered	growth stimulant/ regulator	not registered	plant extracts (no further information given)	not registered	crop health, stress tolerance	all crops	Valagro	liquid	No	6	.8 Nitrogen 4%, Potassium 6.6%, Organic carbon (soluble in water) 10%	-
mbardier Sugar	plant extract	not registered	growth stimulant/ regulator	not registered	Proprietary plant extracts	not registered	promote sugar formation and ripening including colour in fruiting crops	all fruiting crops	Kimitec	liquid	Yes	5-7	38.3% oligosaccharides (w/v), 19.8% fulvic acid (w/v) 10.3% amino acids (w/v), 6.6% Total N (w/v)	https://sustainablefarming.com.als/trials-database/
ndal	plant extract	not registered	growth stimulant/ regulator	not registered	plant extracts (no further information given)		crop health	all crops	Valagro	liquid	No		.8 Nitrogen 3.5%, Potassium 12.9%, Organic carbon (soluble in water) 3%	-
ndal Root egafol	plant extract plant extract	not registered not registered	growth stimulant/ regulator growth stimulant/ regulator	not registered not registered	plant extracts (no further information given) plant extracts (no further information given)		root growth crop health, stress tolerance	all crops all crops	Valagro Valagro	liquid	No No	6	.1 Nitrogen 9%, Potassium 7.5% .5 Nitrogen 3%, Potassium 6.6%, Organic carbon (soluble in water) 9%	-
ntjuice	plant extract	not registered	growth stimulant/ regulator	not registered	algae extract ( <i>Ulva</i> spp.)	not registered	crop health	all crops	Pacific Bio	liquid	No		<ul> <li>auxins (IAA) 295 ng/g FW, 1.4% K, 2.6 g/L S, 2.2 g/L Na</li> </ul>	-
difarm	plant extract	not registered	growth stimulant/ regulator	not registered	plant extracts (no further information given)	_	root growth	all crops	Valagro	liquid	No		.0 Nitrogen 3%, Potassium 8%, Zinc 0.10%, Organic carbon (soluble in water) 10%	-
eet azyme	plant extract plant extract	not registered not registered	growth stimulant/ regulator growth stimulant/ regulator	not registered not registered	plant extracts (no further information given) brassinosteriods and tricontanol	not registered not registered	ripening stimulates root growth	all crops all crops	Valagro Sustainable Farming Solutions	liquid	No Yes		.5 Calcium 7.2%, Magnesium 0.6%  Highly active plant stimulants from fermentation	https://sustainablefarming.com.a
azyme ST (seed	plant extract	not registered	growth stimulant/ regulator	not registered	brassinosteriods and tricontanol	not registered	vigour in seedlings and improved root	all direct sown crops	Sustainable Farming Solutions	liquid	Yes	3.5-4.2	process Highly active plant stimulants; fulvic & amino acid	als/trials-database/ s https://sustainablefarming.com.a als/trials-database/
eatment) /a	plant extract	not registered	growth stimulant/ regulator	not registered	plant extracts, humic acid	not registered	development soil biology	all crops	Valagro	liquid	No	6	.2 Nitrogen 3%, Potassium 8%, Iron 0.02%, Organic	- ais/triais-database/
eldon	plant extract	not registered	growth stimulant/ regulator	not registered	plant extracts (no further information given)	not registered	-	seed crops	Valagro	liquid	No		carbon (soluble in water) 8% .5 Nitrogen 3%, Potassium 2.5%, Molybdenum 0.2%, Manganese 0.5%, Zinc 0.5%, Organic carbon	-
rm Saver liquid kel	p seaweed extra	ct not registered	growth stimulant/ regulator	not registered	three kelp species, Laminaria spp., Sargassum	not registered	nutrition, stress	all crops	Nutri-Tech Solutions (NTS)	liquid	Yes	9.5-10.5	(soluble in water) 10% Potassium 1.5%, Iron 0.11%, Sulphur 0.11%,	-
C Cream	seaweed extra	ct not registered	growth stimulant/ regulator	not registered	spp., Ascophyllum nodosum. Ascophyllum nodosum seaweed	not registered	crop health	all crops	Valagro	liquid	No	3	Calcium 450mg/L, Magnesium 170mg/L 9 Manganese 1.5%, Zinc 0.5%	-
C Extra	seaweed extra	ct not registered	growth stimulant/ regulator	not registered	Ascophyllum nodosum seaweed	not registered	crop health	all crops	Valagro	granular	No	g	.2 Nitrogen 20%, Betains 0.2%, Mannitol 4%, Organic carbon (soluble in water) 20%	c -
Set ylgreen 200	seaweed extra	ct not registered ct not registered	growth stimulant/ regulator growth stimulant/ regulator	not registered not registered	Ascophyllum nodosum seaweed Ascophyllum nodosum seaweed extract	not registered Not Registered	flowering Prevents Abiotic Stress	all crops all crops	Valagro Rovensa ANZ (Tradecorp)	liquid Liquid	No Yes	5 8	.5 Boron 0.50%, Zinc 1.5% 100% seaweed extract (Ascophyllum nodosum).	-
lax	seaweed extra	ct not registered	growth stimulant/ regulator	not registered	kelp extract + cobalt	not registered	crop health/ stress tolerance	all crops	SLTEC (Tradecorp)	liquid	No	5.0- 7.0	10% kelp, 0.2% Cobalt, 4.3% P, 10.3%K, 0.1% S, 0.02% Mo	-
eed Zap	plant extract	not registered	herbicide	not registered	clove oil, cinnamon oil, cottonseed oil, oleic acid, lauric acid	not registered	weeds	all crops	Zadco (JH Biotech)	liquid	Yes	n/a	Clove oil 19%, Cinnamon oil 19%, Cottonseed oil 19%, oleic acid 19%, lauric acid 19%, inert ingredients: lactose and water 5%	-
ematamax	microbial	not registered	insecticide	not registered	Verticillium chlamydosporum	not registered	nematodes	all crops	Novum Lifesciences, Oueensland	liquid	Yes	6.5 - 8.5	not supplied	-
C-Mite	plant extract	not registered	miticide	not registered	acid, lauric acid, sodium bicarbonate	not registered	control of mites and insects	all crops	Zadco (JH Biotech)	liquid	Yes	n/a	Cottonseed oil 40%, clove oil 5%, garlic extract 10%, oleic acid 2%, lauric acid1%, sodium bicarbonate 2&, water 26%	-
grospeed Fusion ransit Duo	microbial plant extract	not registered not registered	nutrient availability nutrient availability	not registered -	phosphorus and Bacillus amyloliquefaciens tannins, lignins and complex aromatics	not registered -	crop health nutrient uptake	all crops all crops	Agronutrition  Valent BioSciences Corporation  USA / Sumitomo Chemical  Australia Pty Ltd, NSW	granular , liquid	No No	4	zinc 0.5%	
6.1										P 14	v.		F 7440Y	
ioGarlic	plant extract	not registered	pest deterrent	not registered	garlic oil	not registered	insect pests	all crops	Zadco (JH Biotech)	liquid	Yes	n/a	garlic oil 10%, water 90%	1=







			Product type		Ingredient(s)		Use							
rade Name	Source	Registered Product Type (APVMA	Has been used as / for (not registered)	Active Ingredient(s) (APVMA Registered Products)	Main ingredient(s) of non registered products	Registered Use (APVMA Registered)	Has been used as / for (not registered)2	Сгор	Manufacturer	Formulation	Australian Certified Organic	рН	Analysis	Trial Information
Bye	plant extract	not registered	pest deterrent	not registered	4-(p-hydroxyphenyl)-2-butanone, 4-(p- hydroxyphenyl)-2-butanone acetate	not registered	fruit fly	fruit fly susceptible crops	Nutri-Tech Solutions (NTS)	liquid	Yes	n/a	4-(p-hydroxyphenyl)-2-butanone 0.5g/L, 4-(p- hydroxyphenyl)-2-butanone acetate 0.25g/L	
Star Stim	composite/blen	d not registered	soil biology stimulant	not registered	polyglutamic acid from <i>Bacillus</i> ; fish skin and seaweed extracts	not registered	reduced plant stress, increased microbial activity, soil health, enhanced nutrient uptake	all crops	Seawins	liquid	SXC certified	4.0 - 6.0	Fulvic acid 5%, PGA 0.5%, amino acid 1%, seaweed polysaccharides 10%, alginic acid 3%, organic	i -
TX500 Humus ract		d not registered	soil biology stimulant	not registered	Micro-organisms (not specified), humic acids, enzymes, plant hormones and minerals		Pre-plant soil conditioner/fertiliser to stimulate beneficial microbial activity in the root zone and biological processes. Also applied as foliar fertiliser.		YLAD Living Soils, New South Wales	liquid	Yes	-	matter 15-20% not supplied	Independent 3 year trial result available with manufacturer
-Hum Concentrated tiliser Additive	composite/blen	d not registered	soil biology stimulant	not registered	Microbial inoculum: Enterococcus faecalis, Lactobacillus spp., Pediococcus pentosaceus, Aspergillus spp., Saccharomyces cerevisiae, Bacillus subtilis subspp. Humic and fulvic acids	not registered	Pre-plant soil conditioner/fertiliser additive to stimulate beneficial microbial activity in the root zone and biological processes.	all crops	Biolink 4 Plants Pty Ltd, Victoria	liquid	Yes	n/a	not supplied	-
Flora IsoGreen	composite/blen	d not registered	soil biology stimulant	not registered	Four species of microalgae: Scenedesmus quadricauda, Sobiquus, Chlorella vulgaris, Nannochloris atomus; Two Bacillus species: Bacillus amyloliquefaciens and B. subtilis; humic and fulvic acids	not registered	enhanced soil microbial activity, soil and plant health	all vegetable crops + others	BioFlora, Queensland	liquid	Yes	8.7	Bacteria at 10^3 CFU/mL; Microalgae at 10^3 cells/mL; Humic acid 2%, Fulvic acid 1%	-
oFlora Sea Isolates	composite/blen	d not registered	soil biology stimulant	not registered	liquid inoculant derived from seaweed (Ascophyllum nodosum) containing Bacillus amyloliquefaciens + trace/micronutrients, plant growth	not registered	enhanced soil microbial activity, soil and plant health	all vegetable crops + others	BioFlora, Queensland	liquid	Yes	3.2	Bacillus amyloliquefaciens at 1 x 10^6 CFU/mL; Total nitrogen 0.10%; Soluble potash 0.10%	https://bioflora.com.au/australian trial-results/
oMAX oLogic Blend	composite/blen	d not registered	soil biology stimulant	not registered	hormones (auxins, cytokinins, gibberellins) Brown coal (humic acid); Seven bacterial species: Arospirillum brasilense, Bacillus subtilis, B. megaterium, Cellulomonos celloseo, Pseudomonos fluorescens, P. putida, Streptomyces cellulosoe; Two fungal species: Trichodermo harzianum, Yarrowia lipolytica	not registered	Pre-plant soil conditioner/fertiliser to stimulate beneficial microbial activity in the root zone and biological processes: nitroger fixation, phosphorus solubolisation, growth hormone production.		LawrieCo Pty Ltd trading as LawrieCo, South Australia	compost style	. No	-	Inoculum: Bacterial and fungal species (no concentration specified); lellements expressed as wkw % (dry basis); Nitrogen 0.34, Phosphorus 2.2, Potassium 0.05%, Sulphur 1.6%, Calcium 6.7%, Magnesium 0.9%, Sodium 0.3%, Silica 0.12%, Iron 2.9%, Manganese 0.03%, Organic Carbon 22.3%, Humic acid 27.3%, Moisture 25.3%, Silica 0.12%, Iron 2.9%, Manganese 0.03%, Organic Carbon 22.3%, Humic acid 27.3%, Moisture 25.3%, Silica 0.12%, Iron 2.9%, Manganese 0.03%, Organic Carbon 22.3%, Humic acid 27.3%, Moisture 25.3%, Silica 0.12%, Iron 2.2%, Silica 0.2	
oMAX gest Fungi & Food + ker	composite/blen	d not registered	soil biology stimulant	not registered	Four fungal species: Chaetomium brasiliense, C. globosum, Trichoderma viride and T. harzianum; kelp, fulvic acids	not registered	Crop residue (stubble) management: postharvest cellulose decomposing fungal inoculum	all crops	LawrieCo Pty Ltd trading as LawrieCo, South Australia	liquid	No	4.8 5	Microbial inoculum: Fungal species (concentration not specified); Other ingredients expressed as w/w%: Water 30 - 60%, Ammonium sulphate 10 - 30%, Department 10 - 30%, Urea 10 - 30%, Potassium fulvate (fulvic acid, potassium salt) 5 - 10%, Proprietary Plant Growth Stimulants 10 - 30%	-
oMAX croLife Inoculum + od	composite/blen	d not registered	soil biology stimulant	not registered	Ingredients for fermentation process Microbial inoculum: Seven bacterial species: Anospirillum bresslense, Biocillus subtilis, B. megoterium, Cellulomonas cellosea, Pseudomonas floroseans, P., putida, Streptomyes cellulosoa, Varoromyes cellulosoa, Varoromia lipolytica; humic acid. Liquid food source; yeast (not specified) extract, potato starch, peptone, molasse, mail extract, inorganic salts, thimmine HCI	not registered	Use as fermented product: Foliar spray alone or generally a foliar spray with nutrition, it can also be used as a direct inject or in drip irrigation (fertigation) combined with nutrient applications. It is also added to nanufacturer's foliar nutrition products (incl. HumiPLE). NutriMAX liquid range) and is used to incl. with range and is used to incl. with manufacturer's brown coal based BioMax BioLogic Blend.	all crops	LawrieCo Pty Ltd trading as LawrieCo, South Australia	powder + liquid	No	(at 20 °C	Inculum ingredients expressed as wWel;  Bacterial and fingal species 15 - 20%, Wheat spern 25 - 30%, Humic acid (potassium sally < 2%, timer carrier (sex)pern 50 - 60%, upost food ingredients expressed as wWels; water 10%, pepcine 5 - 10%, molasses 5 - 10%, male curract < 50, Minoraganic salts < 5%, thimmine HCl < 0.5%	
WISH Crop 16-40-0	composite/blen	d not registered	soil biology stimulant	not registered	Microbial inoculum: Bacilla subblis, Bacillas Microbial inoculum: Bacilla subblis, Bacillas amylolique/gociens, Bacillas lichen/gormis, Bacillas pumils, Diammonium phosphate, diatomaceous earth	not registered	Soil conditioner/fertiliser supplement through fertigation or (foliar) spray to stimulate beneficial microbial activity in the root zone and biological processes.	all crops	BiOWISH Technologies Inc., US. / Enviro Nutrition Pty Ltd, Queensland	A powder	No	7.9 - 8.5 S.	U Bacterial live cultures (total < 1.0%): Bocillus subtilis 1.0 x 10% CFU/g, B. Bocillus subtilis 1.0 x 10% CFU/g, B. Bicheniformis 1.0 x 10% CFU/g, B. purnilis 1.0 x 10% CFU/g Diammonium phosphate 93.0 - 97.0%, Diatomaceous earth 3.0 - 5.0%, Guaranteed Analysis: armoniacal introgen 16.0%, available phosphate 40.0%	https://biowishtechnologies.com/ duct/crop-16-40-0/
rminator Pelletised op Starter			soil biology stimulant	not registered	Microbial inoculum: Enterococcus faecalis, Loctobacillus spp., Pediococcus pentosaceus, Aspergillus spp., Saccharomyces cerevisiae, Bacillus subtilis subspp. Blood meal, bone meal, fish meal, humic and fulvic acids	not registered	Pre-plant soil conditioner/fertiliser supplement to stimulate beneficial microbial activity in the root zone and biological processes.	all crops	Biolink 4 Plants Pty Ltd, Victoria	granular	Yes	n/a	Inoculum: Micro-organisms (concentrations not specified); Guaranteed minimum for: Calcium 9,9%, Nitrogen 7,27%, Phosphorus 5%, Potassium 1,57%, Sulphur 0,77%.	-
wGreen crobe Plus Kelp crobe Plus Kelp mium	composite/blen	d not registered	soil biology stimulant	not registered	liquid blend of soluble keip (two seaweed species, not specified), calcium, vitamins, molasses, bacterial and fungal plant growth promoters (not specified), plant growth hormones (auxins, cytokinins, gibberellins, abscisic acid)	not registered	enhanced soil microbial activity, soil and plant health	all crops	GrowGreen Pty Ltd, Queensland	liquid	Yes (Microbe Plus Kelp Premium only)	-	Fungi/hacteria initially present at max. 10^6 CFU/mL; All % as www %: Nitrogen 0.2%, Phosphorus as water soluble 0.1%, Potassium as molasses 0.3% + as soluble potash 0.1% (Microbe Plus Kelp only), Calcium 0.4% (Microbe Plus Kelp only), Phytohormones expressed as ray/g FW (for Microbe Plus Kelp only); Sachsian 6.2%, Sach	-
owGreen inoElite	composite/blen	d not registered	soil biology stimulant	not registered	Microbially (= enzymatically) digested deep sea fish emulsion & crustaceans, vegetable oils + plant beneficial fungi and bacteria (not specified)	not registered	plant health	all vegetables + other crops	GrowGreen Pty Ltd, Queensland	liquid	No	-	Fung/Dacteria initially present at max. 10^6 CFU/mit. 41%-ww/%: Nitrogen 3.30%, Phosphorus as water soluble 0.7%, Potassium 0.5%, Sulphur 0.55%, Molybdenum 0.01%, Boron 0.04%, Calcium 0.2%, Zinc. 0.1%, Iron 0.005%, Magnesium 0.02%, Manganese 0.025%, Cobalt 0.0025%	
owGreen ninoKelp	composite/blen	d not registered	soil biology stimulant	not registered	Mixture of GrowGreen AminoElite and GrowGreen Microbe Plus Kelp	not registered	enhanced soil microbial activity, soil and plant health	all vegetables + other crops	GrowGreen Pty Ltd, Queensland	liquid	No		Europubacteria initially present at max. 10^6 CFU/m; All %=w/w%: Nitrogen 3.0%, Phosphorus 0.70%, Potassium 0.5%, Magnesium 0.2%, Sulphur 0.55% Zinc 0.07%, Manganese 0.03%, Iron 0.005% Boron 0.04%, Molybdenum 0.01%, Cobait 0.0025%	- 6







			Product type		Ingredient(s)		Use							
rade Name	Source	Registered Product Type (APVMA	Has been used as / for (not registered)	Active Ingredient(s) (APVMA Registered Products)	Main ingredient(s) of non registered products	Registered Use (APVMA Registered)	Has been used as / for (not registered)2	Сгор	Manufacturer	Formulation	Australian Certified Organic	Н	Analysis	Trial Information
owGreen crobe Plus Citrus	composite/blend	Registered) I not registered	soil biology stimulant	not registered	Foliar NPK fertiliser integrated with microbial (bacteria and fungi, not specified) cultures	not registered	plant health	designed for citrus, also effective with <b>vegetable</b> & fruit crops	GrowGreen Pty Ltd, Queensland	liquid	No	٠	Fungi/bacteria initially present at max. 10^6 CFU/mt. 41% = www. Nitrogen 7.0%, Phosphorus 0.1%, Potassium 4.0%, Molybdenum 0.015%, Boron 0.042%, Calcium 4.6%, Zinc 1.8%, Iron 0.02% Magnesium 1.1%, Manganese 0.6%, Cobalt	-
owGreen crobe Plus PhosCal	composite/blend	not registered	soil biology stimulant	not registered	Phosphorous acid, calcium carbonate, magnesium with beneficial soil fungi and bacteria (not	not registered	enhanced soil microbial activity, soil and plant health	all crops	GrowGreen Pty Ltd, Queensland	liquid	No	-	0.007%  Fungi/bacteria initially present at max. 10^6 CFU/mL; All % as w/v %: Phosphorus 7.0%, Calcium 4.0%,	-
rowGreen licrobe Plus Potassium	composite/blend	I not registered	soil biology stimulant	not registered	specified) Foliar K fertiliser integrated with plant and soil beneficial fungi and bacteria (not specified)	not registered	plant health	all crops	GrowGreen Pty Ltd, Queensland	liquid	No	•	Magnesium 0.1%, Copper 0.025% Fungi/bacteria initially present at max. 10^6 CFU/mL; All % as w/v %: Potassium 11.0%, Sulphur 0.1%,	-
owGreen	composite/blend	I not registered	soil biology stimulant	not registered	microbially (= enzymatically) digested blend	not registered		all crops	GrowGreen Pty Ltd,	liquid	Yes	2.0 - 4.5	Molybdenum 0.017%, Boron 0.014%, Zinc 0.022% Iron 0.004%, Cobalt 0.001% Fungi/bacteria initially present at max. 10^6	-
minoKelp Premium					of selected marine waste and different seaweed extracts, rhizobacterial and fungal plant growth promoters (not specified), plant growth hormones (auxins, cytokinins, gibberellins, abscisic acid)		plant health		Queensland				CFU/mL; All % as w/v %: Nitrogen 0.20 - 0.45%, Phosphorus 0.05 - 0.15%, Sulphur 0.15 - 0.30%, Potassium 0.15%	
owGreen ninoOrganic emium	composite/blend	I not registered	soil biology stimulant	not registered	microbially (=enzymatically) digested blend of marine crustaceans + beneficial bacteria and fungi (not specified) + fulvic acid	f not registered	enhanced soil microbial activity, soil and plant health	all crops	GrowGreen Pty Ltd, Queensland	liquid	Yes	-	Fungi/bacteria initially present at max. 10^6 CFU/mL; All % as w/v %: Nitrogen 0.5%, Phosphorus 0.1%, Sulphur 0.5%	-
rowGreen rofert		i not registered	soil biology stimulant	not registered	Spores of four VAM species: Claracideoglomus teunicatum (previously knowns as Glomus etunicatum), Funneliformis mossene (previously known as Glomus mossene), khizophogus irregularis (previously known as Glomus intraracideos), Sutellosporra dipurpursesens. Microbially (= enzymatically) digested deep sea fish emulsion & crustaceans + beneficial bacteria (nos specified)		activity, soil and plant health	all mycorrhizal crops	GrowGreen Pty Ltd, Queensland	liquid	No	-	Fung/Macteria initially present at max. 10% CRI/ml: All % as wtv %: Nitrogen total 3.0%, Phosphorus 0.6%, Potassium 0.4%, Calcium 0.2%, Magnesium 0.02%, Sulphur 0.55%, Zinc 0.10%, Magnesium 0.02%, Sulphur 0.55%, Zinc 0.10%, Molybdenum 0.01%, Cobalt 0.0025%	-
ition Compost Starter	rcomposite/blend	not registered	soil biology stimulant	not registered	Microbial inoculum: Enterococcus faecium, Lactabacillus plantarum, Lactabacillus casei, Pediococcus pentosaceus, Aspergillus oryzae, Aspergillus niger, Saccharomyces cerevisiae, Bacillus subuliis. Blood meal, bone meal, fish meal, humic and fulvic acids.	not registered	Pre-plant soil conditioner/fertiliser supplement (compost production) to stimulate beneficial microbial activity in the root zone and biological processes.	all crops	Biolink 4 Plants Pty Ltd, Victoria	granular/pow	d Yes	n/a	Inoculum: Micro-organisms (concentrations not specified); Guaranteed minimum for: Calcium 9.9%, Nitroger 7.27%, Phosphorus 5%, Potassium 1.57%, Sulphur 0.77%.	https://biolink/plants.com.au/ ure-sustainable-farming/
tion Soil Drench	composite/blend	not registered	soil biology stimulant	not registered	Microbial inoculum: Entercoccus faccium, Lactabacillus plantarum, Lactabacillus casei, Pediococus pentosaceus, Aspergillus onyzae, Aspergillus niger, Saccharomyces cerevisiae, Bacillus subutilis. Blood meal, bone meal, fish meal, humic and fulivic acids	not registered	Soil conditioner/fertiliser supplement (compost tea) through fertigation/spray to stimulate beneficial microbial activity in the root zone and biological processes.	all crops	Biolink 4 Plants Pty Ltd, Victoria	granular/pow		-	Inoculum: Micro-organisms (concentrations not specified); Guaranteed minimum for: Calcium 9.9%, Nitroger 7.27%, Phosphorus 5%, Potassium 1.57%, Sulphur 0.77%.	https://biolink4plants.com.au ure-sustainable-farming/
l & Seed	composite/blend	I not registered	soil biology stimulant	not registered	Fermented product - Microbial inoculum: Bacteria (Pseudomonas spp., Actinomycetes, Gram positive spp., Gram negative spp., anaerobic spp.), Fungi (Aspergillus spp., Penicillium spp., urspecified yeast spp.), protozoans (not specified); Liquid food source: molasses, raw sugar, seawed concentrate, fish hydrosylate, humic compounds, vitamins, mieraeli.	not registered	Soil amendment, seed inoculant for enchanced soil health	all crops	BioAg Pty Ltd, New South Wales	liquid	Yes	3.4 - 4.5	Micro-organisms (total of 38.6 g/L): Bacteria (total of 2.6 g/L): Peudomonos spp. 4.8 g/L, Actinomycetes 0.7 g/L, Gram positive spp. 3.2 g/L, Gram negative spp. 2.2.4 g/L, Anaerobic spp. 0.1 g/L, Total fungi at 11.5 g/L; All % as swlw %: Ash 6.5%, Fat 0.15%, Protein 1.6%, Carbohydrate 18.2%, Phosphorus 2.09%, Phosphorus (bio-available): 2.04%, Orthophosphate (water soluble): 1.7%	https://www.bioag.com.au/t demonstrations/.
l Activator	composite/blend	not registered	soil biology stimulant	not registered	amino acids, vitamins, seaweed extracts,	not registered	soil biological activity	all crops	Sustainable Farming Solutions	liquid	Yes	3.2 - 4	Fish emulsion, seaweed extracts, fulvic acid,	https://sustainablefarming.co als/trials-database/
Agricultural	composite/blend		soil biology stimulant	not registered	humus, fish & molasses plant extracts, kelp, molasses, fish meal	not registered	Stimulate Micro Organisms	all crops and pasture	Best Farming Systems Pty Ltd		Yes		molasses all % as w/w%: Potassium 0.2%, Sulphur 0.1%, soluable potash 0.5%, Boron 0.05%, Iron 0.02%	https://bestfarmingsystems.c
n Emulsion	fish extract	not registered	soil biology stimulant	not registered not registered	fish  concentrated fish hydrolysate	not registered not registered	nutrient source for beneficial microbes soil health, nutrients for beneficial microbes	all crops all crops	Sustainable Farming Solutions  Sustainable Farming Solutions		Yes	3.2 - 4	2.5% N, 0.3% P, 0.25% K, 0.5% Ca, 3% oil content 7.8% N, 0.4% P, 2% K, 0.5% Ca	https://sustainablefarming.co als/trials-database/
ı Plus	fish extract	not registered	soil biology stimulant	not registered	fish, kelp, fulvic acid	not registered	soil biological activity, soil health	all crops	Sustainable Farming Solutions	liquid	Yes	2.2.4	2.1% N, 1.0% P, 0.5% K, 0.4% Ca	
mifirst WG	humic/fulvic	not registered	soil biology stimulant	not registered	humic and fulvic acids	not registered	crop health	general horticulture, orchards & vines, cane	Rovensa ANZ (Tradecorp)	microgranula	r Yes	11	Total Humic Extract (THE): 65.0% w/w, Humic Acid 53.0% w/w, Fulvic Acid: 12.0% w/w, Potassium (K <sub>2</sub> O) soluble in water: 17.0% w/w	duct/humifirst/
mus 100 mus 26	humic/fulvic	not registered not registered	soil biology stimulant soil biology stimulant	not registered not registered	potassium humate humic and fulvic acid	not registered not registered	nutrient use efficiency/soil health nutrient use efficiency/soil health	all crops all crops	Sustainable Farming Solutions Sustainable Farming Solutions			9.5-10 (in 1	w> 80% w/v includes 8% Potassium (>97% w/w dry weight after removing moisture) Potassium Humate & Fulvate 26.0% w/v	https://sustainablefarming.co als/trials-database/ https://sustainablefarming.co
bilizer	humic/fulvic	not registered	soil biology stimulant	not registered	fulvic acid and amino acids	not registered	compatibility	all crops	Zadco (JH Biotech)	liquid	Yes	3.3	Fulvic acid and amino acids 3%	als/trials-database/
izovator™ OB izovator™ PC	humic/fulvic	not registered	soil biology stimulant	not registered	potassium humate, potassium fulvate	not registered not registered	soil health	broadacre, orchards, potatoes	Omnia	liquid	Yes	>9	Nitrogen 0.25% wt/vol, Potassium 4.66%, Potassium humate 18.2%, Potassium fulvate 0.5%	-
		not registered		-		-	soil health, root system	broadacre, orchards, potatoes	Omnia	liquid	. 63	,	Nitrogen 0.25% wt/vol, Potassium 4.66%, Potassium humate 13%, Potassium fulvate 0.5%	
Enhancer boroot WG	humic/fulvic	not registered	soil biology stimulant	not registered	humus  humic, fulvic acids , L-α free amino acids, N, P,	not registered	soil biological activity	all crops all crops	Sustainable Farming Solutions  Rovensa ANZ (Tradecorp)	liquid microgranula		Alkaline >	Humic acid, seaweed extracts  Total Humic Extract (THE): 29.1%. L-g free amino	https://sustainablefarming.com als/trials-database/
					К								acids 22.2%, organic Nitrogen 3.0%, Phosphorus 7.1%, Potassium 14.9%, Iron EDDHA 0.1%, Manganese EDTA 0.2%, Zinc EDTA 0.2%, Mohbhdanum 0.75% (Magas whu)	
Ivance Promote	microbial	not registered	soil biology stimulant	not registered	kelp, sugars	not registered	root system health	all crops	MicroSoil	liquid			Bacillus & Pseudomonas (14 strains - 340 CFU/ml)	-
gro-Vam	microbial	not registered	soil biology stimulant	not registered	one VAM (Vesicular Arbuscular Mycorrhizae) species: Rhizophagus irregularis (previously known as Glomus intraradices)	not registered	mycorrhizae	all vegetable crops + others	AgroBest Australia Pty Ltd, Queensland	powder	No	2.6 - 2.8	Rhizophagus irregularis (formerly Glomus intraradices) at 100 (spores + propagules)/g	-
							Stimulation of rhizobial nodulation, nitrogen						Rhizobia > 1 x 10^7 CFU/g. The strains are	







			Product type		Ingredient(s)	<u> </u>	Use							
rade Name	Source	Registered Product Type (APVMA	Has been used as / for (not registered)	Active Ingredient(s) (APVMA Registered Products)	Main ingredient(s) of non registered products	Registered Use (APVMA Registered)	Has been used as / for (not registered)2	Сгор	Manufacturer	Formulation	Australian Certified Organic	pН	Analysis	Trial Information
sca Granular	microbial	not registered	soil biology stimulant	not registered	One or more rhizobial (bacterial) strains	not registered	Stimulation of rhizobial nodulation, nitroger fixation and yield	crop and pasture <b>legumes</b>	Alosca Technologies Pty Ltd, WA	granular	No	n/a	Rhizobia > 1 x 10^9 CFU/g. The strains are classified into Groups (AL, AM, B/S, C, E/F, G/S, N) matched to crops they can inoculate.	http://alosca.com.au/wp- content/uploads/2015/08/ALOSC new-technology-to-deliver- rhizobia.pdf
sca Nodule N (Peat)	t) microbial	not registered	soil biology stimulant	not registered	One or more rhizobial (bacterial) strains	not registered	Stimulation of rhizobial nodulation, nitroger fixation and yield	crop and pasture legumes	Alosca Technologies Pty Ltd, WA	compost style	e No	n/a	Rhizobia > 1 x 10^7 CFU/g. The strains are classified into Groups (AL, AM, BS, C, FE, GS, N, Biserrula) matched to crops they can inoculate.	-
oen	microbial	not registered	soil biology stimulant	not registered	Azospirillum brasilense	not registered	crop health	all crops	Novum Lifesciences, Queensland	liquid	Yes	4.5 - 8.5	1 x 109 CFU/ml	-
CSTIM® 100	microbial	not registered	soil biology stimulant	not registered	Bacillus sp.	not registered	root nutrient uptake	all crops	Omnia	liquid	No	4.2	2 strains Bacillus licheniformis, 2 strains Brevibacillus laterosporus, 1 strain Bacillus amyloliquefaciens, Total concentration 2 x 10^9 CFU/ml	-
А	microbial	not registered	soil biology stimulant	not registered	blend of beneficial anaerobic organisms including phototropic non-sulphur bacteria and lactic acid bacteria	not registered		all crops, also compost, effluent ponds, septic treatment	Nutri-Tech Solutions (NTS)	liquid	Yes	2.5 - 4	not supplied	-
is XC	microbial	not registered	soil biology stimulant	not registered	microorganisms including <i>Bacillus</i> <i>licheniformi</i> s	not registered	fertiliser efficiency	all crops	Loveland (distributed by Nutrie Ag)	impregnation on dry fertilisers)	No		8 water-based culture medium 99%, microorganisms <1%, Bacillus licheniformis 1 x 103 CFU/ml	-
Size	microbial	not registered	soil biology stimulant	not registered	by-products of microorganisms (no living organisms): betaines and amino acids	not registered	stimulate microorganisms	all crops	Zadco (JH Biotech)	liquid	Yes	n/a	not supplied	-
Flora GO Isolates	microbial	not registered	soil biology stimulant	not registered	two Bacillus species: Bacillus amyloliquefacien and B. subtilis	not registered	enhanced soil microbial activity, soil and plant health	all vegetable crops + others	BioFlora, Queensland	liquid	Yes	9.1	Bacteria at 10^3 CFU/mL	https://bioflora.com.au/australi trial-results/
OWISH Crop	microbial	not registered	soil biology stimulant	not registered	Microbial inoculum: Bacillus subtilis, Bacillus amyloliquefaciens, Bacillus licheniformis, Bacillus pumilus. Dextrose	not registered	Soil conditioner/fertiliser supplement through fertigation or (foliar) spray to stimulate beneficial microbial activity in the root zone and biological processes.	all crops	BiOWiSH Technologies Inc., US. / Enviro Nutrition Pty Ltd, Queensland	A powder	Yes	5.0 - 6.0 S	.U Bacterial live cultures (total < 1.0%):  Bocillus subtilis ≥ 2.5 x 10^7 CFU/g, 8.  anylolique/pciens ≥ 2.5 x 10^7 CFU/g, 8.  licheniformis ≥ 2.5 x 10^7 CFU/g, 8. pumilus ≥ 2.5 x 10^7 CFU/g Dextrose 97.0 - 99.0%	-
OWiSH Crop Liquid	microbial	not registered	soil biology stimulant	not registered	Microbial inoculum: Bacillus subtilis, Bacillus amploliquefaciens, Bacillus licheniformis, Bacillus pumilus.	not registered	Fertiliser manufacturing: liquid product can be coated onto a wide range of solid fertilisers and fertiliser fillers, or mixed with liquid fertilisers to create enhanced efficiency fertilisers	all crops	BiOWiSH Technologies Inc., US. / Enviro Nutrition Pty Ltd, Queensland	A liquid	Yes	5.0 - 7.0 S	Dextrose 97.0-99.00 and a queous suspension (total 99.0-99.9%): Bocillus subtilitis, B. amylolique faciens, B. licheniformis, B. pumilus: all 1.0 x 10.49 CFU/g; Calcium sulfate 0.1 - 1.0%, Preservative 0.01 - 0.1%	https://biowishtechnologies.com duct/crop-liquid/.
taPult iperFine wer Inoculum wer Seed Dressing	microbial	not registered	soil biology stimulant	not registered	Four species of VAMs (vesicular arbuscular mycorrhizae, not specified) + two species of phosphorus solubilising Bacillus	not registered	mycorrhizae	all mycorrhizal crops	Mapleton Agri Biotec Pty Ltd / Vanadis Bio Science Pty Ltd, Queensland	powder	No	n/a	not supplied	https://www.mabiotec.com/pdl ls/CataPult-TwinN-walnut-trial- UPDATE.pdf
gestor NP	microbial	not registered	soil biology stimulant	not registered	microbial stimulantia (not specified)	not registered	soil health (stimulation of bacterial group Alphaproteobacteria, Sphingomonas spp.), nutrient uptake through irrigation, boom spray, over manure or compost, or via liquir injection	dicots: vegetable crops, legumes, fruit crops, bananas, orchards	Metagen Pty Ltd, Queensland	liquid	No	3.2	not supplied	-
minate-F	microbial	not registered	soil biology stimulant	not registered	not stated	not registered	microbial brew adjuvant for fungal	all crops	Nutri-Tech Solutions (NTS)	liquid	Yes	4.4 - 5.4	not supplied	-
syRhiz	microbial	not registered	soil biology stimulant	not registered	One or more rhizobial (bacterial) strains	not registered	Stimulation of rhizobial nodulation, nitroger fixation and yield	crop and pasture legumes	New Edge Microbials Pty Ltd, NSW	freeze dried	No	n/a	Rhizobium leguminosorum > 5 x 10^11 CFU/g. The strains are classified into Groups (F, H, I, J, M, N, P, Specials: Adzuki bean, Common bean, Burgundy bean, Fenugreek, Guar Bean) matched to the crops they can inoculate.	-
doFight 2 in 1	microbial	not registered	soil biology stimulant	not registered	Fermented product - Microbial inoculum: Azotobacter chroococcum, Azospirillum brasilense, Bacillus amyloliquefaciens strain rm303	not registered	Pre-plant soil conditioner/fertiliser supplement to stimulate beneficial microbial activity in the root zone and biological processes (including nitrogen fixation)	all crops	Novum Lifesciences, Queensland	liquid	No	6.8 - 7.6	Elements expressed as %w/w. Bacterial live cultures in aqueous suspension (total concentration < 1%): Aarobacter chroococum, Aarospinilum brasilense, Bocillus amyloliquefaciens strain mm30. Non-hazardous components < 1% Water up to 100%	-
doFight 3 in 1	microbial	not registered	soil biology stimulant	not registered	Fermented product - Microbial inoculum: Azotobacter chroacoccum, Azospirillum brasilense, Bacillus amyloliquefaciens strain rm303, Pseudomonas fluorescens	not registered	Pre-plant soil conditioner/fertiliser supplement to stimulate beneficial microbial activity in the root zone and biological processes (including nitrogen fixation, drought stress relief)	all crops	Novum Lifesciences, Queensland	liquid	No	6.8 - 7.6	Elements expressed as %w/w. Bacterial live cultures in aqueous suspension (total concentration < 1%). Azotobocter chroococum, Azospirillum brasilense, Bacillus amyloliquefaciens strain rm303, Pseudomonas Pluorescens. Non-hazardous components < 1% Water up to 100%	-
doPrime	microbial	not registered	soil biology stimulant	not registered	4 Endomycorrhizal fungi + 15% humic acid	not registered	mycorrhizae	all mycorrhizal crops	Sumitomo Chemical Australia Pty Ltd	powder	Yes	n/a	Glomus intraradices, Glomus mosseae, Glomus aggregatum, Glomus etunicatum all at 562 propagules/g, Humic acid from leanoardite 15%, Inert ingredients (clay) 84.3%	Trials undertaken by manufacturer
ergrow NP	microbial	not registered	soil biology stimulant	not registered	microbial stimulantia (not specified)	not registered	soil health (stimulation of bacterial group Alphaproteobacteria), nutrient uptake through irrigation, boom spray, over manure or compost, or via liquid injection	monocots: cover crop grasses, cereal crops (corn)	Metagen Pty Ltd, Queensland	liquid	No	3.2	not supplied	-
undation LM	microbial	not registered	soil biology stimulant	not registered	microorganisms including Bacillus licheniformis, Bacillus megaterium, Bacillus pumilus	not registered	fertiliser efficiency	all crops	Loveland (distributed by Nutrie Ag)	n liquid	No		8 water-based culture medium 99%, microorganisms <1%, Bacillus licheniformis 1 x 10^3 CFU/mL, Bacillus megaterium 1 x 10^3 CFU/mL, Bacillus pumilus 1 x 10^3 CFU/mL	-
zyme Plus	microbial		soil biology stimulant	not registered	Bacillus subtilis, amino acids	not registered	nutrition, crop health	all crops	Zadco (JH Biotech)	liquid	Yes	n/a	Bacillus subtilis 2 x 10^10 CFU/g	-
eat Land	microbial	not registered	soil biology stimulant	not registered	Lactobacillus spp, Acetobacter spp.	not registered	nutrient use efficiency/soil health	all crops	Terragen	liquid	res	n/a	Lactobacillus zeae, Candida ethanolica (yeast), each species at minimum population of 10^7 CFU/ml	health? gl=1*1vtutyh* ga*MjE NDkzMi4xNiUvOTIvMzgw* ga
ro-Force co-Force	microbial microbial	not registered not registered	soil biology stimulant soil biology stimulant	not registered not registered	beneficial soil and plant microbes' fungal species: Beauveria bassiana,	not registered not registered	crop health, soil biology soil fungi	all crops all crops	Nutri-Tech Solutions (NTS) Nutri-Tech Solutions (NTS)	granular granular	Yes Yes	n/a n/a	not supplied not supplied	-
ycoApply Defence	microbial	not registered	soil biology stimulant	not registered	Metarhizium anisopliae, Lecanicillium lecanii various mycorrhizae, Trichoderma, Bacillus species and other bacteria (all unspecified)	not registered	mycorrhizae	all mycorrhizal crops	Mycorrhizal Applications International (MAI) Australia Pt Ltd, Western Australia	powder	Yes	n/a	not supplied	-
ycoApply Endo	microbial	not registered	soil biology stimulant	not registered	unspecified VAM	not registered	mycorrhizae	all mycorrhizal crops	Mycorrhizal Applications International (MAI) Australia Pt Ltd, Western Australia	powder	Yes	n/a	not supplied	=







	_		Product type		Ingredient(s)		Use				1 -	_	<u>-</u>	
rade Name	Source	Registered Product Type (APVMA	Has been used as / for (not registered)	Active Ingredient(s) (APVMA Registered Products)	Main ingredient(s) of non registered products	Registered Use (APVMA Registered)	Has been used as / for (not registered)2	Сгор	Manufacturer	Formulation	Australian Certified Organic	рН	Analysis	Trial Information
ycoApply Endo/Ecto	microbial	Registered) not registered	soil biology stimulant	not registered	endo (= VAM) and ecto mycorrhizae species	not registered	mycorrhizae	all mycorrhizal crops	Mycorrhizal Applications	powdor	No	n/a	not supplied	<u> </u>
усохрру глаогесо	microbiai	not registered	son blology surrolant	not registered	(not specified)	not registered	Inycomizae	all mycormizatic ops	International (MAI) Australia Pt	y	NO	IVA	not supplied	
									Western Australia					
ycoApply Maxx	microbial	not registered	soil biology stimulant	not registered	endo (= VAM) mycorrhizae species (not specified)	not registered	mycorrhizae	all mycorrhizal crops	Mycorrhizal Applications International (MAI) Australia Pt	powder	No	n/a	not supplied	-
									Western Australia					
cormax	microbial	not registered	soil biology stimulant	not registered	Mycorrhizal fungi	not registered	root system	host crops	Zadco (JH Biotech)	granular in sachets	Yes	n/a	Glomus intraradices, Glomus mosseae, Pisolithus tinctorius, Scleroderma cepa, Scleroderma geastrum Scleroderma citrinum and Laccaria biocolor.	
													250,000 propagules/cc	
corrhiza	microbial	not registered	soil biology stimulant	not registered	vesicular arbuscular mycorrhizae (Rhizophagus irregularis)	not registered	crop health (mycorrhizae - seed coating, soi drench)	l all mycorrhizal crops	Novum Lifesciences, Oueensland	powder	Yes	6 - 7.5	not supplied	-
roGuard next generation	microbial	not registered	soil biology stimulant	not registered	Rhizobacteria (not specified, possibly Azospirillum spp.) fixing nitrogen and	not registered	soil health, nutrient uptake	all vegetable crops + others	Mapleton Agri Biotec Pty Ltd / Vanadis Bio Science Pty Ltd,	freeze dried	No	n/a	not supplied	https://www.mabiotec.com/cre trials.php
rsion of TwinN)					producing plant growth factors (e.g. auxins) + Bacillus spp.				Queensland					
odulaid (Inoculant)	microbial	not registered	soil biology stimulant	not registered	One or more rhizobial strains	not registered	Stimulation of rhizobial nodulation, nitrogen	crop and pasture legumes	BASF Australia Ltd.	compost style	e No	n/a	Rhizobia at > 1 x 10^9 CFU/g. The strains are	https://crop-
							fixation and yield						classified into Groups (AL, B, C, E, F, G, H I, J, N) matched to crops they can inoculate.	solutions.basf.com.au/preview/ uct/59cb38598d5c5b7640c8375 ulaid_fact_sheet.pdf
odulator (Inoculant ranules)	microbial	not registered	soil biology stimulant	not registered	One or more rhizobialstrains	not registered	Stimulation of rhizobial nodulation, nitrogen fixation and yield	crop and pasture <b>legumes</b>	BASF Australia Ltd.	granular	No	n/a	Rhizobia > 1 x 10^7 CFU/g. The strains are classified into Groups (AL, C, E, F, G, N) matched to crops they can inoculate.	https://crop- solutions.basf.com.au/preview/f uct/5a02730b0f6b0f7632fb2d64, 56 fcc inoculant collateral upd act_sheet_nodulator_web.pdf
duleN	microbial	not registered	soil biology stimulant	not registered	One or more rhizobial strains	not registered	Stimulation of rhizobial nodulation, nitrogen	crop and partium legitimes	New Edge Microbials Pty Ltd,	compost style	No.	n/a	Rhizobia > 1 x 10^7 CFU/g. The strains are	
oddien	microbial	not registered	Son biology Sumulant	not registered	One of more mizodial strains	not registered	fixation and yield	crop and pasture <b>regumes</b>	NSW	compost styli	2 NO	IVa	classified into Groups (AL, AM, B, C, F, G, H, I, J, M, N, P, S, Specials: Adzuki bean, Biserrula, Desmanthus, Leucaena, Messina, Sulla) matched to the crops they can inoculate.	
ant of Health ot Extender	microbial	not registered	soil biology stimulant	not registered	VAMs (not specified) and other benefical micro-organisms (not specified)	not registered	mycorrhizae	all mycorrhizal crops	Batphone Australia Pty Ltd, Queensland	powder	Yes	n/a	minimum 100,000 fungal spores/kg	-
nt of Health robe Army Mix	microbial	not registered	soil biology stimulant	not registered	blend of beneficial bacterial strains and other microbes (not specified)	not registered	enhanced fertiliser uptake, soil health	all crops	Batphone Australia Pty Ltd, Oueensland	powder	No	n/a	not supplied	-
robe Army MIX nt of Health robe Probiotic (MPB	microbial 3-	not registered	soil biology stimulant	not registered	lactic acid bacteria, yeast, phototropic bacteria (not specified)	not registered	enhanced fertiliser uptake, soil health	all crops	Batphone Australia Pty Ltd, Queensland	liquid	No	-	not supplied	https://www.batphone.com.au/ es/articles/Testimonials/BelleJi
efsaver Classic	microbial	not registered	soil biology stimulant	not registered	Microbial inoculum: Kocuria rosea Bacillus	not registered	Pre-plant soil conditioner/fertiliser	all crops	IAO Ptv Ltd.	nowder	Yes	45.75	Bacterial inoculum (total concentration 3.25 x	rialofPlantAssistMPB-1.pdf https://reefsaver.com.au/resul
reisaver Classic	micropiai	not registered	Son biology Sumulant	not registered	megaterium, Azospirillum brasilense, Arthrobacter crystallopoietes, Bacillus simplex.	notregistered	supplement to stimulate beneficial microbial activity in the root zone and biological processes.	an crups	Queensland	powder	res	4.5 - 7.5	Bacterian induminitual contentiatuori 3.23 x 10^8 CFU/ml): Kocurio rosea, Bacillus megaterium, Azospirillum brasilense, Arthrobacter crystallopoietes, Bacillus simplex. Ipert carrier	intps://eeisaveissmish/iesim
vitalize	microbial	not registered	soil biology stimulant	not registered	several species of beneficial bacteria and fungi	not registered	enhanced fertiliser uptake, soil health	all vegetable crops + others	AgroBest Australia Pty Ltd, Queensland	liquid	Yes	3.8	Total of 10/9 CFU/ml: Stutzderi spp., Pseudomonas spp., Bacillus spp., Streptomyces cellulosae, Azotobacter spp., Azospirillum brasilense, Polyangium cellulosum, Yarrowia lipolytica	-
ot Guard	microbial	not registered	soil biology stimulant	not registered	fungal species: Arthrobotrys conoides, Purpureocillium lilacinus, Pochonia	not registered	soil fungi	all crops	Nutri-Tech Solutions (NTS)	powder	Yes	n/a	not supplied	-
art Up Ultra	microbial	not registered	soil biology stimulant	not registered	chlamydosporium  Four species of VAMs (vesicular arbuscular mycorrhizae, not specified)	not registered	mycorrhizae	all mycorrhizal crops	MicrobeSmart Pty Ltd, South Australia	powder	No	n/a	not supplied	-
perzyme	microbial	not registered	soil biology stimulant	not registered	Bacillus subtilis, Pseudomonas putida, Trichoderma koningii and Trichoderma	not registered	soil biology, crop health	all crops	Zadco (JH Biotech)	granular	Yes	n/a	Bacillus subtilis, Pseudomonas putida, Trichoderma koningii and Trichoderma harzianum, 2 x 10^9	-
Doc			2000		harzianum.				7 1 (112)				CFU/gram	
D25	microbial	not registered	soil biology stimulant	not registered	Trichoderma harzianum and Trichoderma koningii	not registered	soil biology, crop health	all crops	Zadco (JH Biotech)	granular	Yes	n/a	Trichoderma harzianum and Trichoderma koningii, 5 x 10^7 CFU/gram	-
inN	microbial	not registered	soil biology stimulant	not registered	rhizobacteria (not specified, possibly Azospirillum spp.?) fixing nitrogen and	not registered	soil health, nutrient uptake	all vetegable crops + others	Mapleton Agri Biotec Pty Ltd / Vanadis Bio Science Pty Ltd,	freeze dried	No	n/a	not supplied	https://www.mabiotec.com/cri trials.php
ıylis	microbial	not registered	soil biology stimulant	not registered	producing plant growth factors (e.g. auxins)  Bacillus amyloliquefaciens	not registered	nitrogen fixation	all crops	Queensland Agronutrition	liquid	Yes (NASAA)	6	10^9 cfu/mL	
seos	microbial	not registered	soil biology stimulant	not registered	Bacillus megaterium, Streptomyces beta-	not registered	phosphorous solubilisation	all crops	Agronutrition	liquid	Yes (NASAA)		10^9 cfu/ml	
nnectis	microbial	not registered	soil biology stimulant	not registered	vulgaris, Burkholderia sp. Rhizophagus irregularis	not registered	endomycorrhizal symbiosis	all crops	Agronutrition	liquid	Yes (NASAA)	5.4	1 000 spores/ml	Connectis trial conducted in stawberries by Staphyt AUS
ester	microbial	not registered	soil biology stimulant	not registered	Fermentation extract (Pseudomonas putida) and plant nutrients	not registered	Breakdown organic matter	all crops	BioStart	liquid	no	4	from label - bacteriocins, enzymes, signal molecules and secondary metabolites from the fermentation of beneficial bacteria; from manufacturer - Manganese, zinc, potassium,	https://biostart.com.au/wp- content/uploads/sites/4/2022/ S-179-Digester-Technical-Sheet Page_web.pdf
doFuse	microbial	not registered	soil biology stimulant	not registered	4 Endomycorrhizal fungi + 91.27% Inert ingredients (carrier)	not registered	mycorrhizae	all broadacre mycorrhizal crops	Sumitomo Chemical Australia Pty Ltd	liquid	No	n/a	boron, phosphorous, nitrogen, amino acids Glomus intraradices, Glomus mosseae, Glomus aggregatum, Glomus etunicatum all at 5625 propagules/ml, Humic acid from leanoardite 15%,	https://sumitomo- chem.com.au/sites/default/file ature/endofuse intro and trial april 2020 lower v111.pdf
) Isolates	microbial	not registered	soil biology stimulant	not registered	humic acids, Bacillus	not registered	out-competing soil-borne pathogens	all crops	BioFlora, Queensland	liquid	Yes	n/a	Inert ingredients 91.27% not supplied	-
eliorAdapt	microbial	not registered	soil biology stimulant	not registered	amyloliquefaciens, Bacillus subtilis.  Bacillus amyloliquefaciens, Streptomyces sp.,	not registered	help accelerate breakdown of mulches, crop		New Edge Microbials Pty Ltd,	liquid	no	6.9	not supplied	-
ycorrcin	microbial	not registered	soil biology stimulant	not registered	Trichoderma harzianum.  Fermentation extract (Pseudomonas putida) and plant nutrients	not registered	Root growth and health	all crops	NSW BioStart	liquid	no	4	not specifically listed but manufacturer advises contains - Manganese, zinc, potassium, boron,	https://biostart.com.au/mycorr
otyz	microbial	not registered	soil biology stimulant	not registered	Bacillus mucilaginosus I-4361, Ochrobactrum	not registered	seed treatment	all crops	Agronutrition	liquid	No	5.5	phosphorous, nitrogen, amino acids 10^7 cfu/mL	
nergy	microbial	not registered	soil biology stimulant	not registered	Sp. I-4362  Bacillus subtilis, magnesium	not registered	nutrient availability, soil biology	all crops	Seawins	powder	SXC certified	5.5 - 8.5		-
				-		-							magnesium 13.5%, calcium 0.2%, green seaweed polysaccharide 1%, alginic acid 0.13%	







			Product type		Ingredient(s)		Use							
rade Name	Source	Registered Product Type (APVMA Registered)	Has been used as / for (not registered)	Active Ingredient(s) (APVMA Registered Products)	Main ingredient(s) of non registered products		Has been used as / for (not registered)2		Manufacturer	Formulation	Certified Organic	рН	Analysis	Trial Information
oMAX Ilp Powder	seaweed extract	not registered	soil biology stimulant	not registered	Soluble seaweed ( <i>Ascophyllum nodosum</i> ) extract powder	not registered	enhanced soil microbial activity, soil and plant health	vegetable crops (legumes, onions, carrots, potatoes) + others	: LawrieCo Pty Ltd trading as LawrieCo, South Australia	powder	Yes	(at 20 °C,	Ingredients expressed as www. Ascophyllum nodosum extract > 93.5%, water < 6.5%. All %-ww/%: Nitrogen > 0.5%, Potassium (as oxides) > 12.4%, Potassium (as oxides) > 12.4%, Potassium (as organic) > 1.7%, Sulphur 1.0 - 2.0%, Calcium 0.2 - 0.5%, Magnesium 0.2 - 0.6%, Dotassium (as oxides) > 12.4%, Calcium 0.2 - 0.6%, Magnesium 0.2 - 0.6%, Copper 0.001%, Zinc 0.05%, Carbon (organic) > 20%	-
rtiGold	seaweed extract	not registered	soil biology stimulant	not registered	green seaweed Enteromorpha prolifera	not registered	reduced plant stress, increased microbial activity, soil structure	all crops	Seawins	powder	SXC certified	5 - 7	Seaweed polysaccharides 45%, alginic acid 21%, nitrogen (N) 1%, potassium(K) 4.6%, calcium (Ca) 1.9%, iron (Fe) 0.13%, boron (B) 0.03%, organic matter 40%	-
a Brown Powder	seaweed extract	not registered	soil biology stimulant	not registered	brown kelp (Laminaria [Saccharina] japonica)	not registered	reduced plant stress, increased microbial activity	all crops	Seawins	powder	SXC certified	8 - 10	Nitrogen (N) 1.5%, phosphorus (P) 1.5%, potassium (K) 16.6%, iron (Fe), 0.26%, boron (B) 0.19%, alginic acid 15%, organic matter 50%	-
on Mo	amino acids	not registered	stress resistance	not registered	Amino Acids + Molybdenum	Not Registered	Reduce abiotic stress and increase Mo absorption to promote Nitrogen use efficiency	all crops	Rovensa ANZ (Tradecorp)	Liquid	No	3.9	Molybdenum 7.7%, L-a free amino acids 6.4%, Phosphorus 6.4%, Total Nitrogen 3.3% (all w/v)	
ramin Ca	amino acids	not registered	stress resistance	not registered	Amino Acids + Calcium + Boron	Not Registered	Reduce abiotic stress and increase flowering success and fruit quality	all crops	Rovensa ANZ (Tradecorp)	Liquid	No	2.8	Total Nitrogen 8.8%, Calcium 7.3%, L-α free amino acids 6.4%, Boron 0.27% (all w/v)	
lfan Plus	amino acids	not registered	stress resistance	not registered	Amino Acids	Not Registered	Reduce Abiotic Stress	all crops	Rovensa ANZ (Tradecorp)	Liquid	Yes	7.2	L-a free amino acids 28.8%, Total Nitrogen 10.8% (all w/v)	https://tradecorpaustralia.com content/uploads/2018/02/201 Sweetcorn-Delfan-Plus-TCAU- v1_3-LR.pdf
ologiCAL PLUS	composite/blend		stress resistance	not registered		not registered	soil biology/saline or sodic soils	all crops	SLTEC	liquid	No	8.0-10.0	41.8% molasses, 0.3% kelp, 0.2% Humic, 0.3% Fish, 0.1% B, 6.3% Ca, 1.8% S, 2% K,	-
lp-Boost	, i	not registered	stress resistance	not registered	kelp (Ascophyllum nodosum), nutrients	not registered	crop health	all crops	SLTEC	liquid	No	8.5-9.5	all % as w/v%: 10% kelp, 6.4% K, 0.7% P, 0.4% N, 1.1% fulvic acid, 1.4% amino acids	-
int of Health ant Assist	composite/blend	not registered	stress resistance	not registered	VAMs (not specified), <i>Trichoderma</i> spp., silica, zeolites, kelp, natural surfactant (saponins), humic and fulvic acids, natural rock minerals	not registered	enhanced fertiliser uptake, soil health, mycorrhizae	all mycorrhizal crops	Batphone Australia Pty Ltd, Queensland	granular/pow	d No	-	not supplied	https://www.batphone.com.a es/articles/Testimonials/Belle rialof PlantAssistMPB-1.pdf
hizoVital 42	microbial	not registered	stress resistance	not registered	Bacillus amyloliquefaciens FZB 43	not registered	root system, disease resistance	all crops	AbiTEP GmbH, Germany	liquid	No	n/a	Bacillus amyloliquefaciens FZB42 2.5 x 10^10 CFU/ml	http://www.ocp.com.au/
do-Shield	microbial	not registered	stress resistance	not registered	Pseudomonas fluorescens	not registered	recovery from pathogen damage	all crops	Nutri-Tech Solutions (NTS)	granular	Yes	n/a	none provided	support in literature
ichomight	microbial	not registered	stress resistance	not registered	Trichoderma spp.	not registered	crop health, stress tolerance	all crops	Novum Lifesciences, Queensland	liquid	Yes	6.5 - 7	not supplied	-
oliacin	microbial	not registered	stress resistance	not registered		not registered	Foliar health	all crops	BioStart	liquid	no	4	from label - enzymes, microbial signalling molecules, bacteriocins and secondary metabolities from the fermentation of beneficial bacteria and yeast; from manufacturer - Manganese, zinc, potassium, phosphorous, nitrogen, amino acids	https://biostart.com.au/wp- content/uploads/sites/4/2020, 72-Foliacin-Brochure-Aust-201
ombardier	plant extract	not registered	stress resistance	not registered	Proprietary plant extracts	not registered	stress; soil constraints; disease pressure	All crops	Kimitec	liquid	Yes	5.5-7.5	29.6% fulvic acid, 16.6% free amino acids, 7.9% saccharides	https://sustainablefarming.co als/trials-database/
hoton		not registered	stress resistance	not registered		not registered	stress	all crops	Sipcam (Agricrop)	granular	No		500g/kg blend plant derived dicarboxylic acids	-
iquid Kelp	seaweed extract		stress resistance	not registered	kelp extract	not registered		all crops	Eco Growth	liquid	Yes	n/a	not given	-
tress Buster	seaweed extract	not registered	stress resistance	not registered	osmolytes	not registered	crop health	all crops	Seawins  Nutri-Tech Solutions (NTS)	liquid	SXC certified		seaweed polysaccharides 10%, alginic acid 3%, fulvic acid 5%, polyglutamic acid 0.5%, amino acid 1%, total organic matter 15-20%	-
loak Spray Oil atural Wet		not registered not registered	wetting agent wetting agent	not registered not registered	canola oil, fish oil saponin from Yucca schidigers	not registered not registered	product penetration wetting	all crops all crops	Zadco (IH Biotech)	liquid	Yes	7 to 8	not supplied Saponin 10%. Water 90%	-

Hort Innovation, Applied Horticultural Research Pty Ltd (AHR) and RM Consulting Group (RMCG) make no representations and expressly disclaims all warranties (to the extent permitted by law) about the accuracy, completeness, or currency of information in this fact sheet. Users of this material should take independent action before relying on its accuracy in any way.

Reliance on any information provided by Hort Innovation, AHR or RMCG is entirely at your own risk. Hort Innovation, AHR or RMCG are not responsible for, and will not be liable for, any loss, damage, claim, expense, cost (including legal costs) or other liability arising in any way (including from Hort Innovation, AHR or RMCG or any other person's negligence or otherwise) from your use or non-use of information from project MT22004 - Soil Wealth and Integrated Crop Protection - Phase 3 or from reliance on information contained in this material or that Hort Innovation, AHR or RMCG provides to you by any other means.





