





GLOBAL SCAN | OCTOBER 2024 Biological Products Dabatase

By Trade Name

About this database and how to use it

This Biological Products Database is a tool for growers that will assist with navigating the array of 'biological' products currently available to their farming business. We have compiled the information in response to questions from growers about available products. (Webinar on biopesticides available here.)

Definition

'Biological' products (also called 'biologicals') are defined as those that are derived from living organisms (plants, animals, microorganisms, fungi). The term encompasses a diverse range of products, and this is a fast-growing segment of agricultural inputs (definition from www.croplife.org).

This database includes a column that indicates

whether products have APVMA registration (Australian Pesticides and Veterinary Medicines Authority). Registered products are known as 'Biological Crop Protection' products. If a product is used for crop protection (i.e., used as a biopesticide) is must be registered for use in the crop and situation it is applied in. Contact the APVMA or Hort Innovation for more information. For products not registered with the APVMA, potential effects suggested by manufacturers are NOT efficacy claims and data on potential for phytotoxicity or residues do not exist.

How was the database developed?

We have gathered information primarily from the manufacturers, via their websites and/or their representatives. We have attempted to strip away any confusion by laying out the bare bones of each product. We will include references to independent research as and when it becomes available.

The database is a work in progress

The database is a work in progress and is not comprehensive. We have not carried out reviews of science-based literature for each product. If a column or cell is blank, it does not meant that there is no information, just that we have not found it yet (this is particularly the case for independent trial information). The database will be updated and published regularly as information becomes available.

Is anything missing?

If you know of any products or trial information we have not included, or details that are inaccurate or incomplete, please either complete the spreadsheet at the bottom of this webpage (www.soilwealth.com. au/resources/global-scan-and-reviews/biologicalproducts-database/) and/or get in touch rm@rmcg. com.au.

Hort Innovation



DISCLAIMER: VERY IMPORTANT

This document does not include or offer advice of any kind. It is a collection of publicly available information. Very few products have been registered by the APVMA, a process that entails rigorous independent testing of efficacy, residues, phytotoxicity and potential effects on flora, fauna and people. We do not endorse any products and the database is not an exhaustive list. To the best of our knowledge the information is correct at the time of publishing.

The following explanations of 'Source' and 'Product Type' have been developed to provide clarity and aid with interpretation of the Biological Products Database. Some products do not fit neatly within these, where this is the case, the aim has been to provide the best fit for the product details available.

BIOLOGICAL PRODUCTS DATABASE - EXPLANATIONS - SOURCE

microbial	Microbial products are products derived from various small, simple organisms. Microbial products may contain the organisms themselves and/or the metabolites they produce. Microbial products generally contain or are derived from four different subcategories:
	• Bacteria - may prevent plant diseases by outcompeting plant pathogens in the rhizosphere, producing anti-fungal compounds, and by promoting plant and root growth. Examples of beneficial bacteria include <i>Bacillus subtilis</i> , <i>Bacillus pumilus</i> , <i>Pseudomonas</i> spp., and <i>Streptomyces</i> spp.
	• Protozoa - while most protozoa feed on bacteria and decaying organic matter, a wide range of protozoan species are insect parasites. For example, the protozoan <i>Nosema locustae</i> is known to be a natural biocontrol agent of many grasshopper species.
	• Viruses - can be very specific to particular insects or arthropods. For example, certain viruses can kill only one or a few species of Lepidoptera larvae (caterpillars), making them good candidates for management of crop pests with minimal off-target effects. The granulovirus of the codling moth (<i>Cydia pomonella</i>), or CpGV, is a good example of a commercially successful viral insecticide.
	• Yeasts - may work through competition with pathogens, e.g. for nutrients. For example, <i>Candida oleophila</i> Strain O, has been developed as an effective biocontrol for post-harvest fruit rots. It is applied to apples and pears after harvest — but before storage — to control particular fungal pathogens causing post-harvest decay such as grey mould (<i>Botrytis cinerea</i>) and blue mould (<i>Penicillium expansum</i>). <i>Candida oleophila</i> Strain O works primarily through competition for nutrients and precolonisation of plant wound sites.
plant extract	Water- or solvent-based plant extracts or essential oils (EOs) can contain valuable natural products, many of which can be used safely in pest and disease control due to their ability to degrade quickly. An important consideration is that EOs and plant extracts are biologically unstable as they are easily destroyed by environmental pH, oxygen, light, and moderate temperatures. EOs exhibit poor aqueous solubility and high volatility in general. Many extracts or EO biopesticides are often used without deeply understanding their mode of action. Water- or solvent-based extracts and EOs can improve plant resistance to biotic and abiotic stressors, and can be involved in metabolic processes that control plant tolerance to these stressors.
amino acids	Amino acid products are manufactured either by hydrolysis or enzymatic treatment of animal or plant protein feedstock. Amino acids are readily absorbed, transported, and utilised as a source of nitrogen and carbon for plants. This saves the energy expended by the plant to reduce organic matter, synthetic nitrates and ammonia into amino acids. Some amino acids are efficient metal ion chelators which can help with metal ion nutrient uptake and help protect plants from toxic levels of metal ions.
	Amino acids also function as biostimulants for plants, playing important roles in enhancing plant productivity, especially under abiotic and biotic stress conditions. Refer to https://www.growerssecret.com/amino-acids-as-biostimulants



BIOLOGICAL PRODUCTS DATABASE - EXPLANATIONS - SOURCE (CONTINUED)

which can improve soil fertility. Microbial growth: Seaweed can act as a source of carbon and energy for microorganisms in the soil, stimulating their growth and activity. Root growth: Some studies suggest that seaweed extracts can have a positive impact on root growth and root health, which can improve overall plant growth vigour. Disease suppression: The compounds present in seaweed can have an antimicrobial effect, inhibiting the growth of certain pathogens and helping to suppre classes. Alginates: Seaweed contains alginates, a complex carbohydrate that can form gels in soil, which can improve soil structure and water-holding capacity, making conducive to healthy microbial growth. Hormones: Seaweed contains growth hormones like cytokinins and auxins that can promote root growth, cell division and elongation, which can help plants t cope with environmental stress. fish extract Fish extract (also emulsion, or fish fertiliser) for plants, is a fast-acting, organic liquid product made from the by-products of the fishing and aquaculture industries in introgen, phosphorus, and potassium, plus trace elements such as calcium, magnesium, sulphur, chlorine, and sodium. seaweed/fish mix Mem plants and animals are decomposed by bacteria, humic substances are released and are found naturally in soils. Humic acids that dissolve in both acid and alkaline environments, larger humic acids that are soluble under alkaline conditions, and very large humins that ar insoluble. Humic acids can be 100 000 times larger than fulvic acids. Humic acids used in soil amendments are often extracted from brown coal. humic acids can aid with nutrient cycling, microbial growth and disease suppression through the following mechanisms:		
which can improve soil fertility. Microbial growth: Seaweed can act as a source of carbon and energy for microorganisms in the soil, stimulating their growth and activity. Root growth: Some studies suggest that seaweed extracts can have a positive impact on root growth and root health, which can improve overall plant growth vigour. Disease suppression: The compounds present in seaweed can have an antimicrobial effect, inhibiting the growth of certain pathogens and helping to supprediseases. Alginates: Seaweed contains alginates, a complex carbohydrate that can form gels in soil, which can improve soil structure and water-holding capacity, making conductve to healthy microbial growth. Hormones: Seaweed contains growth hormones like cytokinins and auxins that can promote root growth, cell division and elongation, which can help plants to cope with environmental stress. fish extract Fish extract (also emulsion, or fish fertiliser) for plants, is a fast-acting, organic liquid product made from the by-products of the fishing and aquaculture industries in nitrogen, phosphorus, and potassium, plus trace elements such as calcium, magnesium, sulphur, chlorine, and sodium. seaweed/fish acid at the dissolve in both acid and alkaline environments, larger humic acids that are soluble under alkaline conditions, and very large humins that arisolve in both acid and alkaline environments, larger humic acids that are soluble under alkaline conditions, and very large humins that arisolve. Humic acids can ald with nutrient cycling, microbial growth and disease suppression through the following mechanisms: humic/fulvic acid Microbial growth: and acids can help to make nutrients such as nitrogen and phosphorus more available	seaweed extract	
Root growth: Some studies suggest that seaweed extracts can have a positive impact on root growth and root health, which can improve overall plant growth vigour. Disease suppression: The compounds present in seaweed can have an antimicrobial effect, inhibiting the growth of certain pathogens and helping to supprediseases. Alginates: Seaweed contains alginates, a complex carbohydrate that can form gels in soil, which can improve soil structure and water-holding capacity, making conducive to healthy microbial growth. Hormones: Seaweed contains rowth hormones like cytokinins and auxins that can promote root growth, cell division and elongation, which can help plants to cope with environmental stress. fish extract Fish extract (also emulsion, or fish fertiliser) for plants, is a fast-acting, organic liquid product made from the by-products of the fishing and aquaculture industries in nitrogen, phosphorus, and potassium, plus trace elements such as calcium, magnesium, sulphur, chlorine, and sodium. seaweed/fish A mix of seaweed and fish extracts described above. mix Mumic/fulvic acids that dissolve in both acid and alkaline environments, larger humic acids that are soluble under alkaline conditions, and very large humins that ar insoluble. Humic acids can be 100 000 times larger than fulvic acids. Humic acids used in soil amendments are often extracted from brown coal. Humic acids can aid with nutrient cycling, microbial growth and disease suppression through the following mechanisms: Nutrient cycling: Humic acids can alte to plant roots. Microbial growth: Humic acids can also have an antimicrobial effect, inhibiting the growth of certain pa		Nutrient content: Seaweed is a rich source of many essential plant nutrients such as nitrogen, phosphorus, potassium, and trace elements like iodine, zinc, and iron which can improve soil fertility.
vigour. Disease suppression: The compounds present in seaweed can have an antimicrobial effect, inhibiting the growth of certain pathogens and helping to supprediseases. Alginates: Seaweed contains alginates, a complex carbohydrate that can form gels in soil, which can improve soil structure and water-holding capacity, making conducive to healthy microbial growth. Hormones: Seaweed contains growth hormones like cytokinins and auxins that can promote root growth, cell division and elongation, which can help plants to cope with environmental stress. fish extract Fish extract (also emulsion, or fish fertiliser) for plants, is a fast-acting, organic liquid product made from the by-products of the fishing and aquaculture industries in nitrogen, phosphorus, and potassium, plus trace elements such as calcium, magnesium, sulphur, chlorine, and sodium. seaweed/fish mix A mix of seaweed and fish extracts described above. humic/fulvic acids that dissolve in both acid and alkaline environments, larger humic acids that are soluble under alkaline conditions, and very large humins that are insoluble. Humic acids can be 100 000 times larger than fulvic acids. Humic acids used in soil amendments are often extracted from brown coal. Humic acid Humic acids can aid with nutrient cycling, microbial growth and disease suppression through the following mechanisms: Nutrient cycling: Humic acids can help to make nutrients such as nitrogen and phosphorus more available to plants by chelating or complexing them, making more accessible to plant roots. Microbial growth: Humic acids can also have an antimicrobial effect, inhibiting the growth of certain pathogens and helping to suppre		Microbial growth: Seaweed can act as a source of carbon and energy for microorganisms in the soil, stimulating their growth and activity.
diseases.Alginates: Seaweed contains alginates, a complex carbohydrate that can form gels in soil, which can improve soil structure and water-holding capacity, making conducive to healthy microbial growth.Hormones: Seaweed contains growth hormones like cytokinins and auxins that can promote root growth, cell division and elongation, which can help plants t cope with environmental stress.fish extractFish extract (also emulsion, or fish fertiliser) for plants, is a fast-acting, organic liquid product made from the by-products of the fishing and aquaculture industries in nitrogen, phosphorus, and potassium, plus trace elements such as calcium, magnesium, sulphur, chlorine, and sodium.seaweed/fish mixA mix of seaweed and fish extracts described above.humic/fulvic acidWhen plants and animals are decomposed by bacteria, humic substances are released and are found naturally in soils. Humic substances are composed of: relat small fulvic acids that dissolve in both acid and alkaline environments, larger humic acids that are soluble under alkaline conditions, and very large humins that ar insoluble. Humic acids can be 100 000 times larger than fulvic acids. Humic acids used in soil amendments are often extracted from brown coal.Humic acid Humic acids can aid with nutrient cycling, microbial growth and disease suppression through the following mechanisms: Nutrient cycling: Humic acids can also help to make nutrients such as nitrogen and phosphorus more available to plants by chelating or complexing them, making more accessible to plant roots. Microbial growth: Humic acids can also have an antimicrobial effect, inhibiting the growth of certain pathogens and helping to suppress plant diseases. Fulvic acid		Root growth: Some studies suggest that seaweed extracts can have a positive impact on root growth and root health, which can improve overall plant growth and vigour.
conducive to healthy microbial growth.Hormones: Seaweed contains growth hormones like cytokinins and auxins that can promote root growth, cell division and elongation, which can help plants to cope with environmental stress.fish extractFish extract (also emulsion, or fish fertiliser) for plants, is a fast-acting, organic liquid product made from the by-products of the fishing and aquaculture industries in introgen, phosphorus, and potassium, plus trace elements such as calcium, magnesium, sulphur, chlorine, and sodium.seaweed/fish mixA mix of seaweed and fish extracts described above.humic/fulvic acidWhen plants and animals are decomposed by bacteria, humic substances are released and are found naturally in soils. Humic substances are composed of: relat small fulvic acids that dissolve in both acid and alkaline environments, larger humic acids used in soil amendments are often extracted from brown coal.Humic acidHumic acids can aid with nutrient cycling; Humic acids can help to make nutrients such as nitrogen and phosphorus more available to plants by chelating or complexing them, making more accessible to plant roots. Microbial growth: Humic acids can also have an antimicrobial effect, inhibiting the growth of certain pathogens and helping to suppress plant diseases. Fulvic acid		Disease suppression: The compounds present in seaweed can have an antimicrobial effect, inhibiting the growth of certain pathogens and helping to suppress plant diseases.
cope with environmental stress.come of the optimization of the fishing and aquaculture industriesfish extractFish extract (also emulsion, or fish fertiliser) for plants, is a fast-acting, organic liquid product made from the by-products of the fishing and aquaculture industriesseaweed/fish mixA mix of seaweed and fish extracts described above.humic/fulvic acidWhen plants and animals are decomposed by bacteria, humic substances are released and are found naturally in soils. Humic substances are composed of: relat small fulvic acids that dissolve in both acid and alkaline environments, larger humic acids that are soluble under alkaline conditions, and very large humins that ar insoluble. Humic acids can be 100 000 times larger than fulvic acids. Humic acids used in soil amendments are often extracted from brown coal.Humic acid Humic acids can aid with nutrient cycling, microbial growth and disease suppression through the following mechanisms: Nutrient cycling: Humic acids can act as a source of carbon and energy for microorganisms in the soil, stimulating their growth and activity. Disease suppression: Humic acids can also have an antimicrobial effect, inhibiting the growth of certain pathogens and helping to suppress plant diseases. Fulvic acid		Alginates: Seaweed contains alginates, a complex carbohydrate that can form gels in soil, which can improve soil structure and water-holding capacity, making it more conducive to healthy microbial growth.
in nitrogen, phosphorus, and potassium, plus trace elements such as calcium, magnesium, sulphur, chlorine, and sodium. Seaweed/fish mix A mix of seaweed and fish extracts described above. When plants and animals are decomposed by bacteria, humic substances are released and are found naturally in soils. Humic substances are composed of: relat small fulvic acids that dissolve in both acid and alkaline environments, larger humic acids that are soluble under alkaline conditions, and very large humins that are insoluble. Humic acids can be 100 000 times larger than fulvic acids. Humic acids used in soil amendments are often extracted from brown coal. Humic acids Humic acids can aid with nutrient cycling, microbial growth and disease suppression through the following mechanisms: Nutrient cycling: Humic acids can at help to make nutrients such as nitrogen and phosphorus more available to plants by chelating or complexing them, making more accessible to plant roots. Microbial growth: Humic acids can at as a source of carbon and energy for microorganisms in the soil, stimulating their growth and activity. Disease suppression: Humic acids can also have an antimicrobial effect, inhibiting the growth of certain pathogens and helping to suppress plant diseases. Fulvic acid		Hormones: Seaweed contains growth hormones like cytokinins and auxins that can promote root growth, cell division and elongation, which can help plants to better cope with environmental stress.
mixMinic fullyichumic/fullyicWhen plants and animals are decomposed by bacteria, humic substances are released and are found naturally in soils. Humic substances are composed of: relat small fulvic acids that dissolve in both acid and alkaline environments, larger humic acids that are soluble under alkaline conditions, and very large humins that are insoluble. Humic acids can be 100 000 times larger than fulvic acids. Humic acids used in soil amendments are often extracted from brown coal.Humic acidHumic acids can aid with nutrient cycling, microbial growth and disease suppression through the following mechanisms: Nutrient cycling: Humic acids can help to make nutrients such as nitrogen and phosphorus more available to plants by chelating or complexing them, making more accessible to plant roots. Microbial growth: Humic acids can at as a source of carbon and energy for microorganisms in the soil, stimulating their growth and activity. Disease suppression: Humic acids can also have an antimicrobial effect, inhibiting the growth of certain pathogens and helping to suppress plant diseases. Fulvic acid	fish extract	Fish extract (also emulsion, or fish fertiliser) for plants, is a fast-acting, organic liquid product made from the by-products of the fishing and aquaculture industries. It is rich in nitrogen, phosphorus, and potassium, plus trace elements such as calcium, magnesium, sulphur, chlorine, and sodium.
acidsmall fulvic acids that dissolve in both acid and alkaline environments, larger humic acids that are soluble under alkaline conditions, and very large humins that are insoluble. Humic acids can be 100 000 times larger than fulvic acids. Humic acids used in soil amendments are often extracted from brown coal.Humic acidHumic acids can aid with nutrient cycling, microbial growth and disease suppression through the following mechanisms:Nutrient cycling: Humic acids can help to make nutrients such as nitrogen and phosphorus more available to plants by chelating or complexing them, making more accessible to plant roots.Microbial growth: Humic acids can act as a source of carbon and energy for microorganisms in the soil, stimulating their growth and activity. Disease suppression: Humic acids can also have an antimicrobial effect, inhibiting the growth of certain pathogens and helping to suppress plant diseases.Fulvic acid		A mix of seaweed and fish extracts described above.
 Humic acids can aid with nutrient cycling, microbial growth and disease suppression through the following mechanisms: <u>Nutrient cycling</u>: Humic acids can help to make nutrients such as nitrogen and phosphorus more available to plants by chelating or complexing them, making more accessible to plant roots. <u>Microbial growth</u>: Humic acids can act as a source of carbon and energy for microorganisms in the soil, stimulating their growth and activity. <u>Disease suppression</u>: Humic acids can also have an antimicrobial effect, inhibiting the growth of certain pathogens and helping to suppress plant diseases. Fulvic acid 		When plants and animals are decomposed by bacteria, humic substances are released and are found naturally in soils. Humic substances are composed of: relatively small fulvic acids that dissolve in both acid and alkaline environments, larger humic acids that are soluble under alkaline conditions, and very large humins that are insoluble. Humic acids can be 100 000 times larger than fulvic acids. Humic acids used in soil amendments are often extracted from brown coal.
Nutrient cycling: Humic acids can help to make nutrients such as nitrogen and phosphorus more available to plants by chelating or complexing them, making more accessible to plant roots. Microbial growth: Humic acids can act as a source of carbon and energy for microorganisms in the soil, stimulating their growth and activity. Disease suppression: Humic acids can also have an antimicrobial effect, inhibiting the growth of certain pathogens and helping to suppress plant diseases. Fulvic acid		Humic acid
more accessible to plant roots. <u>Microbial growth</u> : Humic acids can act as a source of carbon and energy for microorganisms in the soil, stimulating their growth and activity. <u>Disease suppression</u> : Humic acids can also have an antimicrobial effect, inhibiting the growth of certain pathogens and helping to suppress plant diseases. Fulvic acid		Humic acids can aid with nutrient cycling, microbial growth and disease suppression through the following mechanisms:
Disease suppression: Humic acids can also have an antimicrobial effect, inhibiting the growth of certain pathogens and helping to suppress plant diseases. Fulvic acid		Nutrient cycling: Humic acids can help to make nutrients such as nitrogen and phosphorus more available to plants by chelating or complexing them, making them more accessible to plant roots.
Fulvic acid		Microbial growth: Humic acids can act as a source of carbon and energy for microorganisms in the soil, stimulating their growth and activity.
		Disease suppression: Humic acids can also have an antimicrobial effect, inhibiting the growth of certain pathogens and helping to suppress plant diseases.
Fulvic acid may stimulate root growth and affect root function to exude organic acids that can lead to increased nutrient uptake.		Fulvic acid
		Fulvic acid may stimulate root growth and affect root function to exude organic acids that can lead to increased nutrient uptake.
Fulvic acid can also help to increase plant nutrient uptake by chelating (binding) minerals and other nutrients. Chelated minerals are easier for the plant to absorb use.		Fulvic acid can also help to increase plant nutrient uptake by chelating (binding) minerals and other nutrients. Chelated minerals are easier for the plant to absorb and use.



BIOLOGICAL PRODUCTS DATABASE - EXPLANATIONS - PRODUCT TYPES

fungicide	Product to control the growth of fungi and fungal spores. They can be made from a variety of chemical compounds including synthetic chemicals, botanicals, and microbial pesticides.
herbicide	Product to kill or control weeds. They can be made from a variety of chemical compounds, including synthetic chemicals, botanicals, and microbial pesticides. Some herbicides target specific weeds or groups of weed (e.g. grasses), while others have a broader spectrum of activity.
insecticide	Product to kill or control a population of insects. They can be made from a variety of chemical compounds, including synthetic chemicals, botanicals, and microbial pesticides. Some insecticides target specific insects, while others have a broader spectrum of activity.
miticide	Product to kill or control a population of mites. They can be made from a variety of chemical compounds, including synthetic chemicals, botanicals, and microbial pesticides.
pest deterrent	A plant pest deterrent is a substance or method used to prevent or discourage the presence of pests. These pests can include insects, mites, nematodes, and other animals that feed on plants or cause damage to the foliage, roots, or fruit of plants. Plant pest deterrents can include a variety of chemical and non-chemical methods, such as:
	Biological controls, such as the use of predators or pathogens that feed on or kill pests
	Botanical repellents, such as certain essential oils or plant extracts that have been shown to repel certain pests and also
	Physical barriers, such as screens or nets, which can physically prevent pests from reaching the plants.
disease suppressant	A plant disease suppressant is a substance or method that is used to prevent or reduce the incidence or severity of plant diseases. These diseases can be caused by a variety of pathogens, such as bacteria, fungi, viruses, and nematodes. Disease suppressants can include a variety of chemical and non-chemical methods, such as:
	1. Biological controls: The use of beneficial microorganisms such as bacteria or fungi that can outcompete or inhibit the growth of pathogens in the soil or on the plant surface.
	2. Botanical extracts and essential oils: Some plant extracts and essential oils have been found to have antimicrobial properties, which can help to suppress the growth of pathogens.
	Products should be supported via:
	1. Crop rotation: rotating crops can help to reduce the build-up of pathogens in the soil, which can help to reduce the incidence of diseases.
	2. Cultural controls: Sanitation practices, such as removing and destroying infected plant debris, can help to reduce the incidence of diseases.
	3. Nutrient management: Proper nutrition can help plants to better cope with disease stress and improve overall plant health.
	4. Environmental control: Manipulating the environment by controlling temperature, humidity, light intensity can help plants to better cope with pathogens.



BIOLOGICAL PRODUCTS DATABASE - EXPLANATIONS - PRODUCT TYPES (CONTINUED)

stress resistance	There are several ways to increase stress resistance in plants; the following may be used in products:
resistance	1. Microorganisms: Some microorganisms can promote plant growth and stress tolerance by improving nutrient uptake, protecting against pathogens, and producing plant growth-promoting compounds.
	2. Hormonal treatments: Some phytohormones such as cytokinins and gibberellins have been shown to increase stress tolerance in plants by promoting cell division and elongation.
	However, sole reliance on products will not be successful. Other methods that should be used at the same time are:
	1. Variety selection (breeding): Selecting and breeding plants that are naturally more tolerant to stress conditions such as drought, heat, cold, and disease.
	2. Proper nutrition: Providing plants with adequate and balanced nutrition can help them to better cope with stress.
	3. Water management: Proper irrigation and drainage can help plants to better tolerate drought stress and prevent effects of waterlogging.
	4. Mulching: Mulching, e.g. planting into cover crop residues, can help to reduce soil moisture loss, moderate soil temperature and suppress weed growth, which can help plants to better tolerate stress conditions.
	5. Crop rotation: rotating crops can help to reduce the build-up of pests and diseases, as well as improve soil health, which can help plants to better tolerate stress conditions.
	6. Environmental control: Manipulating the environment by controlling temperature, humidity, light intensity can help plants to better tolerate stress conditions.
crop nutrition product	Crop nutrition products can include a variety of chemical and organic compounds that provide plants with macronutrients and/or micronutrients (such as zinc, copper, and iron). These products can be applied to soil or foliage in various forms such as granular, liquid, and foliar sprays.
growth stimulant/ regulator	A plant growth stimulant is a substance or a microorganism that when applied to plants, can improve their growth and development. Plant growth stimulants can be in the form of hormones, enzymes, minerals, or microorganisms that are applied to the soil or the foliage of plants. They can be used to improve crop yields, and/or increase the tolerance of plants to environmental stress. Some examples of plant growth stimulants include auxins, cytokinins, gibberellins (which are produced by plants) or humic acids which naturally occur in soils.
soil biology stimulant	A soil biology stimulant is a substance that is used to enhance the diversity and activity of microorganisms in the soil, which can improve soil health and plant growth. Soil biology stimulants can include a variety of microorganisms such as bacteria, fungi, and protozoa, as well as organic compounds such as humic acids (see 'Source' definitions above) and seaweed extracts. The microorganisms help to break down organic matter, improve nutrient cycling, and promote root growth, leading to healthier and more productive plants. Soil biology stimulants can be applied through soil drench, foliar spray or seed coating.
wetting agent	A chemical added to reduce the surface tension of a liquid and allow it to spread more easily and evenly over plant surfaces (reduces beading). Also known as a surfactant.

			Product type		Ingredient(s)		Use							
rade Name	Source	Registered Product Type (APVMA	Has been used as / for (not registered)	Active Ingredient(s) (APVMA Registered Products)	Main ingredient(s) of non registered products	Registered Use (APVMA Registered)	Has been used as / for (not registered)2	Сгор	Manufacturer	Formulatio	n Australian Certified Organic	рН	Analysis	Trial Information
nifol K	amino acids	Registered) not registered	crop nutrition	not registered	Amino Acids + Potassium	Not Registered	Increase fruit fill & quality	all crops	Rovensa ANZ (Tradecorp)	Liquid	No	11.2	Potassium 38.6%, L-α free amino acids 7.5% (all	https://tradecorpaustralia.com.i =amifol+k&x=0&y=0
ino Boss	amino acids	not registered	growth stimulant/ regulator	not registered	50% (635g/L) Amino Acids, 26% Organic Nitrogen, 8% Organic Carbon.	not registered	crop health	all crops	Sipcam (Agricrop)	liquid	Yes	6 to 7	why Alanine 5.4%, Arginine 0.5%, Aspartic acid 1.6%, Glutamic acid 5.2%, Glycine 12%, Hydroxylysine 2.1%, Hydroxyproline 3.5%, Histidine 0.4%, Isoleucine 0.9%, Crutinine 5.1%, Hysine 1.7%, Methionine 0.7%, Ornithine 5.2%, Phenyalaanine 1.2%, Proline 6.9%, Serine 0.3%, Threonine 0.5%, Jyrosine 1.2%, Valien 1.6%, Carbon 26%, Nitrogen 2.5%, Proline 6.9%, Serine 0.3%, Threonine 0.5%, Serine 0.3%, Nitrogen 2.5%, Proline 6.9%, Serine 0.3%, Threonine 0.5%, Nitrogen 2.5%, Particular 2.5%, Phenyalaanine 1.5%, Phenyalaanine 2.5%, Phenyalaanine 2.5%, Phenyalaanine 1.5%, Phenyalaanine 2.5%, Phenyalaanine 2.5%, Phenyalaanine 2.5%, Phenyalaanine 2.5	-
nino-max	amino acids	not registered	crop nutrition	not registered	amino acids	not registered	crop health	all crops	Nutri-Tech Solutions (NTS)	liquid	Yes	5 to 6	8% Nitrogen 5.78%, Amino acids 40%, Free amino	-
mino-Tech	amino acids	not registered	crop nutrition	not registered	amino acids	not registered	crop health	all crops	Nutri-Tech Solutions (NTS)	liquid	Yes	3.5 to 5	acids 28% Nitrogen 2.6%, Phosphorous 0.36%, Potassium 0.16%, Sulphur 3950mg/L, Calcium 1040mg/L, Magnesium 94mg/L, Iron 9mg/L, Zinc 7mg/L, Boron 1mg/L	-
ton Mo	amino acids	not registered	stress resistance	not registered	Amino Acids + Molybdenum	Not Registered	Reduce abiotic stress and increase Mo absorption to promote Nitrogen use	all crops	Rovensa ANZ (Tradecorp)	Liquid	No	3.9	Molybdenum 7.7%, L-α free amino acids 6.4%, Phosphorus 6.4%, Total Nitrogen 3.3% (all w/v)	
oramin Ca	amino acids	not registered	stress resistance	not registered	Amino Acids + Calcium + Boron	Not Registered	efficiency Reduce abiotic stress and increase flowering success and fruit quality	all crops	Rovensa ANZ (Tradecorp)	Liquid	No	2.8	Total Nitrogen 8.8%, Calcium 7.3%, L-α free amin acids 6.4%, Boron 0.27% (all w/v)	0
elfan Plus	amino acids	not registered	stress resistance	not registered	Amino Acids	Not Registered	Reduce Abiotic Stress	all crops	Rovensa ANZ (Tradecorp)	Liquid	Yes	7.2	L-a free amino acids 28.8%, Total Nitrogen 10.8% (all w/v)	https://tradecorpaustralia.com.au content/uploads/2018/02/2017- Sweetcom-Delfan-Plus-TCAU-ENG v1_3-LR.pdf
ertigofol Ultra	amino acids	not registered	crop nutrition	not registered	amino acids, nitrogen, potassium	not registered	crop health	all crops	Agronutrition	liquid	No	8.4	Nitrogen 10%, phosphorus 1.5%, potassium 7%, trace elements	
lower 'n' Fruit Maker	amino acids	not registered	growth stimulant/ regulator	not registered	50% (635g/L) Amino Acids, 26% Organic Nitrogen, 8% Organic Carbon.	not registered	crop health	all crops	Sipcam (Agricrop)	liquid	Yes	6 to 7	Alarine 5.4%, Arginine 0.5%, Aspartic acid 1.6%, Glutamic acid 5.2%, Glycine 12%, Hydroxylysine 2.1%, Hydroxyproline 3.5%, Histoine 0.4%, Isoleucine 0.9%, Leucine 1.8%, Lysine 1.7%, Methionine 0.7%, Omithine 2.5%, Pherylalanine 1.2%, Proline 6.9%, Serine 0.3%, Threonine 0.5%, Tyrosine 1.2%, Valine 1.6%, Carbon 2.6%, Nitroge 8%	
rotifert LMW 8 Il Star Stim	amino acids composite/blen	not registered	growth stimulant/ regulator soil biology stimulant	not registered	amino acids, peptides polyglutamic acid from Bacillus; fish skin and	not registered	crop health reduced plant stress, increased microbial	all crops all crops	Sipcam (Agricrop) Seawins	liquid	No SXC certified	6 to 7	Protein hydrolyzates, animal 50% Fulvic acid 5%, PGA 0.5%, amino acid 1%, seawee	
i star stiri	compositorbien	a notregistered	Soli Diology Sumalant	nor register eu	seaweed extracts	incregistered	activity, soil health, enhanced nutrient uptake		Jeanni J	iiquiu	Site certailed	4.0 0.0	polysaccharides 10%, alginic acid 3%, organic matter 15-20%	
alance & Grow	composite/blen	d not registered	growth stimulant/ regulator	not registered	Fermented product - Microbial inoculum: fungi,bacteria, yeast and protozoans (not specified): Liquid food source containing calcium and phosphate, vitamins, minerals, proteins, enzymes, amino acids and carbohydrates (not specified).	not registered	Foliar nutrition spray to enhance vegetative growth	all crops	BioAg Pty Ltd, New South Wales	liquid	Yes	2.2	Micro-organisms (unknown g/L). All % as w/w%: Nitrogen 0.1%, Phosphorus 1.3%, Potassium 0.4% Sulphur 0.8%, Calcium 0.5%, Magnesium 0.03%, Sodium 0.1%	https://www.bioag.com.au/trials- 6, demonstrations/
io TX500 Humus xtract	composite/blen	d not registered	soil biology stimulant	not registered	Micro-organisms (not specified), humic acids enzymes, plant hormones and minerals	, not registered	Pre-plant soil conditioner/fertiliser to stimulate beneficial microbial activity in the root zone and biological processes. Also applied as foliar fertiliser.	all crops	YLAD Living Soils, New South Wales	liquid	Yes	-	not supplied	Independent 3 year trial resul available with manufacturer
io-Hum Concentrated ertiliser Additive	l composite/blen	d not registered	soil biology stimulant	not registered	Microbial inoculum: Enterococcus faecalis, Lactobacillus spp., Pediococcus pentosaceus, Aspergillus spp., Saccharomyces cerevisioe, Bacillus subtilis subspp. Humic and fulvic acids	not registered	Pre-plant soil conditioner/fertiliser additive to stimulate beneficial microbial activity in the root zone and biological processes.		Biolink 4 Plants Pty Ltd, Victoria	liquid	Yes	n/a	not supplied	
ioFlora IsoGreen	composite/blen	d not registered	soil biology stimulant	not registered	Four species of microalgae: Scenedesmus quadricauda, S. obliquus, Chlorella vulgaris, Nannochloris atomus; Two Bacillus species: Bacillus amyloliquefaciens and B. subtilis; humic and	not registered	enhanced soil microbial activity, soil and plant health	all vegetable crops + others	BioFlora, Queensland	liquid	Yes	8.7	Bacteria at 10^3 CFU/mL; Microalgae at 10^3 cells/mL; Humic acid 2%, Fulvic acid 1%	-
ioFlora Sea Isolates	composite/blen	d not registered	soil biology stimulant	not registered	fulvic acids liquid inoculant derived from seaweed (Ascophyllum nodosum) containing Bacillus amyloliquefaciens + trace/micronutrients, plant growth	not registered	enhanced soil microbial activity, soil and plant health	all vegetable crops + others	BioFlora, Queensland	liquid	Yes	3.2	Bacillus amyloliquefaciens at 1 x 10^6 CFU/mL; Total nitrogen 0.10%; Soluble potash 0.10%	https://bioflora.com.au/australia trial-results/
plogiCAL PLUS	composite/blen	d not registered	stress resistance	not registered	hormones (auxins, cytokinins, gibberellins) calcium acetate	not registered	soil biology/saline or sodic soils	all crops	SLTEC	liquid	No	8.0-10.0	41.8% molasses, 0.3% kelp, 0.2% Humic, 0.3% Fish, 0.1% B, 6.3% Ca, 1.8% S, 2% K.	-
blogiCAL PLUS TE	composite/blen	d not registered	crop nutrition	not registered	calcium acetate	not registered	crop health	all crops	SLTEC	liquid	No	6.5-7.5	 Fish, 0.176 B, 8.376 Cd, 1.676 S, 276 N, 38.0% molasses, 0.23% kelp, 0.2% Humic, 0.2% Fish, 5.9% Ca, 1.8% K, 1.7% S 	-
ioMAX ioLogic Blend	composite/blen	d not registered	soil biology stimulant	not registered	Brown coal (humic acid); Seven bacterial species: Arospirillum brasilenze Bodilus subilis, B. megaterium, Cellulomonas cellaseo, Pseudomonas fluorescens, P. putida, Streptomyces cellulosae; Two fungal species: Trichoderma harzianum, Yarrowia lipolytica	not registered	Pre-plant soil conditioner/fertiliser to stimulate beneficial microbial activity in the root zone and biological processes: nitroge fixation, phosphorus solubolisation, growth hormone production		LawrieCo Pty Ltd trading as LawrieCo, South Australia	compost sty	le No	-	Inoculum: Bacterial and fungal species (no concentration specified); Elements expressed as w/w % (dry basis); Nitrogen 0.34, Phosphorus 2.2, Potassium 0.05%, Sulphur 1.6%, Calcium 6.7%, Magnesium 0.9%, Sodium 0.3%, Silica 0.12%, Iron 2.9%, Manganese 0.03%, Organic Carbon 2.23%, Humic acid 27.3%	
ioMAX Jigest Fungi & Food + icker	composite/blen	d not registered	soil biology stimulant	not registered	Four fungal species: Chaetomium brasiliense, C. globosum, Trichoderma viride and T. harzianum, kelp, fulvic acids	not registered	Crop residue (stubble) management: postharvest cellulose decomposing fungal inoculum	all crops	LawrieCo Pty Ltd trading as LawrieCo, South Australia	liquid	No	4.8 5	Moisture 25 - 35%. Microbial incoulum: Fungal species (concentratio not specified): Other ingredients expressed as wWW: Water 30 60%, Ammonium sulphate 10 - 30%, Ammonium nitrate 10 - 30%, Urea 10 - 30%, Potassium fuMa (fubix caid, potassium salt) 5 - 10%, Proprietary Plant Growth Stimulants 10 - 30%	-
lioMAX AlicroLife Inoculum + ood	composite/blen	d not registered	soil biology stimulant	not registered	Ingredients for fermentation process - Microbial inoculum: Seven bacterial species: Acospirilum brailsnes, Bacillus sublik, B. megaterium, Cellulomonas cellasea, Pseudomonas fluorescens, P. putida, Streptonyess cellulosa; Wor forgal species: Trichoderma harzionum, Varrowia lipolytica; humi caid. Liquid food source: yeast (not specified) extract, potato starch, peptone, molasse,	not registered	Use as fermented product - Foliar spray alone or generally a foliar spray with nutrition, it can also be used as direct inject or in drip irrigation (fertigation) combined with nutrient applications. It is also added to manufacturer's foliar nutrition products (incl. Humi/EX, NutriMAX liquid range) and is used to inoculate manufacturer's brown coal based BioMax BioLogic Blend	all crops	LawrieCo Pty Ltd trading as LawrieCo, South Australia	powder + liquid	No	(at 20 °C	Inoculum Ingredients expressed as www. Bacterial and turging species 15 - 200%, Wheat germ 25 - 30%, Humic add (potassium sall) < 201 Liquid food ingredients services as www. Liquid food ingredients expressed as www. bo - 60%, yeast start 5 - 10%, notiasses 5 - 10%, mait extract < 5%, inorganic salts < 5%, thannine HCI + 0.5%	r







			Product type		Ingredient(s)	. <u> </u>	Use					-		
Frade Name	Source	Registered Product Type (APVMA Registered)	Has been used as / for (not registered)	Active Ingredient(s) (APVMA Registered Products)	Main ingredient(s) of non registered products	Registered Use (APVMA Registered)	Has been used as / for (not registered)2	Сгор	Manufacturer	Formulation	Australian Certified Organic	рН	Analysis	Trial Information
BiOWISH Crop 16-40-0	composite/blend	not registered	soil biology stimulant	not registered	Microbial inoculum: Bocillus subtilis, Bacillus amyloligue/gociens, Bacillus licheni/ormis, Bacillus pumilus Diammonium phosphate, diatomaceous earth	not registered	Soil conditioner/fertiliser supplement through fertigation or (foliar) spray to stimulate bencical microbial activity in the root zone and biological processes.	all crops	BiOWiSH Technologies Inc., US/ / Enviro Nutrition Pty Ltd, Queensland	A powder	No	7.9 - 8.5 S.	U Bacterial live cultures (total < 1.0%): Bacillus subtilis 1.0 × 10% CFU/g, B. amyloliquefaciens 1.0 × 10% CFU/g, B. lichenformis 1.0 × 10% CFU/g, B. pumilus 1.0 × 10% CFU/g Diarmonium phosphate 9.30. > 9.0%, Diatomaceous earth 3.0 × 5.0%, Guaranteed Analysis: ammoniacal nitrogen 16.0%, available phosphate 40.0%	https://blowishtechnologies.com/pro duct/crop_16-40-0/
Cloak Spray Oil FertiCoat	composite/blend composite/blend	not registered not registered	wetting agent crop nutrition	not registered not registered	canola oil, fish oil information not provided	not registered not registered	product penetration reduce leaf scorch, increase nutrient use efficiency	all crops all crops	Nutri-Tech Solutions (NTS) Omnia	liquid liquid fertilise coating	Yes er No	7 to 8 >10	not supplied Potassium >4.5% wt/vol, Humic and Fulvic acids, seaweed, amino acids, trace elements and	-
Fertile Veg	composite/blend	not registered	crop nutrition	not registered	NPK and trace elements in glycine amino acio chelate form	l not registered	nutrition (foliar fertiliser)	all crops	Zadco (JH Biotech)	granular	Yes	n/a	vitamins, coating polymers. Nitrogen 10%, Phosphorous 10%, Potassium 23%, Sulphur 4%, Magnesium 2%, Zinc 0.03%, Iron 0.018%, Manganese 0.027%, Copper 0.008%,	-
FoliCal 19	composite/blend	not registered	growth stimulant/ regulator	not registered		not registered	nutrition	all crops	Omnia	liquid	No	2.5	Boron 0.005%, Molybdenum 0.004% Calcium 19% wt/vol	-
Fruit & Balance	composite/blend	not registered	growth stimulant/ regulator	not registered	boosted with Fulvic Acid Fermented product - Microbial inoculum: fungi, bacteria, yeast and protozoans (not specified); Liquid food source containing vitamins, minerals, proteins, enzymes, amino acids, carbohydrates, and growth promoters (not specified).	not registered	Foliar nutrition spray to enhance reproductive growth (flowering, fruit set)	all crops	BioAg Pty Ltd, New South Wales	liquid	Yes	4.5	Not supplied	https://www.bioag.com.au/trials- demonstrations/
Germinator Pelletised Crop Starter	composite/blend	not registered	soil biology stimulant	not registered	Microbial inoculum: Enterococcus foecalis, Lactobacillus spp., Pediococcus pentosaceus, Aspergillus spp., Saccharomyces cerevisiae, Bacillus subtilis subspp. Blood meal, bone meal, fish meal, humic and fulvic acids	not registered	Pre-plant soil conditioner/fertiliser supplement to stimulate beneficial microbial activity in the root zone and biological processes.	all crops	Biolink 4 Plants Pty Ltd, Victoria	granular	Yes	n/a	Inoculum: Micro-organisms (concentrations not specified); Guaranteed minimum for: Calcium 9.9%, Nitrogen 7.27%, Phosphorus 5%, Potassium 1.57%, Sulphur 0.77%.	•
GrowGreen /Microbe Plus Kelp /Microbe Plus Kelp Premium	composite/blend	not registered	soil biology stimulant	not registered	ligidi blend of soluble kello (two seaweed species, not specified, calcium, vitamins, molasses, bacterial and fungal plant growth promoters (not specified), plant growth hormones (auxins, cytokinins, gibberellins, abscisic acid)	not registered	enhanced soll microbial activity, soil and plant health	all crops	GrowGreen Pty Ltd, Queensland	liquid	Yes (Microbe Plus Kelp Premium only)	-	Fung/thatteria initially present at max. 10 ^{AG} CFU/mL; CFU/mL; All % as vw/ %: Nitrogen 0.2%, Phosphorus as water soluble 0.1%, Potassium as molasses 0.3% + as soluble potash 0.1% (Microbe Plus Kelp only), Calcium 0.4% (Microbe Plus Kelp only) Phytohormones expressed as ng/g FW (for Microbe Plus Kelp only): Cytokinins 85, Abscisic Acid 103, Audri 723, Gibberellins 11	-
GrowGreen AminoElite	composite/blend	not registered	soil biology stimulant	not registered	Microbially (= enzymatically) digested deep sea fish emulsion & crustaceans, vegetable olis + plant beneficial fungi and bacteria (not specified)	not registered	plant health	all vegetables + other crops	GrowGreen Pty Ltd, Queensland	liquid	No	-	Fung/bacteria initially present at max. 10 ⁴ G CFU/mL; all %=wv/ki. Nitrogen 3.30%, Phosphorus as water soluble 0.7%, Potassium 0.5%, Sulphur 0.55%, Molyddenum 0.01%, Boron 0.04%, Calcium 0.2%, Tic 0.1%, Iron 0.005%, Magnesium 0.02%, Manganese 0.025%, Cobalt 0.0025%	-
GrowGreen AminoKelp	composite/blend	not registered	soil biology stimulant	not registered	Mixture of GrowGreen AminoElite and GrowGreen Microbe Plus Kelp	not registered	enhanced soil microbial activity, soil and plant health	all vegetables + other crops	GrowGreen Pty Ltd, Queensland	liquid	No	-	Fungi/Jacteria initially present at max. 10^6 (FI/mi: all %=wwW8: Nitrogen 3.0%, Phosphorus 0.70%, Potassium 0.5%, Magnesium 0.02%, Suphur 0.55% Zinc 0.07%, Manganese 0.03%, Iron 0.005% Boron 0.04%, Molyddenum 0.01%, Cobalt 0.0025%	
GrowGreen Microbe Plus Citrus	composite/blend	not registered	soil biology stimulant	not registered	Foliar NPK fertiliser integrated with microbial (bacteria and fungi, not specified) cultures	not registered	plant health	designed for citrus, also effective with vegetable & fruit crops	GrowGreen Pty Ltd, Queensland	liquid	No	-	Fungi/bacteria initially present at max. 10^6 CFU/mL; all %=wu/%: Nitrogen 7.0%, Phosphorus 0.1%, Potassium 4.0%, Molybdenum 0.015%, Boron 0.042%, Galum 4.6%, Zin C. 12%, Iron 0.02% Magnesium 1.1%, Manganese 0.6%, Cobalt 0.007%	•
GrowGreen Microbe Plus PhosCal	composite/blend	not registered	soil biology stimulant	not registered	Phosphorous acid, calcium carbonate, magnesium with beneficial soil fungi and bacteria (not specified)	not registered	enhanced soil microbial activity, soil and plant health	all crops	GrowGreen Pty Ltd, Queensland	liquid	No	-	Fungi/bacteria initially present at max. 10^6 CFU/mL; All % as w/v %: Phosphorus 7.0%. Calcium 4.0%.	-
GrowGreen Microbe Plus Potassium	composite/blend	not registered	soil biology stimulant	not registered		not registered	plant health	all crops	GrowGreen Pty Ltd, Queensland	liquid	No	-	Magnesium 0.1%, Copper 0.025% Fung/bacteria initially present at max. 10^6 CFU/mL; All % as w/v %: Potassium 11.0%, Sulphur 0.1%, Molybdenum 0.017%, Boron 0.014%, Zinc 0.022% Iron 0.004%, Cobalt 0.001%	-
GrowGreen AminoKelp Premium	composite/blend	not registered	soil biology stimulant	not registered	microbially (= enzymatically) digested blend of selected marine waste and different seaweed extracts, hrizobacterial and fungal plant growth promoters (not specified), plant growth hormones (auxins, cytokinins, gibberellins, abscisic acid)	not registered	enhanced soil microbial activity, soil and plant health	all crops	GrowGreen Pty Ltd, Queensland	liquid	Yes	2.0 - 4.5	Fungi/bacteria initially present at max. 10^6 CFU/mL; All % as w/v %: Nitrogen 0.20 - 0.45%, Phosphorus 0.05 - 0.15%, Sulphur 0.15 - 0.30%, Potassium 0.15%	-
GrowGreen AminoOrganic Premium	composite/blend	not registered	soil biology stimulant	not registered	microbially (=enzymatically) digested blend o marine crustaceans + beneficial bacteria and fungi (not specified) + fulvic acid	f not registered	enhanced soil microbial activity, soil and plant health	all crops	GrowGreen Pty Ltd, Queensland	liquid	Yes		Fungi/bacteria initially present at max. 10^6 CFU/mL; All % as w/v %: Nitrogen 0.5%, Phosphorus 0.1%, Sulphur 0.5%	-
GrowGreen Profert	composite/blend	not registered	soil biology stimulant	not registered	Spores of four VAM species: Claroldeoglomus etunicatum (previously knowns as Glomus etunicatum), funnelformis mossee (previously known as Glomus mossee (previously known as Glomus intraradices), Scutellospora djupuprezeons; Microbially (= enzymatically) digested deep sea fish emulsion & crustaceans + beneficial	not registered	mycorrhizae and enhanced soil microbial activity, soil and plant health	all mycorrhizal crops	GrowGreen Pty Ltd, Queensland	liquid	No	-	Jalana Cu376 Ling/Dactaria Initially present at max. 10^6 CFU/mi; All % as sw/w %: Nitrogen total 3.0%, Phosphorus 0.0%, Potassium 0.4%, Calcium 0.2%, Magnesium 0.02%, Suphun 0.5%, Euron 0.04%, Manganese 0.025%, Iron 0.005%, Boron 0.04%, Molybdenum0.01%, Cobalt 0.0025%	-
HumaKelp	composite/blend	not registered	crop nutrition	not registered	bacteria (not specified) humate and kelp	not registered	nutrient use efficiency/soil health	all crops	Omnia	liquid	Yes	>10	Potassium 4% wt/vol, amino acids, plant growth stimulants. trace elements	-







			Product type		Ingredient(s)		Use							
rade Name	Source	Registered Product Type (APVMA	Has been used as / for (not registered)	Active Ingredient(s) (APVMA Registered Products)	Main ingredient(s) of non registered products	Registered Use (APVMA Registered)	Has been used as / for (not registered)2	Crop	Manufacturer	Formulation	Australian Certified Organic	рН	Analysis	Trial Information
tion Compost Starte	r composito/blop	Registered) not registered	soil biology stimulant	not registered	Microbial inoculum: Enterococcus faecium,	not registered	Pre-plant soil conditioner/fertiliser	all crops	Biolink 4 Plants Pty Ltd,	granular/pow	d Voc	n/2	Inoculum: Micro-organisms (concentrations not	https://biolipk4plants.com.au/age
un compost starte	Compositordici	Intrepared	Son brongy surround		Lactobacillus plantarum, Lactobacillus casei, Pediococcus pentosaceus, Aspergillus oryzae, Aspergillus niger, Saccharomyces cerevisiae, Bacillus subtilis. Blood meal, bone meal, fish meal, humic and	in reported	supplement (compositor) production) to stimulate beneficial microbial activity in the root zone and biological processes.	un clops	Victoria	grandaripon		150	Specified): Guaranteed minimum for: Calcium 9.9%, Nitrogen 7.27%, Phosphorus 5%, Potassium 1.57%, Sulphur 0.77%.	
tion Soil Drench	a a man an ite (blan	d	and biology ation don't	net conjetere d	fulvic acids Microbial inoculum: Enterococcus faecium.	ant maintenand	Soil conditioner/fertiliser supplement	-11	Biolink 4 Plants Pty Ltd,		d Vaa		lane de la Miner anno la martina de la Miner ant	https://bioliok4plants.com.au/age
ition Soil Drench	composite/bleni	d not registered	soil biology stimulant	not registered	Microbial Inoculum: Enterococcus Jaceum, Lactobacillus plantarum, Lactobacillus casei, Pedicoccus pentosaceus, Aspergillus oryzne, Aspergillus niger, Saccharomyces cerevisiae, Bacillus subtilis. Blood meal, bone meal, fish meal, humic and fulvic acids	not registered	Soil conditioner/tertiliser supplement (compost tea) through fertigation/spray to stimulate beneficial microbial activity in the root zone and biological processes.	all crops	Biolink 4 Plants Pty Ltd, Victoria	granular/pow	d Yes		Inoculum: Micro-organisms (concentrations not specified): Guaranteed minimum for: Calcium 9.9%, Nitrogen 7.27%, Phosphorus 5%, Potassium 1.57%, Sulphur 0.77%.	https://boinkeplants.com.au/agr ure-sustainable-farming/
lp-Boost	composite/blen	d not registered	stress resistance	not registered	kelp (Ascophyllum nodosum), nutrients	not registered	crop health	all crops	SLTEC	liquid	No	8.5-9.5	all % as w/v%: 10% kelp, 6.4% K, 0.7% P, 0.4% N,	-
ega-Kel-P	composite/blen	d not registered	crop nutrition	not registered	kelp, fulvic acid, chemical elements	not registered	nutrition (foliar fertiliser)	vineyard, orchard, broadacre, vegetables	Omnia	liquid	No	<3	1.1% fulvic acid, 1.4% amino acids Nitrogen 4% wt/vol, Phosphorous 9%, Potassium	-
													2.1%, Sulphur 2.7%, Manganese 1.9%, Zinc EDTA 1.3%, Copper EDTA 0.23%, Iron EDTA 0.18%, Boron 0.22%, Molybdenum 0.03%, Magnesium 1.3%, amino acids, seaweed, fulvic acids, biostimulants, uptake enhancers.	
w Era Better Grow	composite/blen	d not registered	crop nutrition	not registered	composted poultry manure	not registered	soil health, nutrient uptake	all crops	Sustainable Farming Solutions	pellets	Yes	n/a	4.0% N, 1.8% P, 2.2% K, 3.2% Ca, 0.5% S, 0.6% Mg, 0.2% Fe, 370ppm Zn, 170ppm Cu, 500ppm Mn	-
w Era Premium	composite/blen	d not registered	crop nutrition	not registered	meat, bone, fish meal; seaweed extract, composted poultry manure	not registered	pre-plant fertiliser for vegetables; basal fertiliser for fruit trees	all crops	Sustainable Farming Solutions	pellets	Yes	n/a	3.6% N, 3.1% P, 4% K, 6.3% Ca , 1.6% S, 0.7% Mg, 0.2% Fe, 0.03% Zn, 0.03% Mn, 1.4% Si	https://sustainablefarming.com.a
w Era Protein Meal	composite/blen	d not registered	crop nutrition	not registered	animal protein blend	not registered	slow release source of natural N	all crops	Sustainable Farming Solutions	n/a	Yes	n/a	13% N	https://sustainablefarming.com.ar als/trials-database/
noto-Finish	composite/blen	d not registered	growth stimulant/ regulator	not registered	silicon, kelp, humic acid	not registered	crop health	all crops	Nutri-Tech Solutions (NTS)	liquid	Yes	11 to 12	Potassium 10.6%, Silicon 10.38%	-
lant of Health lant Assist	composite/blen	d not registered	stress resistance	not registered	VAMs (not specified), <i>Trichoderma</i> spp., silica, zeolites, kelp, natural surfactant (saponins), humic and fulvic acids, natural rock minerals	not registered	enhanced fertiliser uptake, soil health, mycorrhizae	all mycorrhizal crops	Batphone Australia Pty Ltd, Queensland	granular/pow	d No	-	not supplied	https://www.batphone.com.au/in es/articles/Testimonials/BelleJarc rialofPlantAssistMPB-1.pdf
uadSHOT		d not registered	growth stimulant/ regulator	not registered	humic acid/ fulvic acid/ fish extract/ molasses	not registered	crop health	all crops	SLTEC	liquid	Yes	10.0-11.0	8% Molasses, 8% kelp, 6.6% Fish, 8% Fulvic, 3.4% H	(-
oil & Seed	composite/blen	d not registered	soil biology stimulant	not registered	Fermented product - Microbial inoculum: Bacteria (<i>Pseudomonos</i> spp, Actinomycetes, Gram positive spp, Gram negative spp, anaerobic spp), Fungi (<i>Aspergillus</i> spp, <i>Penicillum</i> spp, unspecified yeast spp), protozoans (not specified); Liquid food source: molasses, raw sugar, seaweed concentrate, fish hydrosylate, humic compounds vitamins, microls	not registered	Soil amendment, seed inoculant for enchanced soil health	all crops	BioAg Pty Ltd, New South Wales	liquid	Yes	3.4 - 4.5	Microorganisms (total of 38.5 g/L): Bacteria (total of 26.7 g/L): Peudomonas spp. 4.8 g/L, Actinomycetes 0.7 g/L, Gram positive spp. 3.2 g/L, Gram negative spp. 2.3 g/L, Anaerobi spp. 0.1 g/L, Total Imgi at 11.5 g/L; All % as www %: Ash 5.5%, Fat 0.15%, Protein 1.6%, Carboltydrate 12%, Phosphonus 2.09%, Phosphorus (bio-available) 2.04%, Orthophospharke (water soluble) 1.7%	https://www.bioag.com.au/trials- demonstrations/
bil Activator	composite/blen	d not registered	soil biology stimulant	not registered	compounds, vitamins, minerals amino acids, vitamins, seaweed extracts, humus, fish & molasses	not registered	soil biological activity	all crops	Sustainable Farming Solutions	liquid	Yes	3.2 - 4	Fish emulsion, seaweed extracts, fulvic acid, molasses	https://sustainablefarming.com.a
timulate	composite/blen	d not registered	growth stimulant/ regulator	not registered	kelp, fulvic acid, alginic acid	not registered	nutrition, stress, soil biology	all crops	Nutri-Tech Solutions (NTS)	granular	Yes	6.7	Fulvic Acid 35%, Alginic acid 9%, Nitrogen 1.69%, Potassium 11%, Sulphur 2.48%, Magnesium	-
ureCROP VAM	composite/bleni	d not registered	crop nutrition	not registered	4 VAM species: Claroideogiomus etunicatum, Funneiljormis mosseae, Rhizaphagus Irreguiaris, Rhizaphagus aggragatus; 5 Bocillus spp.: 8. subilis, B. laterosporus, B. lichenijormus, B. megaterium, B. pumilus; 1 Peenibacillus sp.: P. solymyaa: 4 Trichoderma spp.: T. harianum, T. viride, T. koningii, T. polysporum; humic and fulvic arids.	not registered	Pre-plant fertiliser/biological seed coating for enhanced fertiliser uptake, soil health, mycorrhizae	all mycorrhizal crops	LawrieCo Pty Ltd trading as LawrieCo, South Australia	powder + liquid	Yes	8.0 - 8.3	0.98%, calcium 0.22%, icon 0.53% Multiple microbial species at 32,500 propagules/L Phosphorus 1.68%, Potassium 0.71%, Sulphur 0.15%, Calcium 5.17%, Silicate 2.52 %, Zinc oxide 2.40%, Manganese carbonate 1.53%, Humic acid 4.40%, Fulvic acid 3.18% (all %=wV%)	-
I Agricultural	composite/blen	d not registered	soil biology stimulant	not registered	plant extracts, kelp, molasses, fish meal	not registered	Stimulate Micro Organisms	all crops and pasture	Best Farming Systems Pty Ltd	liquid	Yes		all % as w/w%: Potassium 0.2%, Sulphur 0.1%, soluable potash 0.5%, Boron 0.05%, Iron 0.02%	https://bestfarmingsystems.com.
LAD Living Compost	composite/blen	d not registered	growth stimulant/ regulator	not registered	Micro-organisms (not specified); Manure, Wheat straw, Compost, Clay.	not registered	Pre-plant soil conditioner/fertiliser to stimulate beneficial microbial activity in the root zone and biological processes: nitrogen fixation, phosphorus solubolisation, growth hormone production.	all crops	YLAD Living Soils, New South Wales	compost style	Yes	7.3 - 8.1	Inculum Micro-organisms (concentrations not specified): Manure 30 - 60%, Wheat straw 30%, Compost 20%, Clay 10%.	Seed inoculation / foliar spray form a natural physical barrier diseases
ua Power 5-1-1	fish extract	not registered	crop nutrition	not registered	hydrolysed fish protein and bone meal	not registered	nutrition	all crops	Zadco (JH Biotech)	liquid	Yes	n/a	Nitrogen 5%, Phosphorous 1%, Potassium 1%, 20 amino acids, 13 vitamins, 8 minerals (trace	
rm Saver liquid fish	fish extract	not registered	crop nutrition	not registered	fish extract	not registered	nutrition	all crops	Nutri-Tech Solutions (NTS)	liquid	Yes	4 to 5	amounts) Nitrogen 3.31%, Phosphorous 0.3%, Potassium 0.55%, Sulphur 0.71%, Magnesium 248 mg/L, Calcium 135mg/L	
h Emulsion h Emulsion	fish extract fish extract	not registered not registered	crop nutrition soil biology stimulant	not registered not registered	fish emulsion fish	not registered not registered	crop health nutrient source for beneficial microbes	all crops all crops	SLTEC Sustainable Farming Solutions	liquid liquid	No Yes	3.5-4.0 3.2 - 4	100% Fish Emulsion, 2.5% N 2.5% N, 0.3% P, 0.25% K, 0.5% Ca, 3% oil content	- https://sustainablefarming.com.a
h Max	fish extract	not registered	soil biology stimulant	not registered	concentrated fish hydrolysate	not registered	soil health, nutrients for beneficial microbes	all crops	Sustainable Farming Solutions	liquid	Yes	5-6	7.8% N, 0.4% P, 2% K, 0.5% Ca	-
h Plus	fish extract	not registered	soil biology stimulant	not registered	fish, kelp, fulvic acid	not registered	soil biological activity, soil health	all crops	Sustainable Farming Solutions	liquid	Yes	3.2 - 4	2.1% N, 1.0% P, 0.5% K, 0.4% Ca	-
draFish	fish extract	not registered	crop nutrition	not registered	Fish emulsion (not specified) containing macro+ micronutrients	not registered	2 step nutrition application: soil fertiliser followed by foliar spray to enchance nutrient availability and soil health	vegetables, vines, vegetables as soil fertiliser and foliar spray	BioAg Pty Ltd, New South Wales	liquid	Yes	3.0 - 4.0	100% fish emulsion obtained using a natural enzyme process at low temperature. All %=w/V%: Nitrogen 2.5%, Phosphorus 1.25%, Potassium 0.25%, Calcium 0.5%, Sodium (NaCl salt) < 36%	-
uid Fish	fish extract	not registered	crop nutrition	not registered	97.5% cold processed liquid fish	not registered	crop health	all crops	Eco Growth	liquid	Yes	n/a	Nitrogen 2.5%, Phosphorous 0.41%, Potassium 0.14%, Sulphur 0.16%, Calcium 0.31%, Magnesium 0.03%, Iron 0.08%, Zinc Gppm, Manganese 1ppm, Copper 1ppm, Boron 4ppm	- 1
tri-Sea liquid fish	fish extract	not registered	crop nutrition	not registered	amino acids, natural nitrogen, trace elements	not registered	nutrition, soil biology	all crops	Nutri-Tech Solutions (NTS)	liquid	Yes	2.2 - 4.2	Nitrogen 5%, Phosphorous 0.65%, Potassium 1.32%, Sulphur 1.65%, Calcium 0.19%, Magnesium	-
rafish	fish extract	not registered	crop nutrition	not registered	fish extract	not registered	nutrition	all crops	Omnia	liquid	Yes	<4	0.11% Nitrogen 2.5% wt/vol, Phosphorous 1.25%wt/vol, 19 amino acids	-
:ti-Fulv	humic/fulvic	not registered	crop nutrition	not registered	humic and fulvic acids, potassium	not registered	soil and crop health	all crops	Agronutrition	liquid	no	12.8	19 amino acids fulvic acid 15%, humic acid 10%, Potassium 4.15%	
o Fulvate	humic/fulvic	not registered	crop nutrition	not registered	Fulvic acid	not registered	plant uptake	all crops	Eco Growth	liquid	Yes	n/a	1% K w/v, 10.1% fulvic acid	-
o Humate	humic/fulvic	not registered	crop nutrition	not registered	humic acid, potassium	not registered	soil health, soil biology, crop health	all crops	Eco Growth	liquid	Yes	n/a	Humic acid 12.2%. Potassium 2.2%	le la







			Product type	lr	ngredient(s)		Use	<u> </u>						
'rade Name	Source	Registered Product Type (APVMA	Has been used as / for (not registered)	Active Ingredient(s) (APVMA Registered Products)	Main ingredient(s) of non registered products	Registered Use (APVMA Registered)	Has been used as / for (not registered)2	Crop	Manufacturer	Formulation	Australian Certified Organic	рН	Analysis	Trial Information
lup	humic/fulvic	not registered	crop nutrition	not registered	potassium fulvate	not registered	enhanced fertiliser uptake, soil health	all crops	Sustainable Farming Solutions	liquid	Yes	3.5-4	10% Fulvic acid with potassium	-
vActiv	humic/fulvic	not registered	crop nutrition	not registered	fulvic acids, amino acids	not registered	crop health	all crops	Agronutrition	liquid	No	6	fulvic acids 24%, organic matter 35%, amino acids	
vic 10	humic/fulvic	not registered	growth stimulant/ regulator	not registered	fulvic acid	not registered	crop health	all crops	SLTEC	liquid	No	5.0-6.0	8% 10% Fulvic Acid. 2.6%K	-
vic Acid Powder	humic/fulvic	not registered	crop nutrition	not registered	potassium fulvate	not registered	enhanced fertiliser uptake, soil health	all crops	Sustainable Farming Solutions	soluble powder	Yes	n/a	95% Fulvic acid with potassium	-
vic Acid Powder	humic/fulvic	not registered	crop nutrition	not registered	fulvic acid		crop health, soil biology	all crops	Nutri-Tech Solutions (NTS)	granular	Yes	n/a	Fulvic Acid 70%, Nitrogen 2.5%, Phosphorous 0.1%, Potassium 6.9%, Sulphur 3.9%, Magnesium 1.8%, Calcium 1%	-
anular Humic Acid max	humic/fulvic humic/fulvic	not registered	crop nutrition crop nutrition	not registered not registered	humic acid humic acid (from leonardite)	not registered	crop health, soil biology soil health	all crops all crops	Nutri-Tech Solutions (NTS) Zadco (JH Biotech)		Yes Yes	n/a	Humic acids 70% D Humic acid 80%	-
	humic/fulvic	not registered not registered	crop nutrition	not registered	Humic acid, fulvic acid, potassium	not registered not registered		all crops	Sipcam (Agricrop)		Yes	9.2	5 Humic acid 80%	
nic K 26	humic/fulvic		growth stimulant/ regulator	not registered	humic acid	not registered	crop health	all crops	SLTEC	liquid	No		25% Humic, 1% Fulvic, 6% K	-
nifirst WG	humic/fulvic	not registered	soil biology stimulant	not registered	humic and fulvic acids	not registered	crop health	general horticulture, orchards & vines, cane	Rovensa ANZ (Tradecorp)	microgranular	Yes	11	Total Humic Extract (THE): 65.0% w/w, Humic Acid: 53.0% w/w, Fulvic Acid: 12.0% w/w, Potassium (K ₂ O) soluble in water: 17.0% w/w	https://tradecorpaustralia.com.a duct/humifirst/
mus 100	humic/fulvic	not registered	soil biology stimulant	not registered	potassium humate	not registered	nutrient use efficiency/soil health	all crops	Sustainable Farming Solutions	liquid	Yes	9.5-10 (in	w > 80% w/v includes 8% Potassium (>97% w/w dry weight after removing moisture)	https://sustainablefarming.com. als/trials-database/
nus 26	humic/fulvic	not registered	soil biology stimulant	not registered	humic and fulvic acid	not registered	nutrient use efficiency/soil health	all crops	Sustainable Farming Solutions	liquid	Yes	9.5-12	Potassium Humate & Fulvate 26.0% w/v	https://sustainablefarming.com. als/trials-database/
imus 400	humic/fulvic	not registered	crop nutrition	not registered	lignite, ligno-sulphates, cellulose	not registered	water infiltration, soil health	all crops	Eco Growth	granular	Yes	n/a	Nitrogen 0.9%, Phosphorous 0.4%, Potassium 0.12%, Sulphur 0.15%, Calcium 16.9%, Magnesium 0.8%, Iron 0.2%, Silicon 11.3%, Carbon 58%, Molybdenum 143 ppm	-
draHume	humic/fulvic	not registered	crop nutrition	not registered	High grade leonardite (source of humic acids	not registered	soil fertiliser to enchance nutrient availability and soil health	all crops	BioAg Pty Ltd, New South Wales	liquid	Yes	9.5 - 10.5	Potassium Humate in solution 13% w/v, Total Potassium > 1.5% w/v	-
ulvate 10%	humic/fulvic	not registered	crop nutrition	not registered	potassium fulvate	not registered	nutrient uptake	all crops	Omnia	liquid	Yes	<3.5	Potassium > 1.5% w/v Potassium >1% wt/vol, Potassium Fulvate 10% wt/vol	-
umate 26%	humic/fulvic	not registered	crop nutrition	not registered	potassium humate, potassium fulvate	not registered	nutrient uptake	all crops	Omnia	liquid	Yes	>10	Potassium >5% wt/vol, Potassium Humate +	
umate S100	humic/fulvic	not registered	crop nutrition	not registered	potassium humate, potassium fulvate	not registered	nutrient retention, water holding capacity	all crops	Omnia	granular	Yes	>10	Potassium Fulvate 26% wt/vol Potassium >15% wt/vol, Potassium Humate + Potassium fulvate 85-95%	-
uid Humus	humic/fulvic	not registered	crop nutrition	not registered	humic acid	not registered	crop health, soil biology	all crops	Nutri-Tech Solutions (NTS)	liquid	Yes	10.5 - 11.5	5 Potassium humate 12.6%	-
bilizer	humic/fulvic	not registered	soil biology stimulant	not registered		not registered		all crops	Zadco (JH Biotech)		Yes	3.3	Fulvic acid and amino acids 3%	•
anic-N	humic/fulvic	not registered	crop nutrition	not registered	nitrogen & fulvic acids	not registered	managing crop nitrogen demand & building yield. Supports crops under stress	all crops	Sustainable Farming Solutions	liquid	Yes	5.5-7.5	10% N w/v with amino acids, 23% fulvic acids w/v, 37.5% organic C w/v	https://sustainablefarming.com. als/trials-database/
zovator™ OB	humic/fulvic	not registered	soil biology stimulant	not registered	potassium humate, potassium fulvate	not registered	soil health	broadacre, orchards, potatoes	Omnia	liquid	Yes	>9	Nitrogen 0.25% wt/vol, Potassium 4.66%, Potassium humate 18.2%, Potassium fulvate 0.5%	-
zovator™ PC	humic/fulvic	not registered	soil biology stimulant	not registered	potassium humate, potassium fulvate, kelp	not registered	soil health, root system	broadacre, orchards, potatoes	Omnia	liquid	Yes	>9	Nitrogen 0.25% wt/vol, Potassium 4.66%, Potassium humate 13%, Potassium fulvate 0.5%	-
Enhancer	humic/fulvic	not registered	soil biology stimulant	not registered	humus	not registered	soil biological activity	all crops	Sustainable Farming Solutions	liquid	Yes	Alkaline >	9 Humic acid, seaweed extracts	https://sustainablefarming.com. als/trials-database/
rboroot WG	humic/fulvic	not registered	soil biology stimulant	not registered	humic, fulvic acids , L-α free amino acids, N, P, K		crop health	all crops	Rovensa ANZ (Tradecorp)	microgranular		6.7	Total Humic Extract (THE): 29.1%, L-α free amino acids 22.2%, organic Nitrogen 3.0%, Phosphorus 7.1%, Potassium 14.9%, Iron EDDHA 0.1%, Manganese EDTA 0.2%, Zinc EDTA 0.2%, Molybdenum 0.25% (%ages w/w)	https://tradecorpaustralia.com.ar duct/turbo-root-wg/
l Earth	humic/fulvic	not registered	crop nutrition	not registered	humic and fulvic acids	not registered	improving soil structure, promoting microbial activity, reducing Phosphorous lockup	all soil grown crops	Sustainable Farming Solutions		Yes		40% humic and fulvic acids (with potassium), 37.9% silicates, Ca-0.22% Fe-2.43% Mg-0.54% S- 0.39% K-3.44% Cu-17ppm Co-7.7ppm Mn-52ppm Mo-1.05ppm Na-0.34% P-150ppm Se-0.81ppm, Zn 11.5ppm	https://sustainablefarming.com.als/trials-database/
inobact	microbial	not registered	growth stimulant/ regulator	not registered	Streptomyces sp. Bacillus subtillus	not registered	root system	all crops	Sustainable Farming Solutions	liquid	Yes	6 to 6.8	Streptomyces sp. and Bacillus subtilis 1 x 10^8 CFU/mL	-
tinovate Biofungicide	microbial	fungicide		Streptomyces lydicus strain WYEC 108		Preventative control of foliar diseases (incl. powdery mildew) and soilborne diseases (incl. Fusarium wit, Rhizoctonia root rot, Pythium damping off) + Biological soil amendment (to supplement nutrient availability, plant growth)		vegetable crops and others (foliar diseases, soliborne disease through seed treatment, see label); all crops (biological soil amendment)	s Novozymes BioAg Limited (Novozymes Biologicals Ltd), Canada / Novozymes Australia Pty Ltd, NSW	powder	Yes	n/a	CFU/g	Trials undertaken by manufacturer (protected data with APVMA)
vance Promote	microbial	not registered	soil biology stimulant	not registered	VAM Fungi, Humates, Amino acids, micros, kelp, sugars	not registered	root system health	all crops	MicroSoil	liquid	No	4 - 5.5	Bacillus & Pseudomonas (14 strains - 340 CFU/ml)	-
ree WG biological ecticide	microbial	insecticide	-	Bacillus thuringiensis Berliner subsp aizawai	-	armyworm cabbage moth cabbage white butterfly cotton budworm or bollworm grapevine moth light brown apple moth looper moth native budworm or bollworm painted vine moth pear looper soybean looper	-	amenity tree cereal grain cotton forestry fruit.crop herb macadamia oilseed.crop ornamental tobacco tur vegetables - see label vine	Certis U.S.A. L.L.C. f	granular	No	-	Bocillus thuringiensis Berliner subsp. aizawai strain GC-91 concentration not given.	•
ro-Vam	microbial	not registered	soil biology stimulant	not registered	one VAM (Vesicular Arbuscular Mycorrhizae) species: Rhizophagus irregularis (previously known as Glomus intraradices)	not registered	mycorrhizae	all vegetable crops + others	AgroBest Australia Pty Ltd, Queensland	powder	No	2.6 - 2.8	Rhizophagus irregularis (formerly Glomus intraradices) at 100 (spores + propagules)/g	-
sca EasyRhiz	microbial	not registered	soil biology stimulant	not registered	One or more rhizobial (bacterial) strains	not registered	Stimulation of rhizobial nodulation, nitrogen fixation and yield	crop and pasture legumes	Alosca Technologies Pty Ltd, WA	freeze dried	No	n/a	Rhizobia > 1 x 10^7 CFU/g. The strains are classified into Groups (AL, C, FE, GS, N) matched to crops they can inoculate.	
sca Granular	microbial	not registered	soil biology stimulant	not registered	One or more rhizobial (bacterial) strains	not registered	Stimulation of rhizobial nodulation, nitrogen fixation and yield	crop and pasture legumes	Alosca Technologies Pty Ltd, WA	granular	No	n/a	Rhizobia > 1 x 10^9 CFU/g. The strains are classified into Groups (AL, AM, B/S, C, E/F, G/S, N) matched to crops they can inoculate.	http://alosca.com.au/wp- content/uploads/2015/08/ALOSC new-technology-to-deliver- rhizobia.pdf
sca Nodule N (Peat)	microbial	not registered	soil biology stimulant	not registered	One or more rhizobial (bacterial) strains	not registered	Stimulation of rhizobial nodulation, nitrogen fixation and yield	crop and pasture legumes	Alosca Technologies Pty Ltd, WA	compost style	No	n/a	Rhizobia > 1 x 10^7 CFU/g. The strains are classified into Groups (AL, AM, BS, C, FE, GS, N,	
en	microbial	not registered	soil biology stimulant	not registered	Azospirillum brasilense	not registered	crop health	all crops	Novum Lifesciences, Queensland	liquid	Yes	4.5 - 8.5	Biserrula) matched to crops they can inoculate. 1 x 109 CFU/ml	-
ub	microbial	not registered	growth stimulant/ regulator	not registered	Bacillus subtilis, activator	not registered	crop health	all crops	Nutri-Tech Solutions (NTS)	liquid	Yes	n/a	not supplied	-
chus WG	microbial	insecticide	-	Bacillus thuringiensis subsp. aizawai strain GC-91 (1200 ITU/mg)	-	lepidoptera larvae	-	all crops	Campbell Chemicals	granular	n/a	4.1	Bacillus thuringiensis subsp. aizawai strain GC-91 (1200 ITU/mg)	-
CSTIM® 100	microbial	not registered	soil biology stimulant	not registered	Bacillus sp.	not registered	root nutrient uptake	all crops	Omnia	liquid	NU	4.2	2 strains Bacillus licheniformis, 2 strains Brevibacillus laterosporus, 1 strain Bacillus amyloliquefaciens, Total concentration 2 x 10^9 CFU/ml	





			Product type		ngredient(s)		Use							
Trade Name	Source	Registered Product Type (APVMA	Has been used as / for (not registered)	Active Ingredient(s) (APVMA Registered Products)	Main ingredient(s) of non registered products	Registered Use (APVMA Registered)	Has been used as / for (not registered)2	Сгор	Manufacturer	Formulation	n Australian Certified Organic	рН	Analysis	Trial Information
BAM	microbial	Registered) not registered	soil biology stimulant	not registered	blend of beneficial anaerobic organisms including phototropic non-sulphur bacteria and lactic acid bacteria	not registered	composting, crop health, nutrient availabili	y all crops, also compost, effluent ponds, septic treatment	Nutri-Tech Solutions (NTS)	liquid	Yes	2.5 - 4	not supplied	-
Basis XC	microbial	not registered	soil biology stimulant	not registered	microorganisms including Bacillus licheniformis	not registered	fertiliser efficiency	all crops	Loveland (distributed by Nutrier Ag)	impregnation on dry	n No		8 water-based culture medium 99%, microorganisms <1%, Bacillus licheniformis 1 x 103 CFU/ml	•
Bee-Tagonizer Bee /ectoring Powder	microbial	not registered	fungicide	not registered	spores of beneficial fungus <i>Trichoderma</i> <i>harzianum</i> strain Td81b	not registered	entomovectoring: beneficial fungus that is carried by bees to colonise flowers and assist with fruit set, control of fungal pathogens	crops reliant on bee pollination for fruit set, including vegetables	Metcalf BioControl (Biocontrol Australia Pty Ltd), Tasmania	fertilisers) powder	Yes	n/a	Trichoderma harzianum strain Td81b at 2 x 10^8 spores/g	https://awitc.com.au/wp- content/uploads/2016/07/130_Me If.pdf
Bio-N	microbial	not registered	crop nutrition	not registered	nitrogen fixing bacteria - Azotobacter species	not registered	nitrogen	all crops	Nutri-Tech Solutions (NTS)	liquid	Yes	n/a	not supplied	-
Bio-P	microbial	not registered	crop nutrition	not registered	Azotobacter spp., Bacillus subtilis	not registered	Phosphorous	all crops	Nutri-Tech Solutions (NTS)	liquid	Yes	n/a	not supplied	-
Bio-Plex Bio-Size	microbial microbial	not registered not registered	growth stimulant/ regulator soil biology stimulant	not registered not registered	Azobacter spp. by-products of microorganisms (no living	not registered not registered	leaf life stimulate microorganisms	all crops all crops	Nutri-Tech Solutions (NTS) Zadco (JH Biotech)	liquid	Yes	n/a n/a	not supplied not supplied	-
BIO-SIZE	microbial	not registered	son biology sumulanc	not registered	organisms): betaines and amino acids		-		zauco (in piotecii)	liquia	res	1Vd		-
Biocrystal Kurstaki biological insecticide	microbial	insecticide	-	Bacillus thuringiensis subsp. kurstaki strain HD-1		armyworm cabbage moth cabbage white butterfly Helicoverpa armigera light brown apple moth looper - Chrysodeixis spp. native budworm or bollworm pear looper soybean looper tobacco looper or looper caterpillar vine moth		adzukti bean i amenity tree canola cereals chickpea cotton faba bean field bean field pea forestry fuit herh tenti linola luceme lupin - weed free seedbed mung bean navy bean oilseed crop ornamental pigeor pea safilowers sorghum soybean sunflower tobacco turf vegetable vetch vine	Grevillia Ag Pty Limited	liquid	No	n/a	Bacilius thuringiensis subspecies kurstaki strain HI 1. Concentration not given.	D
BioFlora GO Isolates	microbial	not registered	soil biology stimulant	not registered	two Bacillus species: Bacillus amyloliquefacien and B. subtilis	s not registered	enhanced soil microbial activity, soil and plant health	all vegetable crops + others	BioFlora, Queensland	liquid	Yes	9.1	Bacteria at 10^3 CFU/mL	https://bioflora.com.au/australian- trial-results/
BiOWISH Crop	microbial	not registered	soil biology stimulant	not registered	Microbial inoculum: Bacillus subtilis, Bacillus anyloliquefaciens, Bacillus licheniformis, Bacillus pumilus. Dextrose		Soil conditioner/fertiliser supplement through fertigation or (foliar) spray to stimulate beneficial microbial activity in the root zone and biological processes.		BiOWiSH Technologies Inc., USA / Enviro Nutrition Pty Ltd, Queensland		Yes		U Bacterial live cultures (total < 1.0%): $Bodilus subtilis \ge 2.5 \times 10^{\circ}$ CFU/g, B. $amylolique(aciens \ge 2.5 \times 10^{\circ}$ CFU/g, B. licheniformis \ge 2.5 × 10^{\circ} CFU/g, B. pumilus ≥ 2.5 : 10° 7 CFU/g Dextrose 97.0 - 99.0%	x -
BiOWiSH Crop Liquid	microbial	not registered	soil biology stimulant	not registered	Microbial inoculum: Bacillus subtilis, Bacillus amyloliquefaciens, Bacillus licheniformis, Bacillus pumilus.		Fertiliser manufacturing: liquid product can be coated onto a wide range of solid fertilisers and fertiliser filers, or mixed with liquid fertilisers to create enhanced efficiency fertilisers		BiOWiSH Technologies Inc., USA / Enviro Nutrition Pty Ltd, Queensland		Yes	5.0 - 7.0 S.	U Bacterial live cultures in aqueous suspension (total 99.0 - 99.9%): Bocillus subbilis, B. anyloliquefaciens, B. licheniformis, B. pumilus: all 1.0 x 10^9 CFU/g; Calcium sulfate 0.1 - 1.0%, Preservative 0.01 - 0.1%	https://biowishtechnologies.com/; duct/crop-liquid/
Botector	microbial	fungicide	-	Aureobasidium pullulans strains DSI 14940 & 14941	· · ·	control (preventative) of grey mould (Botrytis cinerea), suppression of sclerotinia (Sclerotinia sclerotiorum); other diseases as per label	-	fruiting vegetables (eggplant, melon, capsicum, tomato, zucchini) and berries	Nufarm Australia Ltd, Victoria	granular	Yes	-	Aureobasidium pullulans strains DSM 14940 & 14941 at minimum 2.5 x 10^9 CFU/g	-
BTI 1200	microbial	insecticide	-	Bacillus thuringiensis subsp. israelensis serotype H14a	-	mosquito larvae	-	all crops	Barmac Industries	liquid	n/a	4.8	not supplied	-
Campbell Bacchus WG biological insecticide	microbial	insecticide	•	Bacillus thuringiensis Berliner subsp aizawai	-	armyworm cabbage moth cabbage white butterfly cotton budworm or bollworm light brown apple moth looper native budworm or bollworm susceptible insect species - see label vine moth		agricultural non-crop areas amenity tree cereal grain forestry fruit herb macadamia oilseed crop ornamental tobacco turf vegetable vine	Colin Campbell (Chemicals) Pty Ltd	granular	No	n/a	Bacillus thuringiensis Berliner subsp. aizawai strai GC-91 concentration not given.	n -
CataPult /SuperFine /Power Inoculum /Power Seed Dressing	microbial	not registered	soil biology stimulant	not registered	Four species of VAMs (vesicular arbuscular mycorrhizae, not specified) + two species of phosphorus solubilising Bacillus	not registered	mycorrhizae	all mycorrhizal crops	Mapleton Agri Biotec Pty Ltd / Vanadis Bio Science Pty Ltd, Queensland	powder	No	n/a	not supplied	https://www.mabiotec.com/pdfs/t Is/CataPult-TwinN-walnut-trial- UPDATE.pdf
/Power Seed Dressing Delfin WG biological insecticide	microbial	insecticide		Bacillus thuringiensis Berliner var. kurstoki	Bocillus thuringiensis Berliner var. kurstoki	armyworm cabbage moth cabbage white butterfly cluster caterpillar corn earworm grapevine moth Helicoverpo armigera lawn armyworm light brown apple moth looper looper - Chrysodeixis spp. native budworm or bollworm painted vine moth pear looper soybean looper tobacco looper or looper caterpillar wine moth		amenity tree cereal grain forestry fruit herb oliseed crop ornamental tobacco turf vegetables - see label vine	Certis U.S.A. LL.C.	granular	No	n/a	Boallus thruringiensis subspecies kurstaki strain S 11. Concentration not given.	A -
DiaSil	microbial	not registered	growth stimulant/ regulator	not registered	Micronised diatomaceous earth (fossilised remains of diatoms, a type of hard-shelled protists)	not registered	Applied as a seed coating, seedling drench soil application, fertigation and a foliar spray (best in combination with LoliPepta product) for plant growth stimulation and environmental stress resilience	all crops	Novum Lifesciences, Queensland	powder	Yes	-	Elements expressed as %w/w. Diatomaceaous earth <u>></u> 95%, Silica as quartz < 3%	-
Digestor NP	microbial	not registered	soil biology stimulant	not registered	microbial stimulantia (not specified)	not registered	soil health (stimulation of bacterial group Alphaproteobacteria, Sphingomonas spp.), nutrient uptake through irrigation, boom spray, over manure or compost, or via liqui injection	d	Metagen Pty Ltd, Queensland	liquid	No	3.2	not supplied	-
nsecticide dry flowable		insecticide	-	Bacillus thuringiensis subsp kurstaki strain ABTS-351		armyworm cabbage moth cabbage white butterfly cotton budworm or bollworm green looper light brown apple moth native budworm or bollworm pear looper soybean looper tobacco looper vine moth		oilseed crop ornamental tobacco turf vegetable vine		0	Yes	n/a	Bocillus thruringiensis subspecies kurstaki strain ABTS-351. Concentration not given.	manufacturer
DiPel SC biological insecticide suspension concentrate	microbial	insecticide		Bacillus thuringiensis subsp kurstaki strain ABTS-351	-	armyworm cabbage moth cabbage white butterfly cotton budworm or bollworm green looper native budworm or bollworm pear looper soybean looper tobacco looper	-	adzuki bean canola oliseed crop chickpea cotton faba bean field pea lenti linola linseed oli crop lucerne lupin mung bean navy bean oliseed crop pigeon pea pulse crops safflower oliseed sorghum soybean sunflower vetch	Sumitomo Chemical Australia Pty Ltd	liquid	Yes	n/a	Bacillus thruringiensis subspecies kurstaki strain ABTS-351, concentration not given; hydrocarbon liquid 683g/L	https://sumitomo- chem.com.au/sites/default/file terature/dipelsc_broadacre_bro hure.pdf
Dominate-F	microbial	not registered	soil biology stimulant	not registered	not stated	not registered	microbial brew adjuvant for fungal dominated brew	all crops	Nutri-Tech Solutions (NTS)	liquid	Yes	4.4 - 5.4	not supplied	-
EasyRhiz	microbial	not registered	soil biology stimulant	not registered	One or more rhizobial (bacterial) strains	not registered	oominated brew Stimulation of rhizobial nodulation, nitroger fixation and yield	crop and pasture legumes	New Edge Microbials Pty Ltd, NSW	freeze dried	No	n/a	Rhizobium leguminosarum > 5 x 10^11 CFU/g. The strains are classified into Groups (F, H, I, J, M, N, F Specials: Adzuki bean, Common bean, Burgundy bean, Fenugreek, Guar Bean) matched to the crops they can inoculate.	2







	1	i	Duradu et trus e		n and i antical		Use	1	1	1				
Trade Name	Source	Registered Product Type (APVMA	Product type Has been used as / for (not registered)	Active Ingredient(s) (APVMA Registered Products)	ngredient(s) Main ingredient(s) of non registered products		Has been used as / for (not registered)2	Сгор	Manufacturer	Formulation	Australian Certified Organic	рH	Analysis	Trial Information
Eco Advance	microbial	Registered) not registered	crop nutrition	not registered	Azotobacter sp., Azosporillum, Bacillus subtilis, Bacillus megaterium, cellulosic fungi (Chaetomium spp.), mycorrhiza (Glomus intraradices), Pseudomonas spp., Rhizolium, Streptomyces, Trichoderma, mix of S products - RhizoPhos, RhizoGuard,		crop health, soil biology	all crops	Eco Growth	other fertiliser products	Yes	n/a	not supplied	-
Endo-Fight	microbial	not registered	growth stimulant/ regulator	not registered	Mycorrhiza, AspeN, DiaSil	not registered	crop health, soil biology	all crops	Novum Lifesciences, Queensland	liquid and granular	Yes	7 -8	Azotobacter chroococcum, A. brasilense, Bacillus amyloliquefaciens [strain rm303] 1×10 ⁹ CFU/ml, Verticillium chlamydosporum, Rhizophagus irregularis	-
EndoFight 2 in 1	microbial	not registered	soil biology stimulant	not registered	Fermented product - Microbial inoculum: Azotobacter chroococcum, Azospirillum brasilense, Bacillus amyloliquefaciens strain rm303	not registered	Pre-plant soil conditioner/fertiliser supplement to stimulate beneficial microbial activity in the root zone and biological processes (including nitrogen fixation)	all crops	Novum Lifesciences, Queensland	liquid	No	6.8 - 7.6	Elements expressed as %w/v. Bacterial live cultures in aqueous suspension (total concentration < 1%): Acotobacter droococcum, Acospirillum brasilense, Bacillus amyloliquefaciens strain m30. Non-hazardous components < 1% Water up to 100%	-
EndoFight 3 in 1	microbial	not registered	soil biology stimulant	not registered	Fermented product - Microbial inoculum: Azotobacter chroococcum, Azospirillum brasilense, Bacillus anyloliquefaciens strain rm303, Pseudomonas fluorescens	not registered	Pre-plant soil conditioner/fertiliser supplement to stimulate beneficial microbial activity in the root zone and biological processes (including nitrogen fixation, drought stress relief)	all crops	Novum Lifesciences, Queensland	liquid	No	6.8 - 7.6	Elements expressed as %w/v. Bacterial live cultures in aqueous suspension (total concentration < 1%): Azotobacter chroococcum, Azospirilum brasilense, Bacillus amylolique/aciens strain mr30, Pseudomonas / Junerscens. Non-hazardous components < 1% Water up to 100%	-
EndoPrime	microbial	not registered	soil biology stimulant	not registered	4 Endomycorrhizal fungi + 15% humic acid		mycorrhizae	all mycorrhizal crops	Sumitomo Chemical Australia Pty Ltd	powder	Yes	n/a	Glomus intraradices, Glomus mosseae, Glomus aggregatum, Glomus etunicatum all at 562 propagules/g, Humic acid from leanoardite 15%, Inert ingredients (clay) 84.3% not supplied	Trials undertaken by manufacturer
Evergrow NP	microbial	not registered	soil biology stimulant	not registered	microbial stimulantia (not specified)	not registered	soil health (stimulation of bacterial group Alphaproteobacteria), nutrient uptake through irrigation, boom spray, over manure or compost, or via liquid injection	monocots: cover crop grasses, cereal crops (corn)	Metagen Pty Ltd, Queensland	liquid	No	3.2	not supplied	-
Foundation LM	microbial	not registered	soil biology stimulant	not registered	microorganisms including Bacillus licheniformis, Bacillus megaterium, Bacillus pumilus	not registered	fertiliser efficiency	all crops	Loveland (distributed by Nutrier Ag)	n liquid	No		8 water-based culture medium 99%, microorganisms <1%, Bacillus licheniformis 1 x 10^3 CFU/mL, Bacillus megaterium 1 x 10^3 CFU/mL, Bacillus pumilus 1 x 10^3 CFU/mL	-
Fulzyme Plus	microbial	not registered	soil biology stimulant	not registered	Bacillus subtilis, amino acids	not registered	nutrition, crop health	all crops	Zadco (JH Biotech)	liquid	Yes	n/a	Bacillus subtilis 2 x 10^10 CFU/g	-
Gemstar Helicoverpa management through bioscience biological insecticide	microbial	insecticide	-	Nuclear polyhedrosis virus of Helicoverpa zea	-	Helicoverpa spp.	-	chickpea cotton lettuce maize sorghum sweet corn	Certis U.S.A. L.L.C.	liquid	No	n/a	Helicoverpa zea virus, 2 x 10^9 POB/mL	-
Gemstar LC biological insecticide	microbial	insecticide		Nuclear polyhedrosis virus of Helikoverpa zea		Helicoverpa armigera Helicoverpa punctigera		adzuktobean apple asparagus blackberry blueberry boysenberry brassica leafyveztables - see label broad bean broccoli brussels sprouts cabbage canola oilsed crop capsicum or pepper cauliflower celery chickpea chinese broccoli cotton cowpea cranberry cucumber eggainat andire faba bean field pea goossberry green bean green or garden pea kidney or mexican bean lablab bean nettil lettuce lima bean linsed crop lucerne maize maize - see label melon mung bean nashi pear naybean oilseder coro, -see label for inclusions peanut oilseed pigeon pea potato safflower oilseed silver beet snow pea sorghum soybean sjinach squads travberry sugarsap pea sunflower oilseed sweet corn tomato vetch watermelon zucchni	sipkalm (kgrit töp)	liquid	NU	n/a	Helicoverpa zea virus, 2 x 10º9 POB/mL	-
Great Land	microbial	not registered	soil biology stimulant	not registered	Lactobacillus spp, Acetobacter spp.	not registered	nutrient use efficiency/soil health	all crops	Terragen	liquid	Yes	n/a	Acetobacter fabarum, Lactobacillus parafarraginis, Lactobacillus buchneri, Lactobacillus ray, Lactobacillus zene, Candida ethanolica (yeast), each species at minimum population of 10^7 CFU/ml	health? gl=1*1vtutyh* ga*MjEyNTY3 NDkzMidxNillyOTIvMzgw* ga 7V2V
Green Guard SC	microbial	insecticide	-	Metarhizium anisopliae var. acridum	-	australian plague locust - nymphs	-	agricultural area - general crop establishment weed control	BASF Australia Ltd.	both, to be	No	n/a	Metarhizium anisopliae var acridum spores, 4 x	
biological insecticide Green Guard SC premium biological	microbial	insecticide	-	spores Metarhizium anisopliae var. acridum spores	-	grasshopper wingless grasshopper australian plague locust - nymphs grasshopper wingless grasshopper	-	forage crop non-crop area - general pasture agricultural area - general forage crop grape - table grape - wine non-crop area - general pasture	BASF Australia Ltd.	mixed liquid	No	n/a	10^10/g Metarhizium anisopliae var acridum spores	-
insecticide Green Guard ULV biological insecticide	microbial	insecticide	-	Metarhizium anisopliae var. acridum spores	-	australian plague locust - nymphs grasshopper migratory locust - nymphs spur-throated locust - nymphs & adults wingless grasshopper	-	agricultural area - general non-crop area - general pasture & forage crops	BASF Australia Ltd.	liquid	No	n/a	Metarhizium anisopliae var acridum spores, 300g/L	-
Helicovex biological	microbial	insecticide		Nuclear polyhedrosis virus of Helicover po armigera		Helicoverpa armigera Helicoverpa punctigera		Iddruktionani apple berryfruit blackberry blueberry bloysenberry brasica lasty vegatables - see label brassica vegetables broad bean broccoli brussels sprouts cabbige cando label ed crop capsicum or pepper cauliflower celery cereal grain chickpea cucumber cucurbit currant eggplant endive fabs bean field peal furtiding vegetable gooseberry green bean gield peal y vegetable legume fanti lettuce lima bean lineed of torop lucerre lugin maize maize es label medio pear miding vegetable gooseberry green bean gield pearly green green gooseberry green bean gield pearly green green	Andermatt Biocontrol Ag	liquid	No	NG	Nucleopolyhedrovirus of <i>Helicoverpa armigera</i> 7.5 x 10 ^{.9} polyhedral inclusion bodies per millilitre.	-
Heliocide biological insecticide	microbial	insecticide	-	Nuclear polyhedrosis virus of Helicoverpa armigera	•	Helicoverpa spp.	-	chickpea cotton lettuce maize sorghum sweet corn	Bioflexus Pty Ltd	liquid	No	n/a	Nucleopolyhedrovirus of Helicoverpa armigera 2 x 10^9 POB/mL.	-





			Product type	Ir	gredient(s)		Use							
Frade Name	Source	Registered Product Type (APVMA	Has been used as / for (not registered)	Active Ingredient(s) (APVMA Registered Products)	Main ingredient(s) of non registered products	Registered Use (APVMA Registered)	Has been used as / for (not registered)2	Crop	Manufacturer	Formulation	Australian Certified Organic	рН	Analysis	Trial Information
mvelva active	microbial	Registered) insecticide	-	Spinetoram (mixture of Spinetoram)	-	control of range of insect pests (incl.	-	vegetable crops, fruit crops, herbs, ornamentals	Corteva Agriscience Australia	liquid	No	Success	Success Neo:	-
Success Neo				and Spinetoram L in approximate		lepidopteran fall armyworm)			Pty Ltd,	1. · ·		Neo: 7.15	Spinetoram at 120 g/L: spinetoram (spinetoram J,	
Delegate				ratio of 3 to 1). Spinetoram is a fermentation product of					New South Wales				spinetoram L) 11.71%, propylene glycol < 10.0%. Delegate:	
				Saccharopolyspora spinosa and a									Spinetoram at 250 g/kg: spinetoram (spinetoram J	
				structural analogue of spinosad								8.7 (1% pH	H spinetoram L) 25.0%,	
												electrode)) kaolin 30.0 - 40.0%, sodium N-methyl-N- eleoyltaurine < 5%, titanium dioxide < 5.0%,	
													quartz < 1.0%.	
ipoguard	microbial	not registered	fungicide	not registered	lipopeptides derived from bacterial strains	not registered	biofungicide	all crops	Metagen Pty Ltd,	liquid	No		not supplied	-
					(not specified)				Queensland	P. 14		22.40		
oliPepta	microbial	not registered	disease suppressant	not registered	Bacillus amyloliquefaciens strain pm 414	not registered	Seed inoculation / foliar spray to form a natural physical barrier to diseases	all crops	Novum Lifesciences, Queensland	liquid	Yes	3.3 - 4.8	All % as %w/v. Bacillus amyloliquefaciens strain pm 414 (total concentration < 1%). Non-hazardous	-
									-				components < 1% Water up to 100%	
Metcalf Hamatum (Isolates	microbial	not registered	fungicide	not registered	spores of beneficial fungus Trichoderma hamatum strains AVA2 and AVC1	not registered	Beneficial microbe that is a natural enemy of Phytophthora disease	all crops	Metcalf BioControl, Tasmania	powder	Yes	n/a	Trichoderma hamatum strains AVA2 and AVC1 at 5 x 10^10 spores/g	i -
TdAVC1 & TdAVA2)							oi Phytophthora disease		IdSIIIdIIId					
Metcalf	microbial	not registered	fungicide	not registered	spores of beneficial fungus Trichoderma	not registered	Beneficial microbe that is a natural enemy	all crops	Metcalf BioControl,	powder	Yes	n/a	Trichoderma koningii strain Td67 at 5 x 10^10	https://awitc.com.au/wp-
ſd67					koningii strain Td67		of grey mould (Botrytis cinerea)		Tasmania				spores/g	content/uploads/2016/07/130_Me If.pdf
Metcalf	microbial	not registered	fungicide	not registered	spores of beneficial fungus Trichoderma	not registered	Beneficial microbe that is a natural enemy	all crops	Metcalf BioControl,	powder	Yes	n/a	Trichoderma harzianum strain Td81b at 5 x 10^10	https://awitc.com.au/wp-
Гd81b					harzianum strain Td81b		of grey mould (Botrytis cinerea) and brown		Tasmania				spores/g	content/uploads/2016/07/130 Me
Micro-Force	microbial	not registered	soil biology stimulant	not registered	beneficial soil and plant microbes'	not registered	rot (Monilinia spp.)	all crops	Nutri-Tech Solutions (NTS)	granular	Yes	n/a	not supplied	-
Myco-Force	microbial	not registered	soil biology stimulant	not registered	fungal species: Beauveria bassiana,	not registered	crop health, soil biology soil fungi	all crops	Nutri-Tech Solutions (NTS)	granular	Yes	n/a	not supplied	-
MycoApply Defence	microbial				Metarhizium anisopliae, Lecanicillium lecanii various mycorrhizae, Trichoderma, Bacillus		mycorrhizae	March 197 (Bridden 197	Mycorrhizal Applications	powder	Yes	n/a	not supplied	
viycoAppiy Detence	microbiai	not registered	soil biology stimulant	not registered	species and other bacteria (all unspecified)	not registered	mycorrnizae	all mycorrhizal crops	International (MAI) Australia Pty		res	n/a	not supplied	-
									Ltd,					
Aliza Analy Carla	microbial	ant conjutant d	a ail bialama atima dant	not registered	unspecified VAM	ant maintened	mycorrhizae	all mycorrhizal crops	Western Australia Mycorrhizal Applications	a surder.	Vee		ant supplied	
NycoApply Endo	microbiai	not registered	soil biology stimulant	nocregistered	unspecified value	not registered	mycormizae	all mycormizar crops	International (MAI) Australia Pty	powder	res	n/a	not supplied	-
									Ltd,					
MycoApply Endo/Ecto	minuchial	not registered	and binders atim dent	not registered	endo (= VAM) and ecto mycorrhizae species	ant registered	mycorrhizae	all mycorrhizal crops	Western Australia Mycorrhizal Applications	powder	No	n/a	not supplied	
иусаярру Епаалесто	microbiai	not registered	soil biology stimulant	nocregistered	(not specified)	not registered	Inycormizae	all mycormizat crops	International (MAI) Australia Pty	powder	NO	11/d	not supplied	-
									Ltd,					
dycoApply Maxx	microbial	not registered	soil biology stimulant	not registered	endo (= VAM) mycorrhizae species (not	not registered	mycorrhizae	all mycorrhizal crops	Western Australia Mycorrhizal Applications	powder	No	0/2	not supplied	
чусокрру махх	merobiar	not registered	son blology summaric	liberegistered	specified)	notregistered	hyconnizae	an mycormizar crops	International (MAI) Australia Pty		NO	1wa	not supplied	
									Ltd,					
Mycormax	microbial	not registered	soil biology stimulant	not registered	Mycorrhizal fungi	not registered	root system	host crops	Western Australia Zadco (JH Biotech)	granular in	Ves	n/a	Glomus intraradices, Glomus mosseae, Pisolithus	-
in yeor max	merobiar	notregistered	Soli biology sumatine	norregistered	in yeor mean tang	not registered	loorsystem	nose crops	Educo (IT Diotecn)	sachets	103	100	tinctorius, Scleroderma cepa, Scleroderma geastrum	ı.
													Scleroderma citrinum and Laccaria biocolor,	
Mycorrhiza	microbial	not registered	soil biology stimulant	not registered	vesicular arbuscular mycorrhizae	not registered	crop health (mycorrhizae - seed coating, so	all mycorrhizal crops	Novum Lifesciences,	powder	Yes	6 - 7.5	250,000 propagules/cc not supplied	-
					(Rhizophagus irregularis)	-	drench)		Queensland					
Naturalure Fruit Fly Bai Concentrate	ait microbial	insecticide	-	Spinosad (mixture of Spinosyn A and Spinosyn D in an approximate ratio	-	control of fruit flies (incl. Qld fruit fly, Mediterranean fruit fly)	-	vegetable crops, fruit crops, nut crops, ornamentals and trees	Corteva Agriscience Australia Pty Ltd,	liquid	Yes	4.7 (100% pH	Spinosad at 0.24 g/L: spinosad (spinosyn A, spinosyn D) 0.02%,	-
concerto ate				of 17 to 3). Spinosad is a		mediterranearrindic fly)			New South Wales				sorbitan/monooctadecanoate/poly(oxy-1,2-	
				fermentation product of									ethanediyl) derivatives < 5.0%,	
				Saccharopolyspora spinosa.									propylene glycol < 5.0%.	
Nematamax	microbial	not registered	insecticide	not registered	Verticillium chlamydosporum	not registered	nematodes	all crops	Novum Lifesciences,	liquid	Yes	6.5 - 8.5	not supplied	-
NitroGuard	microbial	not registered	soil biology stimulant	not registered	Rhizobacteria (not specified, possibly	not registered	soil health. nutrient uptake	all vegetable crops + others	Queensland Mapleton Agri Biotec Ptv Ltd /	freeze dried	No	n/a	not supplied	https://www.mabiotec.com/crop-
(= next generation	merobiar	notregistered	Soli biology sumatine	norregistered	Azospirillum spp.) fixing nitrogen and	not registered	son neurit, natient optake	an regetable crops volucio	Vanadis Bio Science Pty Ltd,	inceze dined		190	not supplied	trials.php
version of TwinN)					producing plant growth factors (e.g. auxins)	-			Queensland					
Nodulaid (Inoculant)	microbial	not registered	soil biology stimulant	not registered	Bacillus spp. One or more rhizobial strains	not registered	Stimulation of rhizobial nodulation, nitroger	crop and pasture legumes	BASF Australia Ltd.	compost style	e No	n/a	Rhizobia at > 1 x 10^9 CFU/g. The strains are	https://crop-
(inocularity)	merobiar	not registered	Son Blobby Sumabile	not registered		not registered	fixation and yield	crop and pastare regaries	bron mast and Etc.	compose styr		190	classified into Groups (AL, B, C, E, F, G, H I, J, N)	solutions.basf.com.au/preview/f/p
													matched to crops they can inoculate.	uct/59cb38598d5c5b7640c83751/r ulaid fact sheet.pdf
														ulaid fact sneet.pdr
Nodulator (Inoculant	microbial	not registered	soil biology stimulant	not registered	One or more rhizobialstrains	not registered	Stimulation of rhizobial nodulation, nitrogen	crop and pasture legumes	BASF Australia Ltd.	granular	No	n/a	Rhizobia > 1 x 10^7 CFU/g. The strains are	https://crop-
Granules)					1	1	fixation and yield			1			classified into Groups (AL, C, E, F, G, N) matched to	solutions.basf.com.au/preview/f/p uct/5a02730b0f6b0f7632fb2d64/2
													crops they can inoculate.	56 fcc inoculant collateral update
					1	1				1				act_sheet_nodulator_web.pdf
					-									
NoduleN	microbial	not registered	soil biology stimulant	not registered	One or more rhizobial strains	not registered	Stimulation of rhizobial nodulation, nitroger fixation and yield	crop and pasture legumes	New Edge Microbials Pty Ltd, NSW	compost styl	e No	n/a	Rhizobia > 1 x 10^7 CFU/g. The strains are classified into Groups (AL, AM, B, C, F, G, H, I, J, M,	-
													N, P, S, Specials: Adzuki bean, Biserrula,	
													Desmanthus, Leucaena, Messina, Sulla) matched	
Nogall	microbial	fungicide (not	-	Agrobacterium radiobacter var.	-	Preventative control of crown gall	-	almond, pecan, rose, stone fruit, walnut (registered) +	Bio-Care Technology Pty Ltd	powder	No	n/a	to the crops they can inoculate. Agrobacterium radiobacter var. radiobacter strain	-
-	1	registered for		radiobacter strain K1026	1	disease (Rhizobium radiobacter, R.		vegetable crops (non registered)	(Bio-Care); Becker Underwood	1			K1026 at 1 x 10^9 CFU/g peat	1
		vegetables)			1	rhizogenes) in stone fruit, nut trees, ornamentals			Pty Ltd, NSW	1				1
					1	or normentals			NSW / BASF Australia Ltd,	1				1
									Victoria					
Onionmate Plant of Health	microbial	not registered not registered	growth stimulant/ regulator soil biology stimulant	not registered not registered	Trichoderma atroviride VAMs (not specified) and other benefical	not registered	root growth mycorrhizae	onions all mycorrhizal crops	Agrimm Batphone Australia Ptv Ltd.	granular powder	Yes	n/a n/a	not supplied minimum 100,000 fungal spores/kg	-
Root Extender	microbiai	not registered	son biology sumulanc	nocregistered	micro-organisms (not specified)	not registered	mycormizde	an mycormizal Crops	Queensland	powder	105	IVd	minimum roo,ooo rungai spores/kg	ľ
Plant of Health	microbial	not registered	soil biology stimulant	not registered	blend of beneficial bacterial strains	not registered	enhanced fertiliser uptake, soil health	all crops	Batphone Australia Pty Ltd,	powder	No	n/a	not supplied	•
Microbe Army Mix Plant of Health	microbial	not registered	soil biology stimulant	not registered	and other microbes (not specified) lactic acid bacteria, yeast, phototropic	not registered	enhanced fertiliser uptake, soil health	all crops	Queensland Batphone Australia Pty Ltd,	liquid	No	-	not supplied	https://www.batphone.com.au/im-
Plant of Health Microbe Probiotic (MPE		nouregistered	Son blorogy sumulding		lactic acid bacteria, yeast, phototropic bacteria (not specified)	inst i egister eu	construction recursion uptake, soil realth	un crops	Queensland	aquiu	140	1	nor subfried	es/articles/Testimonials/BelleJardi
1)			and the stimulant for the	ant conjutant d		ant conjutana d	and backb		Annimum		Vee		Triskedowe benieve 4 1010 CD11	rialofPlantAssistMPB-1.pdf
		not registered not registered	growth stimulant/ regulator crop nutrition	not registered not registered	Trichoderma harzianum 5 species mycorrhizal fungi and a range of	not registered not registered	crop health root system	all crops all crops	Agrimm Nutri-Tech Solutions (NTS)	granular granular	Yes	n/a n/a	Trichoderma harzianum 1 x 10^6 CFU/g not supplied	-
Platform	microbial													
latform	microbial	nocregistered			Trichoderma and bacterial species (no detailed info given)				Radiffeensolations (1115)	0		100		





Trada Nama	C	Desistant	Product type	In Antion In and Complete Complete	igreatent(s)	Desistant line (AD)(114 D	Use here used as (for ())	6	Manufast	Farme last			Analusia	Trial Information
frade Name	Source	Registered Product Type (APVMA Registered)	Has been used as / for (not registered)	Active Ingredient(s) (APVMA Registered Products)	Main ingredient(s) of non registered products	Registered Use (APVMA Registered)	Has been used as / for (not registered)2	Crop	Manufacturer	Formulation	n Australian Certified Organic	рН	Analysis	Trial Information
alcova active Intrust Organic	microbial	insecticide		Spinosad (mixture of Spinosyn A and Spinosyn D in an approximate ratio of 17 to 3). Spinosad is a fermentation product of Saccharopolyspora spinosa.	-	control of range of insect pests (incl. diamondback moth, thrips, leaf miners)		vegetable crops, fruit crops, herbs, ornamentals and forestry	Corteva Agriscience Australia Pty Ltd, New South Wales	liquid	Yes	(1% pH	Spinosad at 240 g/L: spinosad (spinosyn A, spinosyn D) 22.54%,) propylene glycol >= 10.0 - < 20.0%, polyethoxylated dodecyl alcohol >= 1.0 - < 3.0%, spinosyn B >=0.25 - < 1.0%.	-
eefsaver Classic	microbial	not registered	soil biology stimulant	not registered	Microbial inoculum: Kocuria rosea, Bacillus megaterium, Azospirillum brasilense, Arthrobacter crystallopoietes, Bacillus simplex.	not registered	Pre-plant soil conditioner/fertiliser supplement to stimulate beneficial microbial activity in the root zone and biological processes.	all crops	IAO Pty Ltd, Queensland	powder	Yes	4.5 - 7.5	Bacterial inoculum (total concentration 3.25 x 10^8 CFU/ml): Kocuria rosea, Bacillus megaterium, Azospirillum brasilense, Arthrobacter crystallopoietes, Bacillus simplex. Inert carrier	https://reefsaver.com.au/results/
evitalize	microbial	not registered	soil biology stimulant	not registered	several species of beneficial bacteria and fungi	not registered	enhanced fertiliser uptake, soil health	all vegetable crops + others	AgroBest Australia Pty Ltd, Queensland	liquid	Yes	3.8	Total of 10-9 CFU/ml: Stutzderi spp., Pseudomanas spp., Bacillus spp., Streptomyces cellulosae, Azatobacter spp., Azaspirillum brasilense, Polyangium cellulosum, Yarrawia lipolytica	
hizomax	microbial	not registered	growth stimulant/ regulator	not registered	Bacillus amyloliquefaciens	not registered	crop health	all crops	Novum Lifesciences, Oueensland	liquid	Yes	4.5 - 8.5	1 x 10 ⁹ CFU/ml	-
RhizoVital 42	microbial	not registered	stress resistance	not registered	Bacillus amyloliquefaciens FZB 43	not registered	root system, disease resistance	all crops	AbiTEP GmbH, Germany	liquid	No	n/a	Bacillus amyloliquefaciens FZB42 2.5 x 10^10	http://www.ocp.com.au/
toot Guard	microbial	not registered	soil biology stimulant	not registered	fungal species: Arthrobotrys conoides, Purpureocillium lilacinus, Pochonia	not registered	soil fungi	all crops	Nutri-Tech Solutions (NTS)	powder	Yes	n/a	CFU/ml not supplied	-
lootmate	microbial	not registered	growth stimulant/ regulator	not registered	chlamydosporium Trichoderma harzianum	not registered	crop health	all crops	Agrimm	granular	No	n/a	not supplied	-
Gerenade Opti	microbial	crop nutrition	-	Bacillus amyloliquefaciens strain QST 713	-	not registered	soil health, nutrient uptake	registered for grapes, strawberries, tomatoes, chillies,	Bayer CropScience	granular	Yes	4.5 - 8.5	Bacillus amyloliquefaciens strain QST 713	https://www.crop.bayer.com.au/g ucts/bayer-biologics/serenade-
Serenade Prime	microbial	crop nutrition	-	Bacillus amyloliquefaciens strain QST	-	not registered	soil health, nutrient uptake	capsicums, avocado, tropical fruit crops. Soil ameliorant for vegetables, tree crops, row crops, berries,	Bayer CropScience	liquid	Yes	4.5 - 8.5	1.3x10^10 CFU/g Bacillus amyloliquefaciens strain QST 713	opti#tab-4 https://www.crop.bayer.com.au/p
Serenade Soil Activ	microbial	crop nutrition	-	713 (1.34%) Bacillus amyloliquefaciens strain QST	-	not registered	soil health, nutrient uptake	other small fruits. Soil ameliorant (nutrient uptake) for vegetables and other	Bayer CropScience	liquid	Yes	-	1.3x10^12 CFU/g Bacillus amyloliquefaciens QST 713 at no less than	ucts/bayer-biologics/serenade- prime#tab-3 https://www.crop.bayer.com.au/p
				713				horticultural crops					1.0 10^12 CFU/L	ucts/bayer-biologics/serenade-soi activ#tab-4
Serifel Biofungicide	microbial	fungicide		Enzyme alpha-amylase (from Bacillus amyloliquefaciens strain MBI600, formerly named Bacillus subtilis strain MBI600)	5 -	Preventative control of <i>Botrytis cinerea</i> in grapes and strawberries + minor use permits for control of soli-borne and foliar pathogens in non-food nursery stocks	Preventative control of soilborne diseases (incl. Pythium damping off, Fusarium wilt, Verticillium wilt, Pythophhora root rot, Rhizoctonia root/crown rot, Sclerotinia sten rot) and foliar diseases (incl. anthracnose, powdery mildew, grey mould) in vegetable crops and others		i) BASF Australia Ltd.	powder	Yes	n/a	Enzyme alpha-amylase from Bocillus amyloliquefociens strain MBI600 at 110 g/kg (> 5.5 x 10^10 CFU/g)	Trials undertaken by Eurofins grape and strawberry (+ protected data of manufacture with APVMA)
ipcam Delfin WG iological insecticide	microbial	insecticide	-	Bacillus thuringiensis subspecies kurstaki strain SA-11	-	armyworm cabbage moth cabbage white butterfly <i>Helicoverpa armigera</i> light brown apple moth looper native budworm or bollworm painted vine moth pear looper soybean looper vine moth	2	amenity tree cereal grain forestry fruit general agricultural use herb non-agricultural area - general oilseed crop ornamental tobacco turf vegetable vine	Sipcam (Agricrop)	granular	No	n/a	Bacillus thruringiensis subspecies kurstaki strain S 11. Concentration not given.	A -
Squadron	microbial	not registered	growth stimulant/ regulator	not registered	Pseudomonas fluorescens	not registered	crop health	all crops	Novum Lifesciences, Queensland	liquid	Yes	4.5 - 8.5	1 x 10 ⁸ CFU/ml	-
Start Up Ultra	microbial	not registered	soil biology stimulant	not registered	Four species of VAMs (vesicular arbuscular mycorrhizae, not specified)	not registered	mycorrhizae	all mycorrhizal crops	MicrobeSmart Pty Ltd, South Australia	powder	No	n/a	not supplied	-
udo-Shield	microbial	not registered	stress resistance	not registered	Pseudomonas fluorescens	not registered	recovery from pathogen damage	all crops	Nutri-Tech Solutions (NTS)	granular	Yes	n/a	none provided	support in literature
uperzyme	microbiai	not registered	soil biology stimulant	not registered	Bacillus subtilis, Pseudomonas putida, Trichoderma koningii and Trichoderma harzianum.	not registered	soil biology, crop health	all crops	Zadco (JH Biotech)	granular	res	n/a	Bacillus subtilis, Pseudomonas putida, Trichoderma koningii and Trichoderma harzianum, 2 x 10^9 CFU/gram	-
eknar 1200 SC	microbial	insecticide	-	Bacillus thuringiensis subsp. israelensis serotype H14	-	Control of first to early fourth instar mosquito larvae (<i>Culicidae</i> family)	-	all crops - (stagnant and standing ponds, etc.)	Valent BioSciences Corporation USA / Sumitomo Chemical Australia Pty Ltd, NSW	n, liquid	No		Bacillus thuringiensis subsp. israelensis strain SA3A at minimum potency of 1200 ITU/mg (= 5.6% w/w)	A -)
opmate Tri-D25	microbial	not registered	growth stimulant/ regulator	not registered	Trichoderma harzianum	not registered	crop health	all crops	Agrimm	granular	No	n/a	not supplied	-
ri-D25	microbial	not registered	soil biology stimulant	not registered	Trichoderma harzianum and Trichoderma koningii	not registered	soil biology, crop health	all crops	Zadco (JH Biotech)	granular	Yes	n/a	Trichoderma harzianum and Trichoderma koningii, 5 x 10^7 CFU/gram	-
rich-a-soil	microbial	not registered	disease suppressant	not registered	spores of beneficial fungus Trichoderma virid (indigenous strain)	e not registered	root system, fusarium resistance	turf, intensive horticulture	Metcalf BioControl, Tasmania	powder	Yes	n/a	Trichoderma viride (indigenous strain) at 5 x 10^11 spores/g	0 -
richo-shield	microbial	not registered	growth stimulant/ regulator	not registered	Trichoderma harzianum, T. lignorum, T. koningii	not registered	crop health	all crops	Nutri-Tech Solutions (NTS)	granular	Yes	n/a	not supplied	-
richomight	microbial	not registered	stress resistance	not registered	Trichoderma spp.	not registered	crop health, stress tolerance	all crops	Novum Lifesciences, Queensland	liquid	Yes	6.5 - 7	not supplied	-
FwinN	microbial	not registered	soil biology stimulant	not registered	rhizobacteria (not specified, possibly Azospirillum spp.?) fixing nitrogen and producing plant growth factors (e.g. auxins)	not registered	soil health, nutrient uptake	all vetegable crops + others	Mapleton Agri Biotec Pty Ltd / Vanadis Bio Science Pty Ltd, Queensland	freeze dried	No	n/a	not supplied	https://www.mabiotec.com/crop- trials.php
/ectolex	microbial	insecticide	-	Seed inoculation / foliar spray to form a natural physical barrier to diseases	-	Control of first to early fourth instar mosquito larvae (<i>Culex</i> spp., <i>Anopheles</i> spp.)	-	all crops - (stagnant and standing ponds, etc.)	Valent BioSciences Corporation USA / Sumitomo Chemical Australia Pty Ltd, NSW	n, granular	No	n/a	Bacillus sphaericus strain 2362, strain ABTS-1743 fermentation solids and solubles - no numbers supplied	-
/elifer biological nsecticide	microbial	insecticide		Beauveria bassiana		chrysanthemum aphid - suppression of greenhouse whitefly - suppression of onion thrips - suppression of orse aphid - suppression of silverleaf whitefly - suppression of sweet potato whitefly - suppression of we spotted spider mite - suppression of western flower thrip - suppression of		protected vegetables and ornamentals	BASF Australia Ltd.	liquid	No	NG	Beouveria bassiono strain PPRI 5339 >8 x 10^9 CFU/ml	
/iVUS Armigen biological insecticide	microbial	insecticide	-	Nuclear polyhedrosis virus of Helicoverpa armigera	-	Helicoverpa spp.	-	berryfruit (all) brassica vegetables (all) celery cereal grains (all) chickpeas cotton cucurbits fruiting vegetables lucerne (alfafa) oliseeds (all) ornamental flowers and plants (all) pome fruit (all) potatoes pulses (all) sorghum sweetCom	AgBiTech Pty Ltd	liquid	Yes	n/a	Helicoverpa armigera virus 7.5 x 10^9 POB/mL	-
ViVUS Max biological insecticide	microbial	insecticide	-	Nuclear polyhedrosis virus of Helicoverpa armigera	-	Helicoverpa armigera Helicoverpa punctigera	-	Table J 30 (Juni) + prosection week of the second s	AgBiTech Pty Ltd	liquid	Yes	n/a	Helicoverpa armigera virus 5.0 x 10^9 POB/mL	-





	I		Product type	In	gredient(s)		Use			1 _	1			
rade Name	Source	Registered Product Type	Has been used as / for (not	Active Ingredient(s) (APVMA Registered Products)	Main ingredient(s) of non registered products	Registered Use (APVMA Registered)	Has been used as / for (not registered)2	Сгор	Manufacturer	Formulation	Australian	рН	Analysis	Trial Information
		(APVMA Registered)	registered)	Registered Products)	products						Organic			
tari WG BTA ogical insecticide	microbial	insecticide	-	Bacillus thuringiensis subsp. aizawai		cabbage centre grub cabbage cluster caterpillar cabbage moth cabbage		brassica spp. or cole crop broccoli brussels sprouts cabbage cauliflower	Sumitomo Chemical Australia Pty Ltd	granular	Yes	n/a	Bacillus thuringiensis subsp. aizawai. Concentratio not given.	n Trials undertaken by manufacturer
er dispersible nule						white butterfly								
ospeed Fusion	microbial	not registered not registered	nutrient availability soil biology stimulant	not registered not registered	phosphorus and Bacillus amyloliquefaciens Bacillus amyloliquefaciens	not registered not registered	crop health nitrogen fixation	all crops all crops	Agronutrition Agronutrition	granular liquid	No Yes (NASAA)	6	1059 cfu/ml	
eos	microbial	not registered	soil biology stimulant	not registered	Bacillus megaterium, Streptomyces beta-	not registered	phosphorous solubilisation	all crops	Agronutrition	liquid	Yes (NASAA)	0	10^9 cfu/ml	
nectis	microbial	not registered	soil biology stimulant	not registered	vulgaris, Burkholderia sp. Rhizophagus irregularis	not registered	endomycorrhizal symbiosis	all crops	Agronutrition	liquid	Yes (NASAA)	5.4	1 000 spores/ml	Connectis trial conducted in
star WG biological	microbial	insecticide	-	Bacillus thuringiensis subspecies	•	cotton budworm or bollworm native	•	chickpea cotton cotton - pre-squaring	Certis U.S.A. L.L.C.	granular	No	n/a	Bacillus thuringiensis Berliner subsp. aizawai strain	stawberries by Staphyt AUS -
ecticide gester	microbial	not registered	soil biology stimulant	kurstaki strain SA-12 not registered	Fermentation extract (Pseudomonas putida)	budworm or bollworm not registered	Breakdown organic matter	all crops	BioStart	liquid	00	4	GC-91 concentration not given. from label - bacteriocins, enzymes, signal	https://biostart.com.au/wp-
-		-		-	and plant nutrients								molecules and secondary metabolites from the fermentation of beneficial bacteria; from manufacturer - Manganese, zinc, potassium, boron, phosphorous, nitrogen, amino acids	content/uploads/sites/4/2022/: S-179-Digester-Technical-Sheet Page_web.pdf
doFuse	microbial	not registered	soil biology stimulant	not registered	4 Endomycorrhizal fungi + 91.27% Inert ingredients (carrier)	not registered	mycorrhizae	all broadacre mycorrhizal crops	Sumitomo Chemical Australia Pty Ltd		No	n/a	Glomus intraradices, Glomus mosseae, Glomus aggregatum, Glomus etunicatum all at 5625 propagules/ml, Humic acid from leanoardite 15% Inert ingredients 91.27%	april 2020 lower v111.pdf
liacin	microbial	not registered	stress resistance	not registered	Fermentation extract and plant nutrients	not registered	Foliar health	all crops	BioStart	liquid	no	4	from label - enzymes, microbial signalling molecules, bacteriocins and secondary metabolites from the fermentation of beneficial bacteria and yeast; from manufacturer - Manganese, zinc, potassium, phosphorous, nitrogen, amino acids	https://biostart.com.au/wp- content/uploads/sites/4/2020/1 72-Foliacin-Brochure-Aust-2018.j
O Isolates	microbial	not registered	soil biology stimulant	not registered	humic acids, Bacillus	not registered	out-competing soil-borne pathogens	all crops	BioFlora, Queensland	liquid	Yes	n/a	not supplied	•
ervene	microbial	fungicide (not regtistered for	-	Polyoxin D zinc salt. Polyoxin D is a fermentation product of <i>Streptomyces</i>	amyloliquefaciens, Bacillus subtilis. - s	control of grey mould (<i>Botrytis cinerea</i>), powdery mildew, Rhizopus fruit rot	-	grapes, berries, apples; potentially other horticultural crops inc vegetables in future	I. Nufarm Australia Ltd, Victoria	granular	No	7.5 (1% solution,		-
		vegetables)		cacaoi subsp. asoensis. The zinc salt of Polyoxin D may be classified as synthetic because of an additional purification step.								23.2 °C)		
ttucemate eliorAdapt	microbial	not registered	growth stimulant/ regulator	not registered	Trichoderma atroviride Bacillus amyloliquefaciens, Streptomyces sp.,	not registered	crop health help accelerate breakdown of mulches, cro	lettuce	Agrimm	powder	Yes	4.5	Trichoderma atroviride 5 x 10^8 CFU/g not supplied	-
liorAdapt	microbiai	not registered	soil biology stimulant	not registered	Trichoderma harzianum.	not registered	residues	inoraculture crops	New Edge Microbials Pty Ltd, NSW	liquid	10	0.9	nor supplied	-
togel	microbial		growth stimulant/ regulator	not registered	mycorrhizal fungi (Rhizophagus irregularis)	-	soil health, nutrient uptake	most crops	Kimitec	liquid gel	Yes	n/a	Rhizophagus irregularis in sterile gel; 50,000 CFU/mL	https://sustainablefarming.com als/trials-database/
corrcin	microbial	not registered	soil biology stimulant	not registered	Fermentation extract (Pseudomonas putida) and plant nutrients	not registered	Root growth and health	all crops	BioStart	liquid	no	4	not specifically listed but manufacturer advises contains - Manganese, zinc, potassium, boron, phosphorous, nitrogen, amino acids	https://biostart.com.au/mycorr
icleon Liquid rtiliser Enzyme lditive	microbial	not registered	growth stimulant/ regulator	not registered	enzymes - lipase, mannanase		enhances nutrient availability to soil microbes and plant roots resulting in improvements in soil and plant health, growth and yield.	all crops	Elemental Enzymes	liquid	no	5.0 - 10.0	Lipase 750mU/mL, Mannanase 350U/mL	https://sustainablefarming.com oduct/nucleon/
ptyz	microbial	not registered	soil biology stimulant	not registered		not registered	seed treatment	all crops	Agronutrition	liquid	No	5.5	10^7 cfu/mL	
ntmate Drench	microbial	not registered	growth stimulant/ regulator	not registered	sp. I-4362 Trichoderma harzianum	not registered	crop health	all crops	Agrimm	powder	Yes	4.5	Trichoderma harzianum 1 x 10^8 CFU/g	-
ntmate Foliar	microbial	not registered	growth stimulant/ regulator	not registered	Trichoderma atroviride	not registered	crop health	all crops	Agrimm	powder	Yes	4.5	Trichoderma atroviride 1 x 10^9 CFU/g	-
el X Canola	microbial	not registered	growth stimulant/ regulator	not registered	endophytic Trichoderma spp.	not registered	yield, crop health, soil health	canola	Sustainable Farming Solutions	dry seed treatment	Yes	6-7	Trichoderma spp. 5 x 10^7 CFU/g	https://sustainablefarming.com als/trials-database/
bel-X Cereal	microbial	not registered	growth stimulant/ regulator	not registered	endophytic Trichoderma spp.	not registered	yield, crop health, soil health	wheat barley oats rye spelt triticale	Sustainable Farming Solutions	dry seed	Yes	6-7	Trichoderma spp. 5 x 10^7 CFU/g	https://sustainablefarming.com als/trials-database/
bel-X Corn	microbial	not registered	growth stimulant/ regulator	not registered	endophytic Trichoderma spp.	not registered	yield, crop health, soil health	field corn popcorn sweetcorn sunflowers	Sustainable Farming Solutions	dry seed treatment	Yes	6-7	Trichoderma spp. 7 x 10^7 CFU/g	https://sustainablefarming.com als/trials-database/
oel-X Hort	microbial	not registered	growth stimulant/ regulator	not registered	endophytic Trichoderma spp.	not registered	yield, crop health, soil health	vegetables	Sustainable Farming Solutions		Yes	6-7	Trichoderma spp. 7 x 10^7 CFU/g	https://sustainablefarming.com als/trials-database/
nergy	microbial	not registered	soil biology stimulant	not registered	Bacillus subtilis, magnesium	not registered	nutrient availability, soil biology	all crops	Seawins	powder	SXC certified	5.5 - 8.5	Bacillus subtilis (1.0-1.5) x 10^10CFU/g, magnesium 13.5%, calcium 0.2%, green seaweed polysaccharide 1%, alginic acid 0.13%	-
i-Culture	microbial	not registered	growth stimulant/ regulator	not registered	Bacillus licheniformis, Bacillus methylotrophicus, Bacillus subtilis	not registered	crop health	all crops	SLTEC	liquid	No	n/a	Bacillus licheniformis 1 x 10/8 CFU/ml, Bacillus methylotrophicus 2 x 10/8 CFU/ml, Bacillus subtilis 2 x 10/8 CFU/ml, water based culture medium 80%	-
ctobac WG	microbial	insecticide	-	Bacillus thuringiensis subsp. israelensis strain AM65-52	-	common banded mosquito common Australian anopheline Culex oustralicu: saltmarsh mosquito saltwater culex brown house mosquito Dengue vectors including: Aedes aegypti and Aedes albopicus	5	all crops	Sumitomo Chemical Australia Pty Ltd	granular	Yes	n/a	Bacilius thuringiensis subsp. Israelensis strain AM65-52 Minimum Potency 3000 (TU/mg	
recio	plant extract	not registered	growth stimulant	not registered	amino acids, humic acid	not registered	root stimulant	all crops	Agronutrition	liquid	no	11	L- Tryptophane, L-methionine, humic acids, N 129 P 2%. K 8%	6,
iwave	plant extract	not registered	growth stimulant/ regulator	not registered	plant extracts (no further information given)	not registered	crop health	all crops	Valagro	liquid	No	6.	4 Nitrogen 3%, Potassium 5.8%, Iron 0.5% Zinc	-
e-Tech	plant extract	not registered	growth stimulant/ regulator	not registered	gibberellins, indole acetic acid, polysaccharides, aloins, saponins, B vitamins	not registered	crop health	all crops	Nutri-Tech Solutions (NTS)	liquid	Yes	3.7 to 4.5	0.08%, Organic carbon (soluble in water) 12% Whole leaf <i>Aloe vera</i> extract 100%	-
allon	plant extract	not registered	growth stimulant/ regulator	not registered	proprietary plant extracts; fulvic acid	not registered	Increasing fruit size and yield	all fruiting crops	Kimitec	liquid	Yes	7-9	46.6% fulvic acids , 2.5% N w/v, 7.8% K w/v	https://sustainablefarming.com
nefit PZ	plant extract	not registered	growth stimulant/ regulator	not registered	plant extracts (no further information given)	not registered	crop health, stress tolerance	all crops	Valagro	liquid	No	6	.8 Nitrogen 4%, Potassium 6.6%, Organic carbon	als/trials-database/
	-			÷		-				-			(soluble in water) 10%	
Garlic weed Organic	plant extract	not registered herbicide	pest deterrent	not registered Pine oil (not specified)	garlic oil -	not registered Control of wide range of weeds, see	- insect pests	all crops orchards, vineyards and others, see label	Zadco (JH Biotech) GreenPro Solutions Pty Ltd,	liquid	Yes	n/a 7	garlic oil 10%, water 90% Pine oil 680 g/L	Protected trial (efficacy and
nbardier	plant extract	not registered	stress resistance	not registered	Proprietary plant extracts	label not registered	aid in adverse conditions: heat, cold, frost		Queensland Kimitec	liquid	Yes	5.5-7.5	29.6% fulvic acid, 16.6% free amino acids, 7.9%	safety) data with APVMA https://sustainablefarming.com
mbardier Sugar	plant extract	not registered	growth stimulant/ regulator	not registered	Proprietary plant extracts	not registered	stress; soil constraints; disease pressure promote sugar formation and ripening	all fruiting crops	Kimitec	liquid	Yes	5-7	saccharides 38.3% oligosaccharides (w/v), 19.8% fulvic acid	als/trials-database/ https://sustainablefarming.com
o-Oil Hippo	plant extract	insecticide		Emulsifiable botanical oil		acaricide (carmine mite. two-spotted	including colour in fruiting crops	horticultural crops. see label	Organic Crop Protestants ?:	liquid	Vac		(w/v) 10.3% amino acids (w/v), 6.6% Total N (w/v) Emulsifiable botanical oils 850 g/L	
co-Oil Hippo Commercial)	piant extract	Insecticide		Emuisinable botanicai oli		acaricide (carmine mite, two-spotted spider mite, insecticide (aphids, whitefly scale, mealy bug); adjuvant (improves wetting and sticking of sprays insecticides, fungicides, foliar fertilisers)		norucurtural Crops, see label	Organic Crop Protectants Pty Ltd, New South Wales	ndula	Yes		Emulsifiable botanical oils 850 g/L (oils not specified)	https://ocp.com.au/wp- content/uploads/2014/08/OCP25 o-Oil+Comm+Flyer_FA_LR.pdf

Hort Innovation





			Product type		ngredient(s)		1150							
Trade Name	Source	Registered	Product type Has been used as / for (not	Active Ingredient(s) (APVMA	Bredient(s) Main ingredient(s) of non registered products	Registered Use (APVMA Registered)	Has been used as / for (not registered)2	Сгор	Manufacturer	Formulation	Australian	рН	Analysis	Trial Information
		Product Type (APVMA	registered)	Active Ingredient(s) (APVMA Registered Products)	products	·····g······	······································				Certified Organic			
ly Bye	plant extract	Registered) not registered	pest deterrent	not registered	4-(p-hydroxyphenyl)-2-butanone, 4-(p- hydroxyphenyl)-2-butanone acetate	not registered	fruit fly	fruit fly susceptible crops	Nutri-Tech Solutions (NTS)	liquid	Yes	n/a	4-(p-hydroxyphenyl)-2-butanone 0.5g/L, 4-(p- hydroxyphenyl)-2-butanone acetate 0.25g/L	-
6C-3	plant extract	not registered	disease suppressant	not registered	cottonseed oil, corn oil, garlic extract, oleic acid, lauric acid, sodium bicarbonate	not registered	powdery mildew	susceptible crops	Zadco (JH Biotech)	liquid	Yes	n/a	Cottonseed oil 30%, corn oil 30%, garlic extract 23%, oleic acid 2%, lauric acid 1%, sodium bicarbonate 2%, water 12%	-
GC-Mite	plant extract	not registered	miticide	not registered	cottonseed oil, clove oil, garlic extract, oleic acid, lauric acid, sodium bicarbonate	not registered	control of mites and insects	all crops	Zadco (JH Biotech)	liquid	Yes	n/a	Cottonseed oil 40%, clove oil 5%, garlic extract 10%, oleic acid 2%, lauric acid 1%, sodium bicarbonate 2&, water 26%	-
GrowGreen Ktend Plant Oil Adjuvant	plant extract	wetting agent		Emulsified vegetable oil	-	addition to horticultural sprays to increase spray deposition and penetration, droplet spread and uptake on the target to assist spray drift contro	-	all crops	GrowGreen Pty Ltd, Queensland	liquid	Yes	-	Emulsified vegetable oil 832 g/L (Blend of highly degummed canola oils blended with vitamins A & E)	-
Kendal	plant extract	not registered	growth stimulant/ regulator	not registered	plant extracts (no further information given)	and rainfastness not registered	crop health	all crops	Valagro	liquid	No		.8 Nitrogen 3.5%, Potassium 12.9%, Organic carbon (soluble in water) 3%	-
Kendal Root Megafol	plant extract plant extract	not registered not registered	growth stimulant/ regulator growth stimulant/ regulator	not registered not registered	plant extracts (no further information given) plant extracts (no further information given)		root growth crop health, stress tolerance	all crops all crops	Valagro Valagro	liquid liquid	No No	6.	1 Nitrogen 9%, Potassium 7.5% 5 Nitrogen 3%, Potassium 6.6%, Organic carbon (soluble in water) 9%	-
Natural Wet	plant extract	not registered	wetting agent	not registered	saponin from Yucca schidigers	not registered	wetting	all crops	Zadco (JH Biotech)	liquid	Yes	n/a	Saponin 10%, Water 90%	
Nutri-Stim saponins	plant extract	not registered	wetting agent	not registered	saponins	not registered	water tension	all crops	Nutri-Tech Solutions (NTS)	granular	Yes	n/a	Saponins 70%	-
Photon	plant extract	not registered	stress resistance	not registered	dicarboxylic acids	not registered	stress	all crops	Sipcam (Agricrop)	granular	No	7.	5 500g/kg blend plant derived dicarboxylic acids	
plantjuice	plant extract	not registered	growth stimulant/ regulator	not registered	algae extract (<i>Ulva</i> spp.)	not registered	crop health	all crops	Pacific Bio	liquid	No		auxins (IAA) 295 ng/g FW, 1.4% K, 2.6 g/L S, 2.2 g/L Na	
PyGanic	plant extract	insecticide	•	pyrethrins	-	greenhouse thrips passion vine hopper macadamia lace bug diamondback moth pea aphids beet armyworm potato aphids fruitfly rutherglen bug spiders	-	avocados brassicas capsicums chillies citrus eggplants grapes kiwifruits lettuces macadamias stone fruits strawberries tomatoes leafy vegetables legume vegetables	Sumitomo Chemical Australia Pty Ltd	liquid	Yes	n/a	13g/L Pyrethrins	https://www.sumitomo- chem.com.au/sites/default/files/lit ature/pyganic_brochure_2022_f.pdf
Radifarm	plant extract	not registered	growth stimulant/ regulator	not registered	plant extracts (no further information given)	not registered	root growth	all crops	Valagro	liquid	No	5.	0 Nitrogen 3%, Potassium 8%, Zinc 0.10%, Organic carbon (soluble in water) 10%	-
		not registered	crop nutrition	not registered		not registered	set, lengthening rachis (grapes)	berries grapes fruiting vegetables nuts citrus	Kimitec	liquid	No	n/a	2.9% NATCA, 3.2% TCA, 8.7% Free Amino acids, 1.9% Total N, 1.9% Organic N, 7.7% K	https://sustainablefarming.com.au/ als/trials-database/
		not registered	growth stimulant	not registered	amino acids, seaweed extracts, nitrogen, potassium	not registered	crop health	all crops	Agronutrition	liquid	No	8	Nitrogen 6%, potassium 4%, amino acids 6%, seaweed extracts	
		pest deterrent	-	Extract of butterfly pea (<i>Clitoria</i> ternatea)	-	Suppression of diamondback moth in brassicas. Control/Suppression of greer mirids, silver leaf white fly (Biotype B) and Heliothis in cotton. Reduction in formation of the microsclerotia of Verticillium dahlae in cotton	-	brassicas, cotton	Innovate AG Pty Ltd, New South Wales	liquid	No (SXC allowed input only)	-	(<i>Clitoria ternatea</i> extract at 400 g/L. Extract contains different cyclic peptides (cyclotides).	https://innovate- ag.com.au/pteetsok/2021/05/0-202 Sero-X-Technical-Manual-Email- Version.pdf
Sweet	plant extract		growth stimulant/ regulator	not registered	plant extracts (no further information given)	not registered	ripening	all crops	Valagro	liquid	No	3.	5 Calcium 7.2%, Magnesium 0.6%	-
Synertrol Horti Botanical Oil Concentrate	plant extract	wetting agent	-	Emulsifiable botanical oil	-	improves rainfastness, drift control, wetting and sticking, biological activity o sprays	r F	all crops	Organic Crop Protectants Pty Ltd, New South Wales	liquid	Yes	•	Emulsifiable botanical oil 850 g/L (100% canola oil) -
Timorex Gold	plant extract	fungicide	-	Tea tree oil (<i>Melaleuca alternifolia</i>)	-	Preventative control of foliar diseases (powdery mildew, Botrytis grey mould)	-	horticultural crops (capsicum, cucurbits, tomato - powdery mildew) and grapes (Botrytis grey mould, powdery mildew)	Stockton (Israel) Ltd, Israel / Syngenta Australia Pty Ltd, NSV	liquid /	No	8.9 - 9.6	Tea tree oil (<i>Melaleuca alternifolia</i>) at 222 g/L (28% w/v), ethanol (4% w/v)	Trials undertaken by manufacturer (protected data with APVMA)
Transit Duo	plant extract	not registered	nutrient availability	-	tannins, lignins and complex aromatics	•	nutrient uptake	all crops	Valent BioSciences Corporation USA / Sumitomo Chemical Australia Pty Ltd, NSW	, liquid	No	4	zinc 0.5%	
Vitazyme	plant extract	not registered	growth stimulant/ regulator	not registered	brassinosteriods and tricontanol	not registered	stimulates root growth	all crops	Sustainable Farming Solutions	liquid	Yes	3.5-4.2	Highly active plant stimulants from fermentation process	https://sustainablefarming.com.au/ als/trials-database/
/itazyme ST (seed :reatment)	plant extract	not registered	growth stimulant/ regulator	not registered	brassinosteriods and tricontanol	not registered	vigour in seedlings and improved root development	all direct sown crops	Sustainable Farming Solutions	liquid	Yes	3.5-4.2	Highly active plant stimulants; fulvic & amino acid	
līva	plant extract	not registered	growth stimulant/ regulator	not registered	plant extracts, humic acid	not registered	soil biology	all crops	Valagro	liquid	No	6.	2 Nitrogen 3%, Potassium 8%, Iron 0.02%, Organic carbon (soluble in water) 8%	-
Weed Zap	plant extract	not registered	herbicide	not registered	acid, lauric acid	not registered	weeds	all crops	Zadco (JH Biotech)	liquid	Yes	n/a	Clove oil 19%, Cinnamon oil 19%, Cottonseed oil 19%, oleic acid 19%, lauric acid 19%, inert ingredients: lactose and water 5%	-
rieldon	plant extract	not registered	growth stimulant/ regulator	not registered	plant extracts (no further information given)	not registered	-	seed crops	Valagro	liquid	No	6.	 Nitrogen 3%, Potassium 2.5%, Molybdenum 0.2%, Manganese 0.5%, Zinc 0.5%, Organic carbon (soluble in water) 10% 	-
Alcygol B2M	seaweed extract		crop nutrition	not registered	Ascophyllum nodosum seaweed	not registered	crop health	all crops	Agronutrition	liquid	No	6.9	Magnesium 3%, Sulphur 4.4%, Boron 3%, seaweed extracts	
Alcygol MoB	seaweed extract		crop nutrition	not registered	Ascophyllum nodosum	not registered	crop health	all crops	Agronutrition	liquid	No	8	Boron 4%, Molybdenum (%age not stated) and seaweed extracts	
Alcygol Total	seaweed extract		crop nutrition	not registered	Ascophyllum nodosum seaweed	not registered	crop health	all crops	Agronutrition	liquid	No	7.7	Nitrogen 9%, phosphorus 2.3%, magnesium 4%, trace elements, seaweed extracts	
50		not registered	crop nutrition crop nutrition	not registered	Ascophyllum nodosum seaweed Ascophyllum nodosum seaweed	not registered	crop health crop health	all crops all crops	Agronutrition	liquid	No Yes (NASAA)	1.8	Sulphur 8%, Zinc 4%, Magnesium 3%, Manganese 4%, seaweed extracts Potassium 17%, seaweed extracts	
Algonia K Aminocal	seaweed extract seaweed extract	not registered	crop nutrition	not registered	amino acid chelated calcium	not registered not registered	crop health	all crops	Agronutrition Seawins	liquid	SXC certified	6.2	24 calcium 17%, L-free amino acids, 11% total	-
				-		-							nitrogen (organic) 1.3%	
lio Kelp lioMAX lelp Powder	seaweed extract	not registered	crop nutrition soil biology stimulant	not registered	kelp extract, potassium Schuble seaweed (Ascophyllum nodosum) extract powder	not registered not registered	crop health enhanced soil microbial activity, soil and plant health	all crops vegetable crops (legumes, onions, carrots, potatoes) + others	SLTEC s LawrieCo Pty Ltd trading as LawrieCo, South Australia	liquid powder	No Yes	10 - 10.5 (at 20 °C 200 g/L)	20% Keip, 32% K [ingredients expressed as wW%: Ascophyllum , nofoxum extract > 93.5%, water < 6.5%, All %=wW%: Nitrogen > 0.5%, Potassium (as oxides) > 12.4%, Potassium (as organic) > 1.7%, Sulphur 1.0 - 2.0%, Calcium 0.2 - 0.5%, Magnesium 0.2 - 0.6%, Boron 0.0075%, Iron 0.02%, Manganese 0.004%, Copper 0.001%, Zinc 0.005% Carbon (organic) > 2.0%	- -
Farm Saver liquid kelp			growth stimulant/ regulator	not registered	three kelp species, Laminaria spp., Sargassum spp., Ascophyllum nodosum.		nutrition, stress	all crops	Nutri-Tech Solutions (NTS)	liquid	Yes	9.5-10.5	Potassium 1.5%, Iron 0.11%, Sulphur 0.11%, Calcium 450mg/L, Magnesium 170mg/L	-
FertiGold	seaweed extract	not registered	soil biology stimulant	not registered	green seaweed Enteromorpha prolifera	not registered	reduced plant stress, increased microbial activity, soil structure	all crops	Seawins	powder	SXC certified	5-7	Seaweed polysaccharides 45%, alginic acid 21%, nitrogen (N) 1%, potassium(K) 4.6%, calcium (Ca) 1.9%, iron (Fe) 0.13%, boron (B) 0.03%, organic matter 40%	-





			Product type		Ingredient(s)		Use			1				
Trade Name	Source	Registered Product Type (APVMA Registered)	Has been used as / for (not registered)	Active Ingredient(s) (APVMA Registered Products)	Main ingredient(s) of non registered products	Registered Use (APVMA Registered)	Has been used as / for (not registered)2	Crop	Manufacturer	Formulation	Australian Certified Organic	рН	Analysis	Trial Information
HydraSea 50	seaweed extract		crop nutrition	not registered	seaweed extracts (Ascophyllum nodosum) containing macro + trace/micronutrients, proteins (enzymes, amino acids), carbohydrates, plant growth hormone-like compounds showing auxin- and cytokinin-like activity.	not registered	Foliar nutrition spray during the most vulnerable crop stages and/or during abioti stress conditions to enchance nutrient uptake and root growth	vegetables, frui/nut tree crops, grapes,cereals, cotton, sugarcane	BioAg Pty Ltd, New South Wales	liquid	Yes	8.5 - 10	100% seaweed extract (Ascophyllum nodosum). Nitrogen 0.33 - 0.55%, Phosphorus 0.006 - 0.01%, Potassium 72-59%, Sulphur 0.96 - 1.18%, Calcium 240 - 320 ppm, Sodium 0.7 - 1.5%, Magnesium 1920 - 3040 ppm, Boron 95 - 320 ppm, Iron 48 - 320 ppm, Marganese 160 - 480 ppm, Copper 45 - 270 ppm, Zinc 48 - 160 ppm (%=wv/%)	
(-kelp	seaweed extract	not registered	crop nutrition	not registered	bull kelp	not registered	nutrition	all crops	Omnia	liquid	Yes	>9	Potassium 3.7% wt/vol, Sulphur 1.3% wt/vol, Kelp extracts 9-10% wt/vol, amino acids, growth hormones	-
Liquid Kelp	seaweed extract	not registered	stress resistance	not registered	kelp extract	not registered	crop health, soil health	all crops	Eco Growth	liquid	Yes	n/a	not given	-
MC Cream	seaweed extract	not registered	growth stimulant/ regulator	not registered	Ascophyllum nodosum seaweed	not registered	crop health	all crops	Valagro	liquid	No	3.	.9 Manganese 1.5%, Zinc 0.5%	-
MC Extra	seaweed extract	not registered	growth stimulant/ regulator	not registered	Ascophyllum nodosum seaweed	not registered	crop health	all crops	Valagro	granular	No	9.	 Nitrogen 20%, Betains 0.2%, Mannitol 4%, Organi carbon (soluble in water) 20% 	c -
MC Set	seaweed extract	not registered	growth stimulant/ regulator	not registered	Ascophyllum nodosum seaweed	not registered	flowering	all crops	Valagro	liquid	No	8.	5 Boron 0.50%, Zinc 1.5%	-
Vexar Ca	seaweed extract	not registered	crop nutrition	not registered	Ascophyllum nodosum and calcium	not registered	crop health	all crops	Agronutrition	liquid	No	8.2	Calcium 14%, seaweed extracts	
Nexar K	seaweed extract	not registered	crop nutrition	not registered	Ascophyllum nodosum seaweed extracts, potassium	not registered	crop health	all crops	Agronutrition	liquid	No	13.6	seaweed extracts, nitrogen 4%, potassium 26%	
Nexar Mg	seaweed extract	not registered	crop nutrition	not registered	Ascophyllum nodosum and magnesium	not registered	crop health	all crops	Agronutrition	liquid	No	3.4	Nitrogen 7%, magnesium 7%, seaweed extracts	
Nutri-Kelp	seaweed extract		crop nutrition	not registered	Ascophyllum nodosum (giberellins, cytokinins, auxins)	not registered	nutrition, soil biology, stress	all crops	Nutri-Tech Solutions (NTS)	granular	Yes	n/a	Nitrogen 1.17%, Phosphorous 0.23%, Potassium 19.12%, Sulphur 1.8%, Magnesium 0.37%, Calciu 0.34%, Silicon 679ppm, Iron 471ppm, Boron 135ppm, Zinc 38ppm, Manganese 37ppm, Molybdenum 2ppm, Cobalt 1ppm	n -
Phylgreen 200	seaweed extract	not registered	growth stimulant/ regulator	not registered	Ascophyllum nodosum seaweed extract	Not Registered	Prevents Abiotic Stress	all crops	Rovensa ANZ (Tradecorp)	Liquid	Yes	5	100% seaweed extract (Ascophyllum nodosum).	
Purakelp	seaweed extract		crop nutrition	not registered	bull kelp (Durvillaea potatorum)	not registered		all crops	Omnia	liquid	Yes	4	kelp extracts 9-10%	-
Relax	seaweed extract		growth stimulant/ regulator	not registered	kelp extract + cobalt	not registered	crop health/ stress tolerance	all crops	SLTEC	liquid	No	5.0- 7.0	10% kelp, 0.2% Cobalt, 4.3% P, 10.3%K, 0.1% S, 0.02% Mo	
Sea Brown Powder	seaweed extract	not registered	soil biology stimulant	not registered	brown kelp (Laminaria [Saccharina] japonica)	not registered	reduced plant stress, increased microbial activity	all crops	Seawins	powder	SXC certified	8 - 10	Nitrogen (N) 1.5%, phosphorus (P) 1.5%, potassium (K) 16.6%, iron (Fe), 0.26%, boron (B) 0.19%, alginic acid 15%, organic matter 50%	-
SeaChange Liquid Kelp	seaweed extract	not registered	crop nutrition	not registered	bull kelp	not registered	crop health	all crops	Nutri-Tech Solutions (NTS)	liquid	Yes	3.6 - 4.6	Potassium 1.39%, Calcium 0.09%, Iodine 22mg/L	-
Seanergy	seaweed extract		crop nutrition	not registered	(Tasmanian) kelp extract	not registered	crop health, stress tolerance	all crops	Sipcam (Agricrop)	liquid	No		Nitrogen 1%, Phosphorous 0.95%, Potassium 3.5%, Sulphur 7.5%, Calcium 0.6%, Magnesium 0.6%, Iron 200ppm, Manganese 6ppm, Zinc 18ppm, Copper 6ppm, Betaine 2%	-
Stress Buster	seaweed extract	not registered	stress resistance	not registered	polysaccharides, polyglutamic acid, osmolytes	not registered	crop health	all crops	Seawins	liquid	SXC certified	4-6	seaweed polysaccharides 10%, alginic acid 3%, fulvic acid 5%, polyglutamic acid 0.5%, amino acid 1%, total organic matter 15-20%	-
Super Kelp liquid	seaweed extract	not registered	crop nutrition	not registered	Ascophyllum sp & Durvillaea sp	not registered	reduces stress effects in crops	all crops	Sustainable Farming Solutions	liquid	Yes	4-4.5	Soluble K - 2%; Seaweed extract; alginic acid - 1.5%	https://sustainablefarming.com.au als/trials-database/
Super Kelp powder	seaweed extract	not registered	crop nutrition	not registered	Ascophyllum sp	not registered	reduces stress effects in crops	all crops	Sustainable Farming Solutions	powder	Yes	10-10.5	Alginic Acid 12-18%, N 1.5%, K 17-22%	https://sustainablefarming.com.au als/trials-database/
ri-Kelp	seaweed extract	not registered	crop nutrition	not registered	Laminaria, Sargassum, Ascophyllum nodosum	not registered	crop health	all crops	Nutri-Tech Solutions (NTS)	granular	Yes	n/a	Alginic acid 18%, Nitrogen 0.89%, Potassium 15% Iron 1.07%, Sulphur 1.05%, Calcium 0.45%, Magnesium 0.17%, Silicone 445ppm, Manganese 92ppm, Zinc 48ppm, Boron 46ppm, Copper 34ppm, Cobalt 8ppm, Molybdenum 5ppm	
AminoPlus	seaweed/fish	not registered	crop nutrition	not registered	fish extract 50-100%, kelp extract 25-50%	not registered	nutrition	all crops	Omnia	liquid	Yes	4	N: 2.1% wt/vol, Natural Amino Acids, Plant growth stimulants, Trace Elements, Chelating Agents.	-
Eco Vital	seaweed/fish	not registered	crop nutrition	not registered	chelated fish extract, kelp, plant extracts	not registered	crop health, stress tolerance	all crops	Eco Growth	liquid	Yes	n/a	Nitrogen 2%, Phosphorous 0.6%, Potassium 0.4% Calcium 0.5%, Magnesium 0.2%, Iron 0.07%, Zinc 750ppm, Manganese 704ppm, Copper 730ppm, Molybdenum 1ppm, Boron 34ppm, Cobalt 8ppm	

Hort Innovation, Applied Horticultural Research Pty Ltd (AHR) and RM Consulting Group (RMCG) make no representations and expressly disclaims all warranties (to the extent permitted by law) about the accuracy, completeness, or currency of information in this fact sheet. Users of this material should take independent action before relying on its accuracy in any way.

Reliance on any information provided by Hort Innovation, AHR or RMCG is entirely at your own risk. Hort Innovation, AHR or RMCG are not responsible for, and will not be liable for, any loss, damage, claim, expense, cost (including legal costs) or other liability arising in any way (including from Hort Innovation, AHR or RMCG are not responsible for, and will not be liable for, any loss, damage, claim, expense, cost (including legal costs) or other liability arising in any way (including from Hort Innovation, AHR, RMCG or any other preson's negligence or otherwise) from your use or non-use of information from project MT22004 - Soil Wealth and Integrated Crop Protection - Phase 3 or from reliance on information contained in this material or that Hort Innovation, AHR or RMCG provides to you by any other means.





