

### **BIOLOGICAL PRODUCTS DATABASE - BY TRADE NAME**

**About this database and how to use it** - This Biological Product Database is a tool for growers that will assist with navigating the array of 'biological' products currently available to their farming business. We have compiled the information in response to questions from growers about available products. (Webinar on biopesticides available <u>here</u>.)

**Definition** - 'Biological' products (also called 'biologicals') are defined as those that are derived from living organisms (plants, animals, microorganisms, fungi). The term encompasses a diverse range of products, and this is a fast-growing segment of agricultural inputs (definition from www.croplife.org).

This database includes a column that indicates whether products have APVMA registration (Australian Pesticides and Veterinary Medicines Authority). Registered products are known as 'Biological Crop Protection' products. If a product is used for crop protection (i.e., used as a biopesticide) is must be registered for use in the crop and situation it is applied in. Contact the APVMA or Hort Innovation for more information. For products not registered with the APVMA, potential effects suggested by manufacturers are NOT efficacy claims and data on potential for phytotoxicity or residues do not exist.


How was the database developed? We have gathered information primarily from the manufacturers, via their websites and/or their representatives. We have attempted to strip away any confusion by laying out the bare bones of each product. We will include references to independent research in the database as the project progresses and we receive information from independent research.

**The database is a work in progress** - The database is a work in progress and is not comprehensive. We have not carried out reviews of science-based literature for each product. If a column or cell is blank, it does not meant that there is no information, just that we have not found it yet (this is particularly the case for independent trial information). The database will be updated and published regularly as information becomes available.

**Is anything missing?** If you know of any products or trial information we have failed to include, or details that are inaccurate or incomplete, please either complete the spreadsheet at the bottom of this webpage (www.soilwealth.com.au/resources/global-scan-and-reviews/biological-products-database/) and/or get in touch - rm@rmcg.com.au.

**DISCLAIMER:** VERY IMPORTANT - This document does not include or offer advice of any kind. It is a collection of publicly available information. Very few products have been registered by the APVMA, a process that entails rigorous independent testing of efficacy, residues, phytotoxicity and potential effects on flora, fauna and people. We do not endorse any products and the database is not an exhaustive list. To the best of our knowledge the information is correct at the time of publishing. Always refer to product label for Directions for Use.









These explanations of 'Source' and 'Product Type' have been developed to provide clarity and aid with interpretation of the Biological Products Database. Some products do not fit neatly within these, where this is the case, the aim has been to provide the best fit for the product details available.

### **BIOLOGICAL PRODUCTS DATABASE - EXPLANATIONS - SOURCE**

microbial	Microbial products are products derived from various small, simple organisms. Microbial products may contain the organisms themselves and/or the metabolites they produce. Microbial products generally contain or are derived from four different subcategories:
	Bacteria - may prevent plant diseases by outcompeting plant pathogens in the rhizosphere, producing anti-fungal compounds, and by promoting plant and root growth. Examples of beneficial bacteria include Bacillus subtilis, Bacillus pumilus, Pseudomonas spp., and Streptomyces spp.
	Protozoa - while most protozoa feed on bacteria and decaying organic matter, a wide range of protozoan species are insect parasites. For example, the protozoan <i>Nosema locustae</i> is known to be a natural biocontrol agent of many grasshopper species.
	• Viruses - can be very specific to particular insects or arthropods. For example, certain viruses can kill only one or a few species of Lepidoptera larvae (caterpillars), making them good candidates for management of crop pests with minimal off-target effects. The granulovirus of the codling moth ( <i>Cydia pomonella</i> ), or CpGV, is a good example of a commercially successful viral insecticide.
	• Yeasts - may work through competition with pathogens, e.g. for nutrients. For example, <i>Candida oleophila</i> Strain O, has been developed as an effective biocontrol for post-harvest fruit rots. It is applied to apples and pears after harvest — but before storage — to control particular fungal pathogens causing post-harvest decay such as grey mould ( <i>Botrytis cinerea</i> ) and blue mould ( <i>Penicillium expansum</i> ). <i>Candida oleophila</i> Strain O works primarily through competition for nutrients and pre-colonisation of plant wound sites.
plant extract	Water- or solvent-based plant extracts or essential oils (EOs) can contain valuable natural products, many of which can be used safely in pest and disease control due to their ability to degrade quickly. An important consideration is that EOs and plant extracts are biologically unstable as they are easily destroyed by environmental pH, oxygen, light, and moderate temperatures. EOs exhibit poor aqueous solubility and high volatility in general. Many extracts or EO biopesticides are often used without deeply understanding their mode of action. Water- or solvent-based extracts and EOs can improve plant resistance to biotic and abiotic stressors, and can be involved in metabolic processes that control plant tolerance to these stressors.
amino acids	Amino acid products are manufactured either by hydrolysis or enzymatic treatment of animal or plant protein feedstock. Amino acids are readily absorbed, transported, and utilised as a source of nitrogen and carbon for plants. This saves the energy expended by the plant to reduce organic matter, synthetic nitrates and ammonia into amino acids. Some amino acids are efficient metal ion chelators which can help with metal ion nutrient uptake and help protect plants from toxic levels of metal ions.
	Amino acids also function as biostimulants for plants, playing important roles in enhancing plant productivity, especially under abiotic and biotic stress conditions. Refer to https://www.growerssecret.com/amino-acids-as-biostimulants







### **BIOLOGICAL PRODUCTS DATABASE - EXPLANATIONS - SOURCE (CONTINUED)**

seaweed extract	An extract produced from seaweed. It is usually a concentrated organic product (usually liquid, but can be soluble granules) that can be diluted and applied to seedlings and transplants as well as larger plants – see comments below for the specific functions of humic and fulvic acids.
	Nutrient content: Seaweed is a rich source of many essential plant nutrients such as nitrogen, phosphorus, potassium, and trace elements like iodine, zinc, and iron which can improve soil fertility.
	Microbial growth: Seaweed can act as a source of carbon and energy for microorganisms in the soil, stimulating their growth and activity.
	Root growth: Some studies suggest that seaweed extracts can have a positive impact on root growth and root health, which can improve overall plant growth and vigour.
	Disease suppression: The compounds present in seaweed can have an antimicrobial effect, inhibiting the growth of certain pathogens and helping to suppress plant diseases.
	Alginates: Seaweed contains alginates, a complex carbohydrate that can form gels in soil, which can improve soil structure and water-holding capacity, making it more conducive to healthy microbial growth.
	Hormones: Seaweed contains growth hormones like cytokinins and auxins that can promote root growth, cell division and elongation, which can help plants to better cope with environmental stress.
fish extract	Fish extract (also emulsion, or fish fertiliser) for plants, is a fast-acting, organic liquid product made from the by-products of the fishing and aquaculture industries. It is rich in nitrogen, phosphorus, and potassium, plus trace elements such as calcium, magnesium, sulphur, chlorine, and sodium.
seaweed/fish mix	A mix of seaweed and fish extracts described above.







### **BIOLOGICAL PRODUCTS DATABASE - EXPLANATIONS - SOURCE (CONTINUED)**

humic/fulvic acid	When plants and animals are decomposed by bacteria, humic substances are released and are found naturally in soils. Humic substances are composed of: relatively small fulvic acids that dissolve in both acid and alkaline environments, larger humic acids that are soluble under alkaline conditions, and very large humins that are insoluble. Humic acids can be 100 000 times larger than fulvic acids. Humic acids used in soil amendments are often extracted from brown coal.
	Humic acid
	Humic acids can aid with nutrient cycling, microbial growth and disease suppression through the following mechanisms:
	Nutrient cycling: Humic acids can help to make nutrients such as nitrogen and phosphorus more available to plants by chelating or complexing them, making them more accessible to plant roots.
	Microbial growth: Humic acids can act as a source of carbon and energy for microorganisms in the soil, stimulating their growth and activity.
	Disease suppression: Humic acids can also have an antimicrobial effect, inhibiting the growth of certain pathogens and helping to suppress plant diseases.
	Fulvic acid
	Fulvic acid may stimulate root growth and affect root function to exude organic acids that can lead to increased nutrient uptake.
	Fulvic acid can also help to increase plant nutrient uptake by chelating (binding) minerals and other nutrients. Chelated minerals are easier for the plant to absorb and use.







### **BIOLOGICAL PRODUCTS DATABASE - EXPLANATIONS - PRODUCT TYPES**

fungicide	Product to control the growth of fungi and fungal spores. They can be made from a variety of chemical compounds including synthetic chemicals, botanicals, and microbial pesticides.
herbicide	Product to kill or control weeds. They can be made from a variety of chemical compounds, including synthetic chemicals, botanicals, and microbial pesticides. Some herbicides target specific weeds or groups of weed (e.g. grasses), while others have a broader spectrum of activity.
insecticide	Product to kill or control a population of insects. They can be made from a variety of chemical compounds, including synthetic chemicals, botanicals, and microbial pesticides. Some insecticides target specific insects, while others have a broader spectrum of activity.
miticide	Product to kill or control a population of mites. They can be made from a variety of chemical compounds, including synthetic chemicals, botanicals, and microbial pesticides.
pest deterrent	A plant pest deterrent is a substance or method used to prevent or discourage the presence of pests. These pests can include insects, mites, nematodes, and other animals that feed on plants or cause damage to the foliage, roots, or fruit of plants. Plant pest deterrents can include a variety of chemical and non-chemical methods, such as:
	Biological controls, such as the use of predators or pathogens that feed on or kill pests
	Botanical repellents, such as certain essential oils or plant extracts that have been shown to repel certain pests and also
	Physical barriers, such as screens or nets, which can physically prevent pests from reaching the plants.
disease suppressant	A plant disease suppressant is a substance or method that is used to prevent or reduce the incidence or severity of plant diseases. These diseases can be caused by a variety of pathogens, such as bacteria, fungi, viruses, and nematodes. Disease suppressants can include a variety of chemical and non-chemical methods, such as:
	1. Biological controls: The use of beneficial microorganisms such as bacteria or fungi that can outcompete or inhibit the growth of pathogens in the soil or on the plant surface.
	2. Botanical extracts and essential oils: Some plant extracts and essential oils have been found to have antimicrobial properties, which can help to suppress the growth of pathogens.
	Products should be supported via:
	1. Crop rotation: rotating crops can help to reduce the build-up of pathogens in the soil, which can help to reduce the incidence of diseases.
	2. Cultural controls: Sanitation practices, such as removing and destroying infected plant debris, can help to reduce the incidence of diseases.
	3. Nutrient management: Proper nutrition can help plants to better cope with disease stress and improve overall plant health.
	4. Environmental control: Manipulating the environment by controlling temperature, humidity, light intensity can help plants to better cope with pathogens.








## **BIOLOGICAL PRODUCTS DATABASE - EXPLANATIONS - PRODUCT TYPES (CONTINUED)**

stress	There are several ways to increase stress resistance in plants; the following may be used in <b>products</b> :
resistance	1. Microorganisms: Some microorganisms can promote plant growth and stress tolerance by improving nutrient uptake, protecting against pathogens, and producing plant growth-promoting compounds.
	2. Hormonal treatments: Some phytohormones such as cytokinins and gibberellins have been shown to increase stress tolerance in plants by promoting cell division and elongation.
	However, sole reliance on products will not be successful. Other methods that should be used at the same time are:
	1. Variety selection (breeding): Selecting and breeding plants that are naturally more tolerant to stress conditions such as drought, heat, cold, and disease.
	2. Proper nutrition: Providing plants with adequate and balanced nutrition can help them to better cope with stress.
	3. Water management: Proper irrigation and drainage can help plants to better tolerate drought stress and prevent effects of waterlogging.
	4. Mulching: Mulching, e.g. planting into cover crop residues, can help to reduce soil moisture loss, moderate soil temperature and suppress weed growth, which can help plants to better tolerate stress conditions.
	5. Crop rotation: rotating crops can help to reduce the build-up of pests and diseases, as well as improve soil health, which can help plants to better tolerate stress conditions.
	6. Environmental control: Manipulating the environment by controlling temperature, humidity, light intensity can help plants to better tolerate stress conditions.
crop nutrition product	Crop nutrition products can include a variety of chemical and organic compounds that provide plants with macronutrients and/or micronutrients (such as zinc, copper, and iron). These products can be applied to soil or foliage in various forms such as granular, liquid, and foliar sprays.
growth stimulant/ regulator	A plant growth stimulant is a substance or a microorganism that when applied to plants, can improve their growth and development. Plant growth stimulants can be in the form of hormones, enzymes, minerals, or microorganisms that are applied to the soil or the foliage of plants. They can be used to improve crop yields, and/or increase the tolerance of plants to environmental stress. Some examples of plant growth stimulants include auxins, cytokinins, gibberellins (which are produced by plants) or humic acids which naturally occur in soils.
soil biology stimulant	A soil biology stimulant is a substance that is used to enhance the diversity and activity of microorganisms in the soil, which can improve soil health and plant growth. Soil biology stimulants can include a variety of microorganisms such as bacteria, fungi, and protozoa, as well as organic compounds such as humic acids (see 'Source' definitions above) and seaweed extracts. The microorganisms help to break down organic matter, improve nutrient cycling, and promote root growth, leading to healthier and more productive plants. Soil biology stimulants can be applied through soil drench, foliar spray or seed coating.
wetting agent	A chemical added to reduce the surface tension of a liquid and allow it to spread more easily and evenly over plant surfaces (reduces beading). Also known as a surfactant.





			Product type		gredient(s)		Use							
Trade Name	Source	Registered Product Type (APVMA	Has been used as / for (not registered)	Active Ingredient(s) (APVMA Registered Products)	Main ingredient(s) of non registered products	Registered Use (APVMA Registered)	Has been used as / for (not registered)2	Сгор	Manufacturer	Formulation	Australian Certified Organic	рН	Analysis	Trial Information
Actinobact	microbial	Registered) not registered	growth stimulant/ regulator	not registered	Streptomyces sp.	not registered	root system	all crops	Sustainable Farming Solutions	liquid	Yes	6 to 6.8	Streptomyces sp. and Bacillus subtilis 1 x 10^8	-
ctinovate Biofungicide	microbial	fungicide	-	Streptomyces lydicus strain WYEC 108	Bacillus subtillus	Preventative control of foliar diseases	-	vegetable crops and others (foliar diseases, soilborne disease	s Novozymes BioAg Limited	powder	Yes	n/a	CFU/mL Streptomyces lydicus strain WYEC 108 at 1 x 10^7	Trials undertaken by
Ū						(incl. <b>powdery mildew</b> ) and soilborne diseases (incl. <b>Fusarium</b> wilt, <b>Rhizoctonia</b> root rot, <b>Pythium</b> damping off) + Biological soil amendment (to supplement nutrient availability, plant growth)	3	through seed treatment, see label); <b>all crops</b> (biological soil amendment)	(Novozymes Biologicals Ltd), Canada / Novozymes Australia Pty Ltd, NSW				CFU/g	manufacturer (protected data with APVMA)
Actiwave	plant extract	not registered	growth stimulant/ regulator	not registered	plant extracts (no further information given)	not registered	crop health	all crops	Valagro	liquid	No	6.4	4 Nitrogen 3%, Potassium 5.8%, Iron 0.5% Zinc 0.08%, Organic carbon (soluble in water) 12%	-
Advance Promote	microbial	not registered	soil biology stimulant	not registered	VAM Fungi, Humates, Amino acids, micros, kelp, sugars	not registered	root system health	all crops	MicroSoil	liquid	No	4 - 5.5	Bacillus & Pseudomonas (14 strains - 340 CFU/ml)	-
Agree WG biological insecticide	microbial	insecticide	-	Bacillus thuringiensis Berliner subsp aizawai	-	armyworm   cabbage moth   cabbage white butterfly   cotton budworm or bollworm   grapevine moth   light brown apple moth   looper moth   native budworm or bollworm   painted vine moth   pear looper   soybean looper		amenity tree   cereal grain   cotton   forestry   fruit crop   herb   macadamia   oilseed crop   ornamental   tobacco   tur   <b>vegetables - see label</b>   vine	Certis U.S.A. L.L.C. f	granular	No	-	Bacillus thuringiensis Berliner subsp. aizawai strain GC-91 concentration not given.	
Agro-Vam	microbial	not registered	soil biology stimulant	not registered	one VAM (Vesicular Arbuscular Mycorrhizae) species: <i>Rhizophagus irregularis</i> (previously known as <i>Glomus intraradices</i> )	not registered	mycorrhizae	all vegetable crops + others	AgroBest Australia Pty Ltd, Queensland	powder	No	2.6 - 2.8	Rhizophagus irregularis (formerly Glomus intraradices) at 100 (spores + propagules)/g	-
All Star Stim	composite/blend	l not registered	soil biology stimulant	not registered	polyglutamic acid from <i>Bacillus</i> ; fish skin and seaweed extracts	not registered	reduced plant stress, increased microbial activity, soil health, enhanced nutrient uptake	all crops	Seawins	liquid	SXC certified	4.0 - 6.0	Fulvic acid 5%, PGA 0.5%, amino acid 1%, seaweed polysaccharides 10%, alginic acid 3%, organic matter 15-20%	1 -
Aloe-Tech	plant extract	not registered	growth stimulant/ regulator	not registered	gibberellins, indole acetic acid, polysaccharides, aloins, saponins, B vitamins	not registered	crop health	all crops	Nutri-Tech Solutions (NTS)	liquid	Yes	3.7 to 4.5	Whole leaf <i>Aloe vera</i> extract 100%	-
Alosca EasyRhiz	microbial	not registered	soil biology stimulant	not registered	One or more rhizobial (bacterial) strains	not registered	Stimulation of rhizobial nodulation, nitroger fixation and yield	crop and pasture <b>legumes</b>	Alosca Technologies Pty Ltd, WA	freeze dried	No	n/a	Rhizobia > 1 x 10^7 CFU/g. The strains are classified into Groups (AL, C, FE, GS, N) matched to crops they can inoculate.	-
Alosca Granular	microbial	not registered	soil biology stimulant	not registered	One or more rhizobial (bacterial) strains	not registered	Stimulation of rhizobial nodulation, nitroger fixation and yield	crop and pasture <b>legumes</b>	Alosca Technologies Pty Ltd, WA	granular	No	n/a	Rhizobia > 1 x 10^9 CFU/g. The strains are classified into Groups (AL, AM, B/S, C, E/F, G/S, N) matched to crops they can inoculate.	http://alosca.com.au/wp- content/uploads/2015/08/ALOSCA- new-technology-to-deliver- rhizobia.pdf
Alosca Nodule N (Peat)	microbial	not registered	soil biology stimulant	not registered	One or more rhizobial (bacterial) strains	not registered	Stimulation of rhizobial nodulation, nitroger fixation and yield	crop and pasture <b>legumes</b>	Alosca Technologies Pty Ltd, WA	compost style	≥ No	n/a	Rhizobia > 1 x 10^7 CFU/g. The strains are classified into Groups (AL, AM, BS, C, FE, GS, N, Biserrula) matched to crops they can inoculate.	-
Amifol K	amino acids	not registered	crop nutrition	not registered	Amino Acids + Potassium	Not Registered	Increase fruit fill & quality	all crops	Rovensa ANZ (Tradecorp)	Liquid	No	11.2	Potassium 38.6%, L-α free amino acids 7.5% (all w/v)	https://tradecorpaustralia.com.au/ =amifol+k&x=0&y=0
Amino Boss	amino acids	not registered	growth stimulant/ regulator	not registered	50% (635g/L) Amino Acids, 26% Organic Nitrogen, 8% Organic Carbon.	not registered	crop health	all crops	Sipcam (Agricrop)	liquid	Yes	6 to 7	Alanine 5.4%, Arginine 0.5%, Aspartic acid 1.6%, Glutamic acid 5.2%, Glycine 12%, Hydroxylysine 2.1%, Hydroxyproline 3.5%, Histidine 0.4%, Isoleucine 0.9%, Leucine 1.8%, Lysine 1.7%, Methionine 0.7%, Ornithine 2.5%, Phenylalanine 1.2%, Proline 6.9%, Serine 0.3%, Threonine 0.5%, Tyrosine 1.2%, Valine 1.6%, Carbon 26%, Nitrogen 8%	-
Amino-max	amino acids	not registered	crop nutrition	not registered	amino acids	not registered	crop health	all crops	Nutri-Tech Solutions (NTS)	liquid	Yes	5 to 6	Nitrogen 5.78%, Amino acids 40%, Free amino acids 28%	-
Amino-Tech	amino acids	not registered	crop nutrition	not registered	amino acids	not registered	crop health	all crops	Nutri-Tech Solutions (NTS)	liquid	Yes	3.5 to 5	Nitrogen 2.6%, Phosphorous 0.36%, Potassium 0.16%, Sulphur 3950mg/L, Calcium 1040mg/L, Magnesium 94mg/L, Iron 9mg/L, Zinc 7mg/L, Boron 1mg/L	-
Aminocal	seaweed extrac	t not registered	crop nutrition	not registered	amino acid chelated calcium	not registered	crop health	all crops	Seawins	liquid	SXC certified	6.24	4 calcium 17%, L-free amino acids, 11% total nitrogen (organic) 1.3%	-
AminoPlus	seaweed/fish	not registered	crop nutrition	not registered	fish extract 50-100%, kelp extract 25-50%	not registered	nutrition	all crops	Omnia	liquid	Yes	4	N: 2.1% wt/vol, Natural Amino Acids, Plant growth stimulants, Trace Elements, Chelating Agents.	-
Aqua Power 5-1-1	fish extract	not registered	crop nutrition	not registered	hydrolysed fish protein and bone meal	not registered	nutrition	all crops	Zadco (JH Biotech)	liquid	Yes	n/a	Nitrogen 5%, Phosphorous 1%, Potassium 1%, 20 amino acids, 13 vitamins, 8 minerals (trace amounts)	-
Aspen	microbial	not registered	soil biology stimulant	not registered	Azospirillum brasilense	not registered	crop health	all crops	Novum Lifesciences, Queensland	liquid	Yes	4.5 - 8.5	1 x 109 CFU/ml	-
Aton Mo	amino acids	not registered	stress resistance	not registered	Amino Acids + Molybdenum	Not Registered	Reduce abiotic stress and increase Mo absorption to promote Nitrogen use efficiency	all crops	Rovensa ANZ (Tradecorp)	Liquid	No	3.9	Molybdenum 7.7%, L-ɑ free amino acids 6.4%, Phosphorus 6.4%, Total Nitrogen 3.3% (all w/v)	
B. Sub	microbial	not registered	growth stimulant/ regulator	not registered	Bacillus subtilis, activator	not registered	crop health	all crops	Nutri-Tech Solutions (NTS)		Yes	n/a	not supplied	-
Bacchus WG	microbial	insecticide	-	Bacillus thuringiensis subsp. aizawai strain GC-91 (1200 ITU/mg)		lepidoptera larvae	-	all crops	Campbell Chemicals	granular	n/a	4.1	Bacillus thuringiensis subsp. aizawai strain GC-91 (1200 ITU/mg)	-
BACSTIM® 100	microbial	not registered	soil biology stimulant	not registered	Bacillus sp.	not registered	root nutrient uptake	all crops	Omnia	liquid	No	4.2	2 strains Bacillus licheniformis, 2 strains Brevibacillus laterosporus, 1 strain Bacillus amyloliquefaciens, Total concentration 2 x 10/9 CFU/ml	-
Balance & Grow	composite/blend	d not registered	growth stimulant/ regulator	not registered	Fermented product - Microbial inoculum: fungi,bacteria, yeast and protozoans (not specified); Liquid food source containing calcium and phosphate, vitamins, minerals, proteins, enzymes, amino acids and carbohydrates (not specified).	not registered	Foliar nutrition spray to enhance vegetative growth	all crops	BioAg Pty Ltd, New South Wales	liquid	Yes	2.2	Micro-organisms (unknown g/L). All % as w/w%: Nitrogen 0.1%, Phosphorus 1.3%, Potassium 0.4%, Sulphur 0.8%, Calcium 0.5%, Magnesium 0.03%, Sodium 0.1%	https://www.bloag.com.au/trials- demonstrations/
BAM	microbial	not registered	soil biology stimulant	not registered	blend of beneficial anaerobic organisms including phototropic non-sulphur bacteria and lactic acid bacteria	not registered	composting, crop health, nutrient availabilit	y all crops, also compost, effluent ponds, septic treatment	Nutri-Tech Solutions (NTS)	liquid	Yes	2.5 - 4	not supplied	-







	1	-	-			1		1		1		1		
Trade Name	Source	Registered	Product type Has been used as / for (not	Active Ingredient(s) (APVMA	ngredient(s) Main ingredient(s) of non registered	Registered Use (APVMA Registered)	Use Has been used as / for (not registered)2	Crop	Manufacturer	Formulation	Australian	ρH	Analysis	Trial Information
		Product Type (APVMA Registered)	registered)	Registered Products)	products						Certified Organic	ľ		
Basis XC	microbial	not registered	soil biology stimulant	not registered	microorganisms including Bacillus licheniformis	not registered	fertiliser efficiency	all crops	Loveland (distributed by Nutrie Ag)	n liquid (for impregnation on dry	No		8 water-based culture medium 99%, microorganisms <1%, Bacillus licheniformis 1 x 103 CFU/ml	-
Batallon	plant extract	not registered	growth stimulant/ regulator	not registered	proprietary plant extracts; fulvic acid	not registered	Increasing fruit size and yield	all fruiting crops	Kimitec	fertilisers) liquid	Yes	7-9	46.6% fulvic acids , 2.5% N w/v, 7.8% K w/v	https://sustainablefarming.com.au
Bee-Tagonizer Bee	microbial	not registered	fungicide	not registered	spores of beneficial fungus Trichoderma	not registered	entomovectoring: beneficial fungus that is	crops reliant on bee pollination for fruit set, including	Metcalf BioControl (Biocontrol	powder	Yes	n/a	Trichoderma harzianum strain Td81b at 2 x 10^8	als/trials-database/ https://awitc.com.au/wp-
Vectoring Powder					harzianum strain Td81b		carried by bees to colonise flowers and assist with fruit set, control of fungal pathogens	vegetables	Australia Pty Ltd), Tasmania				spores/g	content/uploads/2016/07/130 Me lf.pdf
Benefit PZ	plant extract	not registered	growth stimulant/ regulator	not registered	plant extracts (no further information given)	not registered	crop health, stress tolerance	all crops	Valagro	liquid	No	6.1	8 Nitrogen 4%, Potassium 6.6%, Organic carbon (soluble in water) 10%	-
Bio Kelp			crop nutrition	not registered	kelp extract, potassium	not registered	crop health Pre-plant soil conditioner/fertiliser to	all crops all crops	SLTEC YLAD Living Soils,	liquid liquid	No Yes	8.5-9.5	20% Kelp, 3.2% K not supplied	-
Extract			soil biology stimulant	not registered	Micro-organisms (not specified), humic acids, enzymes, plant hormones and minerals		stimulate beneficial microbial activity in the root zone and biological processes. Also applied as foliar fertiliser.		New South Wales					Independent 3 year trial results available with manufacturer
Bio-Hum Concentrated Fertiliser Additive	Composite/biend	not registered	soil biology stimulant	not registered	Microbial inoculum: Enterococcus faecalis, Lactobacillus spp., Pediococcus pentosaceus, Aspergillus spp., Saccharomyces cerevisiae, Bacillus subtilis subspp. Humic and fulvic acids	not registered	Pre-plant soil conditioner/fertiliser additive to stimulate beneficial microbial activity in the root zone and biological processes.		Biolink 4 Plants Pty Ltd, Victoria	liquid	Yes	n/a	not supplied	-
Bio-N	microbial	not registered	crop nutrition	not registered	nitrogen fixing bacteria - Azotobacter species		nitrogen	all crops	Nutri-Tech Solutions (NTS)	liquid	Yes	n/a	not supplied	-
Bio-P Bio-Plex	microbial microbial	not registered not registered	crop nutrition growth stimulant/ regulator	not registered not registered	Azotobacter spp., Bacillus subtilis Azobacter spp.	not registered not registered	Phosphorous leaf life	all crops all crops	Nutri-Tech Solutions (NTS) Nutri-Tech Solutions (NTS)	liquid liquid	Yes Yes	n/a n/a	not supplied not supplied	-
Bio-Size	microbial	not registered	soil biology stimulant	not registered	by-products of microorganisms (no living organisms): betaines and amino acids	not registered	stimulate microorganisms	all crops	Zadco (JH Biotech)	liquid	Yes	n/a	not supplied	-
Biocrystal Kurstaki biological insecticide	microbial	insecticide	-	Bacillus thuringiensis subsp. kurstaki strain HD-1		armyworm   cabbage moth   cabbage white butterfly   Helicoverpa armigera   light brown apple moth   looper - Chrysodeixis spp.   native budworm or bollworm   pear looper   soybean looper   tobacco looper or looper caterpillar   vine moth		adzuki bean   amenity tree   canola   cereals   chickpea   cotton   faba bean   field bean   field pea   forestry   fruit   herb   lentil   linola   lucerne   lupin - weed free seedbed   mung bean   navy bean   oilseed crop   ornamental   pigeo pea   safflowers   sorghum   soybean   sunflower   tobacco   turf   vegetable   vetch   vine		liquid	No	n/a	Bacillus thuringiensis subspecies kurstaki strain HD-1. Concentration not given.	-
BioFlora GO Isolates	microbial	not registered	soil biology stimulant	not registered	two Bacillus species: Bacillus amyloliquefaciens and B. subtilis	not registered	enhanced soil microbial activity, soil and plant health	all vegetable crops + others	BioFlora, Queensland	liquid	Yes	9.1	Bacteria at 10^3 CFU/mL	https://bioflora.com.au/australian- trial-results/
BioFlora IsoGreen	composite/blend	l not registered	soil biology stimulant	not registered	Four species of microalgae: Scenedesmus quadricauda, S. obliquus, Chlorella vulgaris, Nannochloris atomus; Two Bacillus species: Bacillus amyloliquefaciens and B. subtilis; humic and fulvic acids	not registered	enhanced soil microbial activity, soil and plant health	all vegetable crops + others	BioFlora, Queensland	liquid	Yes	8.7	Bacteria at 10^3 CFU/mL; Microalgae at 10^3 cells/mL; Humic acid 2%, Fulvic acid 1%	-
BioFlora Sea Isolates	composite/blend	d not registered	soil biology stimulant	not registered	liquid inoculant derived from seaweed (Ascophyllum nodosum) containing Bacillus amyloliquefaciens + trace/micronutrients, plant growth hormones (auxins, cytokinins, gibberellins)	not registered	enhanced soil microbial activity, soil and plant health	all vegetable crops + others	BioFlora, Queensland	liquid	Yes	3.2	Bacillus amyloliquefaciens at 1 x 10^6 CFU/mL; Total nitrogen 0.10%; Soluble potash 0.10%	https://bioflora.com.au/australian- trial-results/
BioGarlic BiologicAL BLUS		not registered	pest deterrent	not registered	garlic oil	not registered	insect pests	all crops	Zadco (JH Biotech)	liquid	Yes	n/a	garlic oil 10%, water 90%	-
BiologiCAL PLUS BiologiCAL PLUS TE	composite/biend	not registered	stress resistance	not registered	calcium acetate	not registered	soil biology/saline or sodic soils	all crops all crops	SLTEC	liquid	No		41.8% molasses, 0.3% kelp, 0.2% Humic, 0.3% Fish, 0.1% B, 6.3% Ca, 1.8% S, 2% K, 38.0% molasses, 0.23% kelp, 0.2% Humic, 0.2%	-
						horregistered				iiquiu		0.5 7.5	Fish, 5.9% Ca, 1.8% K, 1.7% S	
BioMAX BioLogic Blend		1 not registered	soil biology stimulant	not registered	Brown coal (humic acid); Seven bacterial species: Azospirillum brasilense, Bacillus subilis, B. megaterium, Cellulomonas cellasea, Pseudomonas fluorescens, P. putida, Streptomyces cellulosae; Two fungal species: Trichoderma harzianum, Yarrowia lipolytica	not registered	Pre-plant soil conditioner/fertiliser to stimulate beneficial microbial activity in the root zone and biological processes: nitroge fixation, phosphorus solubolisation, growth hormone production	n	LawrieCo Pty Ltd trading as LawrieCo, South Australia	compost style	e No	-	Inoculum: Bacterial and fungal species (no concentration specified); Elements expressed as www % (dry basis): Nitrogen 0.34, Phosphorus 2.2, Potassium 0.05%, Sulphur 1.6%, Calcium 6.7%, Magnesium 0.9%, Sodium 0.3%, Silica 0.12%, Iron 2.9%, Manganese 0.03%, Organic Carbon 22.3%, Humic acid 27.3%, Moisture 25 - 35%.	
BioMAX Digest Fungi & Food +	composite/blend	not registered	soil biology stimulant	not registered	Four fungal species: Chaetomium brasiliense, C. globosum, Trichoderma viride and T.	not registered	Crop residue (stubble) management: postharvest cellulose decomposing fungal	all crops	LawrieCo Pty Ltd trading as LawrieCo,	liquid	No	4.8 5	Microbial inoculum: Fungal species (concentration not specified);	n -
Kicker					harzianum; kelp, fulvic acids		inoculum		South Australia				Other ingredients expressed as w/w%: Water 30 60%, Ammonium sulphate 10 - 30%, Ammonium nitrate 10 - 30%, Urea 10 - 30%, Potassium fulvate (fulvic acid, potassium salt) 5 - 10%, Proprietary Plant Growth Stimulants 10 - 30%	
BioMAX Kelp Powder	seaweed extract	t not registered	soil biology stimulant	not registered	Soluble seaweed (Ascophyllum nodosum) extract powder	not registered	enhanced soil microbial activity, soil and plant health	vegetable crops ( <b>legumes, onions, carrots, potatoes</b> ) + others	s LawrieCo Pty Ltd trading as LawrieCo, South Australia	powder	Yes	(at 20 °C,	Ingredients expressed as w/w%: Ascophyllum nodosum extract > 93.5%, water < 6.5%. All %=w/v%: Nitrogen > 0.5%, Potassium (as oxides) > 12.4%, Potassium (as organic) > 1.7%, Sulphur 1.0 - 2.0%, Calcium 0.2 - 0.5%, Magnesiur 0.2 - 0.6%, Boron 0.0075%, Iron 0.02%, Manganese 0.004%, Copper 0.001%, Zinc 0.005% (Carbon (organic) > 20%	
BioMAX MicroLife Inoculum + Food	composite/blend	i not registered	soil biology stimulant	not registered	Ingredients for fermentation process - Microbial inoculum: Seven bacterial species: Azospirillum brosilense, Bacillus subtilis, B. megaterium, Cellulomonas cellasea, Pseudomonas fluorescens, P. putida, Streptomyces cellulosae; Two fungal species: Trichoderma harzianum, Yarrowia lipolytica; humic acid. Liquid food source: yeast (not specified) extract, potato starch, peptone, molasse, malt extract, inorganic salts, thiamine HCI	not registered	Use as fermented product - Foliar spray alone or generally a foliar spray with nutrition, it can also be used as a direct inject or in drip irrigation (fertigation) combined with nutrient applications. It is also added to manufacturer's foliar nutritio products (incl. HumiPLEX, NutriMAX liquid range) and is used to inoculate manufacturer's brown coal based BioMax BioLogic Blend	all crops	LawrieCo Pty Ltd trading as LawrieCo, South Australia	powder + liquid	No	(at 20 °C, 50 g/L	Inoculum ingredients expressed as w/w%: Inoculum ingredients expressed as w/w%: Bacterial and fungal species 15 - 20%, Wheat germ 25 - 30%, Humic acid (potassium salt) < 2%, inert carrier (excipient) 50 - 60%. Liquid food ingredients expressed as w/w%: wate 50 - 60%, yeast extract 5 - 10%, potato starch 5 - 10%, peptone 5 - 10%, molasses 5 - 10%, malt extract < 5%, inorganic salts < 5%, thiamine HCl < 0.5%	r







			Product type		Ingredient(s)		Use							1
Trade Name	Source	Registered	Has been used as / for (not	Active Ingredient(s) (APVMA	Main ingredient(s) of non registered	Registered Use (APVMA Registered)	Has been used as / for (not registered)2	Сгор	Manufacturer	Formulatio	n Australian	рН	Analysis	Trial Information
		Product Type (APVMA Registered)	registered)	Registered Products)	products						Certified Organic			
Bioweed Organic	plant extract	herbicide	-	Pine oil (not specified)	-	Control of wide range of weeds, see label		orchards, vineyards and others, see label	GreenPro Solutions Pty Ltd, Queensland	liquid	Yes	7	Pine oil 680 g/L	Protected trial (efficacy and safety) data with APVMA
BiOWiSH Crop	microbial	not registered	soil biology stimulant	not registered	Microbial inoculum: Bacillus subtilis, Bacillus amyloliquefaciens, Bacillus licheniformis, Bacillus pumilus. Dextrose	not registered	Soil conditioner/fertiliser supplement through fertigation or (foliar) spray to stimulate beneficial microbial activity in the root zone and biological processes.	all crops	BiOWiSH Technologies Inc., US / Enviro Nutrition Pty Ltd, Queensland	A powder	Yes	5.0 - 6.0 S.U	J Bacterial live cultures (total < 1.0%): Bacillus subtilis ≥ $2.5 \times 10^{7}$ CFU/g, B. amyloliquefaciens ≥ $2.5 \times 10^{7}$ CFU/g, B. licheniformis ≥ $2.5 \times 10^{7}$ CFU/g, B. pumilus ≥ $2.5$ $10^{7}$ CFU/g Dextrose 97.0 - 99.0%	×
BiOWISH Crop 16-40-0	composite/blenc	d not registered	soil biology stimulant	not registered	Microbial inoculum: Bacillus subtilis, Bacillus amyloliquefaciens, Bacillus licheniformis, Bacillus pumilus. Diammonium phosphate, diatomaceous earth	not registered	Soil conditioner/fertiliser supplement through fertigation or (foliar) spray to stimulate beneficial microbial activity in the root zone and biological processes.	ali crops	BiOWiSH Technologies Inc., US / Enviro Nutrition Pty Ltd, Queensland	A powder	No	7.9 - 8.5 S.L	Deatrerial live cultures (total < 1.0%): Bactila live cultures (total < 1.0%): Bacillus subtilis 1.0 x 10^8 CFU/g, B. amyloliquefaciens 1.0 x 10^8 CFU/g, B. licheniformis 1.0 x 10^5 CFU/g, B. pumilus 1.0 x 10^6 CFU/g Diammonium phosphate 93.0 - 97.0%, Diatomaceous earth 3.0 - 5.0%, Guaranteed Analysis: ammoniacal nitrogen 16.0%, available phosphate 40.0%	https://biowishtechnologies.com/pro duct/crop-16-40-0/
BiOWiSH Crop Liquid	microbial	not registered	soll biology stimulant	not registered	Microbial inoculum: Bacillus subtilis, Bacillus amyloliquefaciens, Bacillus licheniformis, Bacillus pumilus.	not registered	Fertiliser manufacturing: liquid product can be coated onto a wide range of solid fertilisers and fertiliser fillers, or mixed with liquid fertilisers to create enhanced efficiency fertilisers		BiOWiSH Technologies Inc., US / Enviro Nutrition Pty Ltd, Queensland	A liquid	Yes	5.0 - 7.0 S.U	Bacterial Tive cultures in aqueous suspension (total 99.0 - 99.9%): Bactilus subtilis, B. amyloliquefaciens, B. licheniformis, B. pumilus: all 1.0 x 10^9 CFU/g; Calcium sulfate 0.1 - 1.0%, Preservative 0.01 - 0.1%	https://biowishtechnologies.com/pro duct/crop-liquid/
Bombardier	plant extract	not registered	stress resistance	not registered	Proprietary plant extracts	not registered	aid in adverse conditions: heat, cold, frost stress; soil constraints; disease pressure	All crops	Kimitec	liquid	Yes	5.5-7.5	29.6% fulvic acid, 16.6% free amino acids, 7.9% saccharides	https://sustainablefarming.com.au/tr als/trials-database/
Bombardier Sugar	plant extract	not registered	growth stimulant/ regulator	not registered	Proprietary plant extracts	not registered	promote sugar formation and ripening including colour in fruiting crops	all fruiting crops	Kimitec	liquid	Yes	5-7	38.3% oligosaccharides (w/v), 19.8% fulvic acid (w/v) 10.3% amino acids (w/v), 6.6% Total N (w/v)	https://sustainablefarming.com.au/tr als/trials-database/
Boramin Ca	amino acids	not registered	stress resistance	not registered	Amino Acids + Calcium + Boron	Not Registered	Reduce abiotic stress and increase flowering success and fruit quality	all crops	Rovensa ANZ (Tradecorp)	Liquid	No	2.8	Total Nitrogen 8.8%, Calcium 7.3%, L-α free amin acids 6.4%, Boron 0.27% (all w/v)	
Botector	microbial	fungicide	-	Aureobasidium pullulans strains DS	M -	control (preventative) of grey mould	-	fruiting vegetables ( <b>eggplant</b> , melon, <b>capsicum, tomato</b> ,	Nufarm Australia Ltd,	granular	Yes		Aureobasidium pullulans strains DSM 14940 &	-
Bolector	merobar	lungicide	-	14940 & 14941	-	( <i>Botrytis cinerea</i> ), suppression of sclerotinia ( <i>Sclerotinia sclerotiorum</i> ); other diseases as per label	-	zucchini) and berries	Victoria	granuar	Tes		14941 at minimum 2.5 x 10^9 CFU/g	-
BTI 1200	microbial	insecticide	-	Bacillus thuringiensis subsp. israelensis serotype H14a	-	mosquito larvae	-	all crops	Barmac Industries	liquid	n/a	4.8	not supplied	-
Campbell Bacchus WG biological insecticide	microbial	insecticide	-	Bacillus thuringiensis Berliner subsp aizawai		armyworm   cabbage moth   cabbage white butterfly   cotton budworm or bollworm   light brown apple moth   looper   native budworm or bollworm   susceptible insect species - see label   vine moth		agricultural non-crop areas   amenity tree   cereal grain   forestry   fruit   herb   macadamia   oilseed crop   ornamental   tobacco   turf   <b>vegetable</b>   vine	Colin Campbell (Chemicals) Pty Ltd	/ granular	No	n/a	Bacillus thuringiensis Berliner subsp. aizawai strain GC-91 concentration not given.	-
CataPult /SuperFine /Power Inoculum /Power Seed Dressing	microbial	not registered	soil biology stimulant	not registered	Four species of VAMs (vesicular arbuscular mycorrhizae, not specified) + two species of phosphorus solubilising Bacillus	not registered	mycorrhizae	all mycorrhizal crops	Mapleton Agri Biotec Pty Ltd / Vanadis Bio Science Pty Ltd, Queensland	powder	No	n/a	not supplied	https://www.mabiotec.com/pdfs/tria ls/CataPult-TwinN-walnut-trial- UPDATE.pdf
	composite/blenc microbial	d not registered insecticide	wetting agent -	not registered Bacillus thuringiensis subspecies	canola oil, fish oil -	not registered cotton budworm or bollworm   native	product penetration -	all crops chickpea   cotton   cotton - pre-squaring	Nutri-Tech Solutions (NTS) Certis U.S.A. L.L.C.	liquid granular	Yes No	7 to 8 n/a	not supplied Bacillus thuringiensis Berliner subsp. aizawai	-
insecticide	amino acids	not registered	stress resistance	kurstaki strain SA-12 not registered	Amino Acids	budworm or bollworm Not Registered	Reduce Abiotic Stress	all crops	Rovensa ANZ (Tradecorp)	Liquid	Yes	7.2	strain GC-91 concentration not given. L-α free amino acids 28.8%, Total Nitrogen 10.8% (all w/v)	content/uploads/2018/02/2017-
Delfin WG biological insecticide	microbial	insecticide		Bacillus thuringiensis <sup>.</sup> Berliner var. kurstaki	Bacillus thuringiensis Berliner var. kurstaki	armyworm   cabbage moth   cabbage white butterfly   cluster caterpillar   corn earworm   grapevine moth   Helicoverpa armigera   lawn armyworm   light brown apple moth   looper   looper - Chrysodeixis spp.   native budworm or bollworm   painted vine moth   pear looper   soybean looper   tobacco looper or looper caterpillar   vine moth	· · · · · · · · · · · · · · · · · · ·	amenity tree   cereal grain   forestry   fruit   herb   oilseed crop   ornamental   tobacco   turf   <b>vegetables - see label</b>   vine	Certis U.S.A. LLC.	granular	No	n/a	Bacillus thruringiensis subspecies kurstaki strain SA-11. Concentration not given.	<u>Sweetcom-Delfan-Plus-TCAU-ENG-</u> <u>v1_3-1R.pdf</u>
DiaSil	microbial	not registered	growth stimulant/ regulator	not registered	Micronised diatomaceous earth (fossilised remains of diatoms, a type of hard-shelled protists)		Applied as a seed coating, seedling drench, soil application, fertigation and a foliar spray (best in combination with LoliPepta product) for plant growth stimulation and environmental stress resilience	, ali crops	Novum Lifesciences, Queensland	powder	Yes	-	Elements expressed as %w/w. Diatomaceaous earth ≥ 95%, Silica as quartz < 3%	-
Digester	microbial	not registered	soil biology stimulant	not registered	Fermentation extract (Pseudomonos putida ) and plant nutrients	not registered	Breakdown organic matter	all crops	BioStart	liquid	no	4	from label - bacteriocins, enzymes, signal molecules and secondary metabolites from the fermentation of beneficial bacteria; from manufacturer - Manganese, zinc, potassium, boron, phosphorous, nitrogen, amino acids	https://biostart.com.au/wp- content/uploads/sites/4/2022/10/BIC S-179-Digester-Technical-Sheet-Two- Page_web.pdf
Digestor NP	microbial	not registered	soil biology stimulant	not registered	microbial stimulantia (not specified)	not registered	soil health (stimulation of bacterial group Alphaproteobacteria, Sphingomonas spp.), nutrient uptake through irrigation, boom spray, over manure or compost, or via liqui injection		Metagen Pty Ltd, Queensland	liquid	No	3.2	not supplied	-



		-					1100				1	1		
Trade Name	Source	Registered	Product type Has been used as / for (not	Active Ingredient(s) (APVMA	Ingredient(s) Main ingredient(s) of non registered	Registered Use (APVMA Registered)	Use Has been used as / for (not registered)2	Сгор	Manufacturer	Formulation	Australian	рН	Analysis	Trial Information
		Product Type (APVMA Registered)	registered)	Registered Products)	products						Certified Organic	ĺ		
DiPel DF biological	microbial	insecticide	-	Bacillus thuringiensis subsp kurstaki	-	armyworm   cabbage moth   cabbage	-	amenity plantings   cereal grain   forestry   fruit   herb	Sumitomo Chemical Australia	granular	Yes	n/a	Bacillus thruringiensis subspecies kurstaki strain	Trials undertaken by
insecticide dry flowable	e			strain ABTS-351		white butterfly   cotton budworm or bollworm   green looper   light brown apple moth   native budworm or bollworm   pear looper   soybean looper   tobacco looper   vine moth		oilseed crop   ornamental   tobacco   turf   <b>vegetable</b>   vine	Pty Ltd				ABTS-351. Concentration not given.	manufacturer
DiPel SC biological	microbial	insecticide	-	Bacillus thuringiensis subsp kurstaki	-	armyworm   cabbage moth   cabbage	-	adzuki bean   canola oilseed crop   chickpea   cotton   faba	Sumitomo Chemical Australia	liquid	Yes	n/a	Bacillus thruringiensis subspecies kurstaki strain	https://sumitomo-
insecticide suspension concentrate				strain ABTS-351		white butterfly   cotton budworm or bollworm   green looper   native budworm or bollworm   pear looper   soybean looper   tobacco looper		bean   field pea   lentil   linola   linseed oil crop   lucerne   lupin   mung bean   navy bean   oilseed crop   pigeon pea   pulse crops   safflower oilseed   sorghum   soybean   sunflower   vetch	Pty Ltd				ABTS-351, concentration not given; hydrocarbon liquid 683g/L	chem.com.au/sites/default/files/li terature/dipelsc_broadacre_broc bure.pdf
Dominate-F	microbial	not registered	soil biology stimulant	not registered	not stated	not registered	microbial brew adjuvant for fungal dominated brew	all crops	Nutri-Tech Solutions (NTS)	liquid	Yes	4.4 - 5.4	not supplied	-
EasyRhiz	microbial	not registered	soil biology stimulant	not registered	One or more rhizobial (bacterial) strains	not registered	Stimulation of rhizobial nodulation, nitroger fixation and yield	crop and pasture <b>legumes</b>	New Edge Microbials Pty Ltd, NSW	freeze dried	No	n/a	Rhizobium leguminosarum > 5 x 10^11 CFU/g. The strains are classified into Groups (F, H, I, J, M, N, P, Specials: Adzuki bean, Common bean, Burgundy bean, Fenugreek, Guar Bean) matched to the crops they can inoculate.	-
Eco Advance	microbial	not registered	crop nutrition	not registered	Azotobacter sp., Azosporillum, Bacillus subtilis Bacillus megaterium, cellulosic fungi (Chaetomium spp.), mycorrhiza (Glomus intraradices), Pseudomonas spp., Rhizobium, Streptomyces, Trichoderma.		crop health, soil biology	all crops	Eco Growth	additive in other fertilise products	Yes	n/a	not supplied	-
Eco Fulvate	humic/fulvic	not registered	crop nutrition	not registered	Fulvic acid	not registered	plant uptake	all crops	Eco Growth	liquid	Yes	n/a	1% K w/v, 10.1% fulvic acid	-
Eco Humate	humic/fulvic	not registered	crop nutrition	not registered	humic acid, potassium	not registered	soil health, soil biology, crop health	all crops	Eco Growth	liquid	Yes	n/a	Humic acid 12.2%, Potassium 2.2%	-
Eco Vital	seaweed/fish	not registered	crop nutrition	not registered	chelated fish extract, kelp, plant extracts	not registered	crop health, stress tolerance	all crops	Eco Growth	liquid	Yes	n/a	Nitrogen 2%, Phosphorous 0.6%, Potassium 0.4%, Calcium 0.5%, Magnesium 0.2%, Iron 0.07%, Zinc 750ppm, Manganese 704ppm, Copper 730ppm, Molybdenum 1ppm, Boron 34ppm, Cobalt 8ppm	-
Eco-Oil Hippo (Commercial)	plant extract	insecticide	-	Emulsifiable botanical oil	-	acaricide (carmine mite, two-spotted spider mite, insecticide (aphids, whitefly scale, mealy bug); adjuvant (improves wetting and sticking of sprays insecticides, fungicides, foliar fertilisers		horticultural crops, see label	Organic Crop Protectants Pty Ltd, New South Wales	liquid	Yes	-	Emulsifiable botanical oils 850 g/L (oils not specified)	https://ocp.com.au/wp- content/uploads/2014/08/OCP254_Ec q-Oil+Comm+Flver_FA_LR.odf
Endo-Fight	microbial	not registered	growth stimulant/ regulator	not registered	mix of 5 products - RhizoPhos, RhizoGuard, Mycorrhiza, AspeN, DiaSil	not registered	crop health, soil biology	all crops	Novum Lifesciences, Queensland	liquid and granular	Yes	7 -8	Azotobacter chroococcum, A. brasilense, Bacillus amyloliquefaciens [strain rm303] 1×10 <sup>9</sup> CFU/ml, Verticillium chlamydosporum, Rhizophagus irregularis	-
EndoFight 2 in 1	microbial	not registered	soil biology stimulant	not registered	Fermented product - Microbial inoculum: Azotobacter chroococcum, Azospirillum brasilense, Bacillus amyloliquefaciens strain rm303	not registered	Pre-plant soil conditioner/fertiliser supplement to stimulate beneficial microbial activity in the root zone and biological processes (including nitrogen fixation)	all crops	Novum Lifesciences, Queensland	liquid	No	6.8 - 7.6	Elements expressed as %w/v. Bacterial live cultures in aqueous suspension (total concentration < 1%): Azotobacter chroococcum, Azospirillum brasilense, Bacillus amyloliquefaciens strain rm303. Non-hazardous components < 1% Water up to 100%	
EndoFight 3 in 1	microbial	not registered	soil biology stimulant	not registered	Fermented product - Microbial inoculum: Azotobacter chroococcum, Azospirillum brasilense, Bacillus amyloliquefaciens strain rm303, Pseudomonas fluorescens	not registered	Pre-plant soil conditioner/fertiliser supplement to stimulate beneficial microbial activity in the root zone and biological processes (including nitrogen fixation, drought stress relief)	all crops	Novum Lifesciences, Queensland	liquid	No	6.8 - 7.6	5 Elements expressed as %w/v. Bacterial live cultures in aqueous suspension (total concentration < 1%): Azotobacter chroococcum, Azospirillum brasilense, Bacillus amyloliquefaciens strain rm303, Pseudomonas fluorescens. Non-hazardous components < 1% Water up to 100%	-
EndoFuse	microbial	not registered	soil biology stimulant	not registered	4 Endomycorrhizal fungi + 91.27% Inert ingredients (carrier)	not registered	mycorrhizae	all broadacre mycorrhizal crops	Sumitomo Chemical Australia Pty Ltd	liquid	No	n/a	Glornus intraradices, Glornus mosseae, Glornus aggregatum, Glornus etunicatum all at 5625 propagules/ml, Humic acid from leanoardite 15%, Inert ingredients 91.27%	https://sumitomo- chem.com.au/sites/default/files/liter ature/endofuse intro and trial data april 2020 lower v111.pdf
EndoPrime	microbial	not registered	soil biology stimulant	not registered	4 Endomycorrhizal fungi + 15% humic acid	not registered	mycorrhizae	all mycorrhizal crops	Sumitomo Chemical Australia Pty Ltd	powder	Yes	n/a	Glomus intraradices, Glomus mosseae, Glomus aggregatum, Glomus etunicatum all at 562 propagules/g, Humic acid from leanoardite 15%, Inert ingredients (clay) 84.3%	Trials undertaken by manufacturer
Evergrow NP	microbial	not registered	soil biology stimulant	not registered	microbial stimulantia (not specified)	not registered	soil health (stimulation of bacterial group Alphaproteobacteria), nutrient uptake through irrigation, boom spray, over manure or compost, or via liquid injection	monocots: cover crop grasses, cereal crops ( <b>corn</b> )	Metagen Pty Ltd, Queensland	liquid	No	3.2	not supplied	-
Farm Saver liquid fish	fish extract	not registered	crop nutrition	not registered	fish extract	not registered	nutrition	all crops	Nutri-Tech Solutions (NTS)	liquid	Yes	4 to 5	Nitrogen 3.31%, Phosphorous 0.3%, Potassium 0.55%, Sulphur 0.71%, Magnesium 248 mg/L,	-
Farm Saver liquid kelp	seaweed extrac	t not registered	growth stimulant/ regulator	not registered	three kelp species, <i>Laminaria</i> spp.,	not registered	nutrition, stress	all crops	Nutri-Tech Solutions (NTS)	liquid	Yes	9.5-10.5	Calcium 135mg/L Potassium 1.5%, Iron 0.11%, Sulphur 0.11%, Calcium 450mg/L Magnosium 170mg/L	-
FertiCoat	composite/blen	d not registered	crop nutrition	not registered	Sargassum spp., Ascophyllum nodosum. information not provided	not registered	reduce leaf scorch, increase nutrient use efficiency	all crops	Omnia	liquid fertilise	r No	>10	Calcium 450mg/L, Magnesium 170mg/L Potassium >4.5% wt/vol, Humic and Fulvic acids, seaweed, amino acids, trace elements and	-
FertiGold	seaweed extrac	t not registered	soil biology stimulant	not registered	green seaweed Enteromorpha prolifera	not registered	reduced plant stress, increased microbial	all crops	Seawins	powder	SXC certified	5 - 7	vitamins, coating polymers. Seaweed polysaccharides 45%, alginic acid 21%,	-
							activity, soil structure						nitrogen (N) 1%, potassium(K) 4.6%, calcium (Ca) 1.9%, iron (Fe) 0.13%, boron (B) 0.03%, organic matter 40%	
Fertile Veg	composite/blen	d not registered	crop nutrition	not registered	NPK and trace elements in glycine amino aci chelate form		nutrition (foliar fertiliser)	all crops	Zadco (JH Biotech)	granular	Yes	n/a	Nitrogen 10%, Phosphorous 10%, Potassium 23%, Sulphur 4%, Magnesium 2%, Zinc 0.03%, Iron 0.018%, Manganese 0.027%, Copper 0.008%, Boron 0.005%, Molybdenum 0.004%	-
Fish Emulsion	fish extract	not registered	crop nutrition	not registered	fish emulsion	not registered	crop health	all crops	SLTEC	liquid	No	3.5-4.0	100% Fish Emulsion, 2.5% N	-
Fish Emulsion Fish Max	fish extract	not registered	soil biology stimulant	not registered	tish	not registered	nutrient source for beneficial microbes soil health, nutrients for beneficial microbes	all crops	Sustainable Farming Solutions		Yes	3.2 - 4 5-6	2.5% N, 0.3% P, 0.25% K, 0.5% Ca, 3% oil content 7.8% N, 0.4% P, 2% K, 0.5% Ca	https://sustainablefarming.com.au/tri als/trials-database/
	fish extract	not registered	soil biology stimulant	not registered	concentrated fish hydrolysate	not registered			Sustainable Farming Solutions		Yes			
Fish Plus	fish extract	not registered	soil biology stimulant	not registered	fish, kelp, fulvic acid	not registered	soil biological activity, soil health	all crops	Sustainable Farming Solutions	μιατία	Yes	13.2 - 4	2.1% N, 1.0% P, 0.5% K, 0.4% Ca	<u> -</u>







			Product type		gredient(s)		Use							
rade Name	Source	Registered Product Type (APVMA	Has been used as / for (not registered)	Active Ingredient(s) (APVMA Registered Products)	Main ingredient(s) of non registered products	Registered Use (APVMA Registered)	Has been used as / for (not registered)2	Сгор	Manufacturer	Formulation	Australian Certified Organic	рН	Analysis	Trial Information
		Registered)												
ower 'n' Fruit Maker	amino acids	not registered	growth stimulant/ regulator	not registered	50% (635g/L) Amino Acids, 26% Organic Nitrogen, 8% Organic Carbon.	not registered	crop health	all crops	Sipcam (Agricrop)	liquid	Yes	6 to 7	Alanine 5.4%, Arginine 0.5%, Aspartic acid 1.6%, Glutamic acid 5.2%, Glycine 12%, Hydroxylysine 2.1%, Hydroxyproline 3.5%, Histidine 0.4%, Isoleucine 0.9%, Leucine 1.8%, Lysine 1.7%, Methionine 0.7%, Omithine 2.5%, Phenylalanine 1.2%, Proline 6.9%, Serine 0.3%, Threonine 0.5%, Tyrosine 1.2%, Valine 1.6%, Carbon 26%, Nitrogen 8%	-
iy Bye	plant extract	not registered	pest deterrent	not registered	4-(p-hydroxyphenyl)-2-butanone, 4-(p- hydroxyphenyl)-2-butanone acetate	not registered	fruit fly	fruit fly susceptible crops	Nutri-Tech Solutions (NTS)	liquid	Yes	n/a	4-(p-hydroxyphenyl)-2-butanone 0.5g/L, 4-(p- hydroxyphenyl)-2-butanone acetate 0.25g/L	-
oliacin	microbial	not registered	stress resistance	not registered	Fermentation extract and plant nutrients	not registered	Foliar health	all crops	BioStart	liquid	no	4	from label - enzymes, microbial signalling	https://biostart.com.au/wp- content/uploads/sites/4/2020/12/3
													molecules, bacteriocins and secondary metabolites from the fermentation of beneficial bacteria and yeast; from manufacturer - Manganese, zinc, potassium, phosphorous, nitrogen, amino acids	content/uploads/sites/4/2020/32/3 72-Foliacin-Brochure-Aust-2018.pdf
FoliCal 19	composite/blend	not registered	growth stimulant/ regulator	not registered	boosted with Fulvic Acid	not registered	nutrition	all crops	Omnia	liquid	No	2.5	Calcium 19% wt/vol	-
Folup Foundation LM	1	not registered	crop nutrition	not registered	potassium fulvate	not registered not registered	enhanced fertiliser uptake, soil health	all crops all crops	Sustainable Farming Solutions Loveland (distributed by Nutrier		Yes	_	10% Fulvic acid with potassium 8 water-based culture medium 99%,	-
	microbial	not registered	soil biology stimulant	not registered	microorganisms including Bacillus licheniformis, Bacillus megaterium, Bacillus pumilus	notregistered	fertiliser efficiency		Ag)		NU		microorganisms <1%, Bacillus licheniformis 1 x 10^3 CFU/mL, Bacillus megaterium 1 x 10^3 CFU/mL, Bacillus pumilus 1 x 10^3 CFU/mL	
Fruit & Balance	composite/blend	not registered	growth stimulant/ regulator	not registered	Fermented product - Microbial inoculum:	not registered	Foliar nutrition spray to enhance	all crops	BioAg Pty Ltd,	liquid	Yes	4.5	Not supplied	https://www.bioag.com.au/trials- demonstrations/
					fungi, bacteria, yeast and protozoans (not specified); Liquid food source containing vitamins, minerals, proteins, enzymes, amino acids, carbohydrates, and growth promoters (not specified).		reproductive growth (flowering, fruit set)		New South Wales					
Fulvic 10		not registered	growth stimulant/ regulator	not registered	fulvic acid	not registered	crop health	all crops	SLTEC	liquid	No		10% Fulvic Acid, 2.6%K	-
Fulvic Acid Powder	humic/fulvic	not registered	crop nutrition	not registered	potassium fulvate	not registered	enhanced fertiliser uptake, soil health	all crops	Sustainable Farming Solutions	powder	Yes	n/a	95% Fulvic acid with potassium	-
Fulvic Acid Powder	humic/fulvic	not registered	crop nutrition	not registered	fulvic acid	not registered	crop health, soil biology	all crops	Nutri-Tech Solutions (NTS)	granular	Yes	n/a	Fulvic Acid 70%, Nitrogen 2.5%, Phosphorous 0.1%, Potassium 6.9%, Sulphur 3.9%, Magnesium 1.8%, Calcium 1%	-
Fulzyme Plus GC-3	microbial plant extract	not registered not registered	soil biology stimulant disease suppressant	not registered not registered	Bacillus subtilis, amino acids cottonseed oil, corn oil, garlic extract, oleic	not registered not registered	nutrition, crop health powdery mildew	all crops susceptible crops	Zadco (JH Biotech) Zadco (JH Biotech)	liquid liquid	Yes Yes	n/a n/a	Bacillus subtilis 2 x 10^10 CFU/g Cottonseed oil 30%, corn oil 30%, garlic extract	-
					acid, lauric acid, sodium bicarbonate								23%, oleic acid 2%, lauric acid 1%, sodium bicarbonate 2%, water 12%	
GC-Mite	plant extract	not registered	miticide	not registered	cottonseed oil, clove oil, garlic extract, oleic acid, lauric acid, sodium bicarbonate	not registered	control of mites and insects	all crops	Zadco (JH Biotech)	liquid	Yes	n/a	Cottonseed oil 40%, clove oil 5%, garlic extract 10%, oleic acid 2%, lauric acid1%, sodium bicarbonate 2&, water 26%	-
Gemstar Helicoverpa management through bioscience biological insecticide	microbial	insecticide	-	Nuclear polyhedrosis virus of Helicoverpa zea	-	Helicoverpa spp.	-	chickpea   cotton   lettuce   maize   sorghum   sweet corn	Certis U.S.A. L.L.C.	liquid	No	n/a	Helicoverpa zea virus, 2 x 10^9 POB/mL	-
Gemstar LC biological insecticide	microbial	insecticide	-	Nuclear polyhedrosis virus of Helicoverpa zea	-	Helicoverpa armigera   Helicoverpa punctigera	-	adzuki bean   apple   asparagus   blackberry   blueberry   boysenberry   brassica leafy vegetables - see label   broad bean   broccoli   brussels sprouts   cabbage   canola oilseed crop   capsicum or pepper   cauliflower   celery   chickpea   chinese broccoli   cotton   cowpea   cranberry   cucumber   eggplant   endive   faba bean   field pea   gooseberry   green bean   green or garden pea   kidney or mexican bean   lablab bean   lentil   lettuce   lima bean   linseed crop   lucerne   maize   maize - see label   melon   mung bean   nashi pear   navy bean   oil seed crop - see label for inclusions   peanut oilseed   pigeon pea   potato   pumpkin   raspberry   rhubarb   roquette (rucola)   safflower oilseed   silver beet   snow pea   sorghum   soybean   spinach   squash   strawberry   sugar snap pea   sunflower oilseed   sweet corn   tomato   vetch   watermelon	Sipcam (Agricrop)	liquid	No	n/a	Helicoverpa zea virus, 2 x 10^9 POB/mL	
Germinator Pelletised	composite/blend	not registered	soil biology stimulant	not registered	Microbial inoculum: Enterococcus faecalis,	not registered	Pre-plant soil conditioner/fertiliser	zucchini all crops	Biolink 4 Plants Pty Ltd,	granular	Yes	n/a	Inoculum: Micro-organisms (concentrations not	-
Crop Starter					Lactobacillus spp., Pediococcus pentosaceus, Aspergillus spp., Saccharomyces cerevisiae, Bacillus subtilis subspp. Blood meal, bone meal, fish meal, humic and		supplement to stimulate beneficial microbial activity in the root zone and biological processes.		Victoria				specified); Guaranteed minimum for: Calcium 9.9%, Nitrogen 7.27%, Phosphorus 5%, Potassium 1.57%, Sulphur 0.77%.	
GO Isolates	microbial	not registered	soil biology stimulant	not registered	fulvic acids humic acids, Bacillus amyloliquefaciens Bacillus subtilis	not registered	out-competing soil-borne pathogens	all crops	BioFlora, Queensland	liquid	Yes	n/a	not supplied	-
Granular Humic Acid	humic/fulvic	not registered	crop nutrition	not registered	amyloliquefaciens, Bacillus subtilis. humic acid	not registered	crop health, soil biology	all crops	Nutri-Tech Solutions (NTS)	granular	Yes	n/a	Humic acids 70%	-
Great Land	microbial	not registered	soil biology stimulant	not registered	Lactobacillus spp, Acetobacter spp.	not registered	nutrient use efficiency/soil health	all crops	Terragen	liquid	Yes	n/a	Acetobacter fabarum, Lactobacillus parafarraginis, Lactobacillus buchneri, Lactobacillus rapi, Lactobacillus zeae, Candida ethanolica (yeast), each species at minimum population of 10^7 CFU/ml	https://www.terragen.com.au/plant health? gl=1*1vtutyh* ga*MjEvNTY NDkzMi4xhi1u/OTIvMzgw* ga_ZV2v QNF7NZ*MTY1MikyMiM4MC4xLiEuh TY1MikyMjM5Ni40NA
Green Guard SC	microbial	insecticide	-	Metarhizium anisopliae var. acridum	-	australian plague locust - nymphs	-	agricultural area - general   crop establishment weed control	BASF Australia Ltd.	both, to be	No	n/a	Metarhizium anisopliae var acridum spores, 4 x	-
biological insecticide Green Guard SC	microbial	insecticide	-	spores Metarhizium anisopliae var. acridum	-	grasshopper   wingless grasshopper australian plague locust - nymphs	-		BASF Australia Ltd.	mixed liquid	No	n/a	10^10/g Metarhizium anisopliae var acridum spores	-
premium biological insecticide				spores		grasshopper   wingless grasshopper		grape - wine   non-crop area - general   pasture						
Green Guard ULV biological insecticide	microbial	insecticide		Metarhizium anisopliae var. acridum spores	-	australian plague locust - nymphs   grasshopper   migratory locust - nymphs   spur-throated locust - nymphs & adults   wingless grasshopper	5	agricultural area - general   non-crop area - general   pasture & forage crops	BASF Australia Ltd.	liquid	No	n/a	Metarhizium anisopliae var acridum spores, 300g/L	-







			Product type		Ingredient(s)		Use							
Trade Name	Source	Registered Product Type (APVMA Registered)	Has been used as / for (not registered)	Active Ingredient(s) (APVMA Registered Products)	Main ingredient(s) of non registered products	Registered Use (APVMA Registered)	Has been used as / for (not registered)2	Сгор	Manufacturer	Formulation	n Australian Certified Organic	рН	Analysis	Trial Information
GrowGreen /Microbe Plus Kelp /Microbe Plus Kelp Premium	composite/blend		soil biology stimulant	not registered	liquid blend of soluble kelp (two seaweed species, not specified), calcium, vitamins, molasses, bacterial and fungal plant growth promoters (not specified), plant growth hormones (auxins, cytokinins, gibberellins, abscisic acid)	not registered	enhanced soil microbial activity, soil and plant health	all crops	GrowGreen Pty Ltd, Queensland	liquid	Yes (Microbe Plus Kelp Premium only)	-	Fungi/bacteria initially present at max. 10^6 CFU/mL; All % as w/v %: Nitrogen 0.2%, Phosphorus as water soluble 0.1%, Potassium as molasses 0.3% + as soluble potash 0.1% (Microbe Plus Kelp only), Calcium 0.4% (Microbe Plus Kelp only) Phytohormones expressed as ng/g FW (for Microbe Plus Kelp only): Cytokinins 85, Abscisic	-
GrowGreen AminoElite	composite/blend	i not registered	soll biology stimulant	not registered	Microbially (= enzymatically) digested deep sea fish emulsion & crustaceans, vegetable oils + plant beneficial fungi and bacteria (not specified)	not registered	plant health	all vegetables + other crops	GrowGreen Pty Ltd, Queensland	liquid	No	-	Acid 103, Auxins 723, Gibberellins 11 Fungi/bacteria initially present at max. 10^6 CFU/mL; all %=wL/%: Nitrogen 3.30%, Phosphorus as water soluble 0.7%, Potassium 0.5%, Sulphur 0.55%, Molybdenum 0.01%, Boron 0.04%, Calcium 0.2%, Zinc 0.1%, Iron 0.005%, Magnesium 0.02%, Manganese 0.025%, Cobalt 0.0025%	-
GrowGreen AminoKelp	composite/blend	i not registered	soil biology stimulant	not registered	Mixture of GrowGreen AminoElite and GrowGreen Microbe Plus Kelp	not registered	enhanced soil microbial activity, soil and plant health	all vegetables + other crops	GrowGreen Pty Ltd, Queensland	liquid	No	-	Eurogi/Dacteria initially present at max. 10^6 FLmgi/Dacteria initially present at max. 10^6 CFU/mL; all %=wv/%: Nitrogen 3.0%, Phosphorus 0.70%, Potassium 0.5%, Magnesium 0.02%, Sulphur 0.55% Zinc 0.07%, Manganese 0.03%, Iron 0.005% Boron 0.04%, Molybdenum 0.01%, Cobalt 0.0025%	-
GrowGreen Microbe Plus Citrus	composite/blend	not registered	soil biology stimulant	not registered	Foliar NPK fertiliser integrated with microbial (bacteria and fungi, not specified) cultures	not registered	plant health	designed for citrus, also effective with <b>vegetable</b> & fruit crops	GrowGreen Pty Ltd, Queensland	liquid	No	-	Fungi/bacteria initially present at max. 10^6 CFU/mL; all %=w\v%: Nitrogen 7.0%, Phosphorus 0.1%, Potassium 4.0%, Molybdenum 0.015%, Boron 0.042%, Calcium 4.6%, Zinc 1.8%, Iron 0.02% Magnesium 1.1%, Manganese 0.6%, Cobalt 0.007%	-
GrowGreen Microbe Plus PhosCal	composite/blend	d not registered	soil biology stimulant	not registered	Phosphorous acid, calcium carbonate, magnesium with beneficial soil fungi and bacteria (not specified)	not registered	enhanced soil microbial activity, soil and plant health	all crops	GrowGreen Pty Ltd, Queensland	liquid	No	-	Fungi/bacteria initially present at max. 10^6 CFU/mL; All % as w/v %: Phosphorus 7.0%, Calcium 4.0%, Magnesium 0.1%, Copper 0.025%	-
GrowGreen Microbe Plus Potassium		I not registered	soil biology stimulant	not registered	Foliar K fertiliser integrated with plant and soil beneficial fungi and bacteria (not specified)	not registered	plant health	all crops	GrowGreen Pty Ltd, Queensland	liquid	No	-	Fungi/bacteria initially present at max. 10^6 CFU/mL; All % as w/v %: Potassium 11.0%, Sulphur 0.1%, Molybdenum 0.017%, Boron 0.014%, Zinc 0.022%, Iron 0.004%, Cobalt 0.001%	-
GrowGreen Xtend Plant Oil Adjuvant	plant extract	wetting agent	-	Emulsified vegetable oil	•	addition to horticultural sprays to increase spray deposition and penetration, droplet spread and uptake on the target to assist spray drift contro and rainfastness		all crops	GrowGreen Pty Ltd, Queensland	liquid	Yes	-	Emulsified vegetable oil 832 g/L (Blend of highly degummed canola oils blended with vitamins A & E)	-
GrowGreen AminoKelp Premium	composite/blend	1 not registered	soil biology stimulant	not registered	microbially (= enzymatically) digested blend of selected marine waste and different seaweed extracts, rhizobacterial and fungal plant growth promoters (not specified), plant growth hormones (auxins, cytokinins, gibberellins, abscisic acid)	not registered	enhanced soil microbial activity, soil and plant health	all crops	GrowGreen Pty Ltd, Queensland	liquid	Yes	2.0 - 4.5	Fungi/bacteria initially present at max. 10^6 CFU/mL; All % as w/v %: Nitrogen 0.20 - 0.45%, Phosphorus 0.05 - 0.15%, Sulphur 0.15 - 0.30%, Potassium 0.15%	-
GrowGreen AminoOrganic Premium	composite/blend	d not registered	soil biology stimulant	not registered	microbially (=enzymatically) digested blend o marine crustaceans + beneficial bacteria and fungi (not specified) + fulvic acid		enhanced soil microbial activity, soil and plant health	all crops	GrowGreen Pty Ltd, Queensland	liquid	Yes	-	Fungi/bacteria initially present at max. 10^6 CFU/mL; All % as w/v %: Nitrogen 0.5%, Phosphorus 0.1%, Sulphur 0.5%	-
GrowGreen Profert	composite/blend	i not registered	soil biology stimulant	not registered	Spores of four VAM species: Claroideoglamus etunicatum (previously knowns as Glomus etunicatum), Funneliformis mosseae (previously known as Glomus mosseae), Rhizophagus irregularis (previously known as Glomus intraradices), Scutellospora dipurpurescens; Microbially (= enzymatically) digested deep sea fish emulsion & crustaceans + beneficial bacteria (not specified)		mycorrhizae and enhanced soil microbial activity, soil and plant health	all mycorrhizal crops	GrowGreen Pty Ltd, Queensland	liquid	No		Eurgi/Dacteria initially present at max. 10^6 CFU/mL; All % as w/v %: Nitrogen total 3.0%, Phosphorus 0.6%, Potassium 0.4%, Calcium 0.2%, Magnesium 0.02%, Sulphur 0.55%, Zinc 0.10%, Manganese 0.025%, Iron 0.005%, Boron 0.04%, Molybdenum0.01%, Cobalt 0.0025%	-
Helicovex biological insecticide	microbial	insecticide		Nuclear polyhedrosis virus of Helicoverpa armigera		Helicoverpa armigera   Helicoverpa punctigera		adzuki bean   apple   berry fruit   blackberry   blueberry   boysenberry   brassica leafy vegetables - see label   brassica vegetables   broad bean   broccoli   brussels sprouts   cabbage   canola oilseed crop   capsicum or pepper   cauliflower   celery   cereal grain   chickpea   chilli   chinese broccoli   cotton   cowpea   cranberry   cucumber   cucurbit   currant   eggplant   endive   faba bean   field pea   fruiting vegetable   gooseberry   green bean   green or garden pea   kidney or mexican bean   lablab bean   leafy vegetable   legume   lentii   lettuce   lima bean   linseed oil crop   lucerne   lupin   maize   maize - see label   melon   mung bean   nashi pear   navy bean   oilseed   pear   pepper   pigeon pea   pome fruit   potato   pumpkin   raspberry   roquette (ruccola)   safflower oilseed   sesame   silver bet   snow pea   sorghum   soybean		liquid	No	NG	Nucleopolyhedrovirus of <i>Helicoverpa armigera</i> 7.5 x 10^9 polyhedral inclusion bodies per millilitre.	
								spinach   squash   strawberry   sugar snap pea   sunflower oilseed   sweet corn   tomato   vetch   watermelon   zucchini						







ad a Niama	6	Desistent	Product type		ngredient(s)		Use	Com.	Manufant	F	A	- 14		Trial Information
ade Name	Source	Registered Product Type (APVMA	Has been used as / for (not registered)	Active Ingredient(s) (APVMA Registered Products)	Main ingredient(s) of non registered products	Registered Use (APVMA Registered)	Has been used as / for (not registered)2	Сгор	Manufacturer	Formulatio	n Australian Certified Organic	рН	Analysis	Trial Information
naKelp	composite/blend	Registered) not registered	crop nutrition	not registered	humate and kelp	not registered	nutrient use efficiency/soil health	all crops	Omnia	liquid	Yes	>10	Potassium 4% wt/vol, amino acids, plant growth stimulants, trace elements	-
lax	humic/fulvic	not registered	crop nutrition	not registered	humic acid (from leonardite)	not registered	soil health	all crops	Zadco (JH Biotech)	granular	Yes	10.0 - 12.0	Humic acid 80%	-
-	humic/fulvic	not registered	crop nutrition	not registered	Humic acid, fulvic acid, potassium	not registered	soil carbon, soil biology	all crops	Sipcam (Agricrop)	granular	Yes		Humic acid 67%, Fulvic acid 7%, Potassium 10%	-
K 26	humic/fulvic	not registered	growth stimulant/ regulator	not registered	humic acid	not registered	crop health	all crops	SLTEC	liquid	No	_	25% Humic, 1% Fulvic, 6% K	-
first WG	humic/fulvic	not registered	soil biology stimulant	not registered	humic and fulvic acids	not registered	crop health	general horticulture, orchards & vines, cane	Rovensa ANZ (Tradecorp)	microgranul	ar Yes	11	Total Humic Extract (THE): 65.0% w/w, Humic Acid:	
													53.0% w/w, Fulvic Acid: 12.0% w/w, Potassium	duct/humifirst/
													(K <sub>2</sub> O) soluble in water: 17.0% w/w	
us 100	humic/fulvic	not registered	soil biology stimulant	not registered	potassium humate	not registered	nutrient use efficiency/soil health	all crops	Sustainable Farming Solutions	liquid	Yes	9.5-10 (in	w > 80% w/v includes 8% Potassium (>97% w/w dry	https://sustainablefarming. als/trials-database/
us 26	humic/fulvic	not registered	soil biology stimulant	not registered	humic and fulvic acid	not registered	nutrient use efficiency/soil health	all crops	Sustainable Farming Solutions	liquid	Yes	9.5-12	weight after removing moisture) Potassium Humate & Fulvate 26.0% w/v	https://sustainablefarming
13 20	numerativic	notregistered	son blology summaric	notregistered		liot registered	nutient use enciency/soil nearth		Sustainable Farming Solutions	ilquiu	103	9.5-12		als/trials-database/
ıs 400	humic/fulvic	not registered	crop nutrition	not registered	lignite, ligno-sulphates, cellulose	not registered	water infiltration, soil health	all crops	Eco Growth	granular	Yes	n/a	Nitrogen 0.9%, Phosphorous 0.4%, Potassium 0.12%, Sulphur 0.15%, Calcium 16.9%, Magnesium 0.8%, Iron 0.2%, Silicon 11.3%, Carbon 58%, Molybdenum 143 ppm	-
aFish	fish extract	not registered	crop nutrition	not registered	Fish emulsion (not specified) containing macro+ micronutrients	not registered	2 step nutrition application: soil fertiliser followed by foliar spray to enchance nutrient availability and soil health	vegetables, vines, vegetables as soil fertiliser and foliar spray	BioAg Pty Ltd, New South Wales	liquid	Yes	3.0 - 4.0	100% fish emulsion obtained using a natural enzyme process at low temperature. All %=w/v%: Nitrogen 2.5%, Phosphorus 1.25%, Potassium 0.25%, Calcium 0.5%, Sodium (NaCl salt) < 36%	-
aHume	humic/fulvic	not registered	crop nutrition	not registered	High grade leonardite (source of humic acids	not registered	soil fertiliser to enchance nutrient	all crops	BioAg Pty Ltd,	liquid	Yes	9.5 - 10.5	Potassium Humate in solution 13% w/v, Total	-
					)		availability and soil health		New South Wales				Potassium > 1.5% w/v	
raSea 50	seaweed extract	not registered	crop nutrition	not registered	seaweed extracts (Ascophyllum nodosum) containing macro + trace/micronutrients, proteins (enzymes, amino acids), carbohydrates, plant growth hormone-like compounds showing auxin- and cytokinin-like activity.	not registered	Foliar nutrition spray during the most vulnerable crop stages and/or during abioti stress conditions to enchance nutrient uptake and root growth	vegetables, fruit/nut tree crops, grapes,cereals, cotton, c sugarcane	BioAg Pty Ltd, New South Wales	liquid	Yes	8.5 - 10	100% seaweed extract ( <i>Ascophyllum nodosum</i> ). Nitrogen 0.33 - 0.55%, Phosphorus 0.006 - 0.01%, Potassium 7.5 - 9.5%, Sulphur 0.96 - 1.18%, Calcium 240 - 320 ppm, Sodium 0.7 - 1.5%, Magnesium 1,920 - 3040 ppm, Boron 95 - 320 ppm, Iron 48 - 320 ppm, Manganese 160 - 480 ppm, Copper 45 - 270 ppm, Zinc 48 - 160 ppm (%=wi/%)	https://www.bioag.com.au /hydrasea-50-trail-insert-dc
on Compost Starte	r composite/blend	not registered	soil biology stimulant	not registered	Microbial inoculum: Enterococcus faecium, Lactobacillus plantarum, Lactobacillus casei, Pediococcus pentosaceus, Aspergillus oryzae, Aspergillus niger, Saccharomyces cerevisiae, Bacillus subtilis. Blood meal, bone meal, fish meal, humic and fulvic acids	not registered	Pre-plant soil conditioner/fertiliser supplement (compost production) to stimulate beneficial microbial activity in the root zone and biological processes.	all crops	Biolink 4 Plants Pty Ltd, Victoria	granular/po	vd Yes	n/a	Inoculum: Micro-organisms (concentrations not specified); Guaranteed minimum for: Calcium 9.9%, Nitrogen 7.27%, Phosphorus 5%, Potassium 1.57%, Sulphur 0.77%.	https://biolink4plants.com. ure-sustainable-farming/
on Soil Drench	composite/blend	not registered	soil biology stimulant	not registered	Microbial inoculum: Enterococcus faecium,	not registered	Soil conditioner/fertiliser supplement	all crops	Biolink 4 Plants Pty Ltd,	granular/po	vd Yes	-	Inoculum: Micro-organisms (concentrations not	https://biolink4plants.com.
					Lactobacillus plantarum, Lactobacillus casei, Pediococcus pentosaceus, Aspergillus oryzae, Aspergillus niger, Saccharomyces cerevisiae, Bacillus subtilis. Blood meal, bone meal, fish meal, humic and fulvic acids		(compost tea) through fertigation/spray to stimulate beneficial microbial activity in the root zone and biological processes.		Victoria				specified); Guaranteed minimum for: Calcium 9.9%, Nitrogen 7.27%, Phosphorus 5%, Potassium 1.57%, Sulphur 0.77%.	<u>ure-sustainable-farming/</u>
<i>i</i> ene	microbial	fungicide (not regtistered for vegetables)	-	Polyoxin D zinc salt. Polyoxin D is a fermentation product of <i>Streptomyces cacaoi</i> subsp. <i>asoensis</i> . The zinc salt of Polyoxin D may be classified as synthetic because of an additional purification step.	- 1	control of grey mould ( <i>Batrytis cinerea</i> ), powdery mildew, Rhizopus fruit rot		grapes, berries, apples; potentially other horticultural crops incl vegetables in future	. Nufarm Australia Ltd, Victoria	granular	No	7.5 (1% solution, 23.2 °C)	Polyoxin D zinc salt at 113 g/kg	-
elva active	microbial	insecticide	-	Spinetoram (mixture of Spinetoram	J -	control of range of insect pests (incl.	-	vegetable crops, fruit crops, herbs, ornamentals	Corteva Agriscience Australia	liquid	No	Success	Success Neo:	-
cess Neo egate				and Spinetoram L in approximate ratio of 3 to 1). Spinetoram is a fermentation product of <i>Saccharopolyspora spinosa</i> and a structural analogue of spinosad		lepidopteran fall armyworm)			Pty Ltd, New South Wales			(1% pH electrode Delegate 8.7 (1% pł	Spinetoram at 120 g/L: spinetoram (spinetoram J, spinetoram L) 11.71%, propylene glycol < 10.0%. Delegate: Spinetoram at 250 g/kg: spinetoram (spinetoram J, spinetoram L) 25.0%, kaolin 30.0 - 40.0%, sodium N-methyl-N- eleoyltaurine < 5%, itanium dioxide < 5.0%, quartz < 1.0%.	
ate 10%	humic/fulvic	not registered	crop nutrition	not registered	potassium fulvate	not registered	nutrient uptake	all crops	Omnia	liquid	Yes	<3.5	Potassium >1% wt/vol, Potassium Fulvate 10%	-
ate 26%	humic /fuls in	pot registers d	crop putrition	pot registered	potassium humato, potassium futurte	pot registered	putriont untake	all crops	Omnia	liquid	Voc	>10	wt/vol	
ate 20%	humic/fulvic	not registered	crop nutrition	not registered	potassium humate, potassium fulvate	not registered	nutrient uptake	all crops	Omnia	liquid	Yes	>10	Potassium >5% wt/vol, Potassium Humate + Potassium Fulvate 26% wt/vol	
ate S100	humic/fulvic	not registered	crop nutrition	not registered	potassium humate, potassium fulvate	not registered	nutrient retention, water holding capacity	all crops	Omnia	granular	Yes	>10	Potassium Fulvate 26% Wt/Vol Potassium >15% wt/vol, Potassium Humate +	-
	seaweed extract	not registered	crop nutrition	not registered	bull kelp	not registered	nutrition	all crops	Omnia	liquid	Yes	>9	Potassium fulvate 85-95% Potassium 3.7% wt/vol, Sulphur 1.3% wt/vol, Kelp extracts 9-10% wt/vol, amino acids, growth	-
	1								OLTEC.			0.5.5.5	hormones	
loost	composite/blend	not registered	stress resistance	not registered	kelp (Ascophyllum nodosum), nutrients	not registered	crop health	all crops	SLTEC	liquid	No		all % as w/v%: 10% kelp, 6.4% K, 0.7% P, 0.4% N, 1.1% fulvic acid, 1.4% amino acids	-
I	plant extract	not registered	growth stimulant/ regulator	not registered	plant extracts (no further information given)	not registered	crop health	all crops	Valagro	liquid	No	4.:	Nitrogen 3.5%, Potassium 12.9%, Organic carbon (soluble in water) 3%	-
	plant extract	not registered	growth stimulant/ regulator	not registered	plant extracts (no further information given)	not registered	root growth	all crops	Valagro	liquid	No	6.	Nitrogen 9%, Potassium 7.5%	-
Root	microbial	not registered	growth stimulant/ regulator	not registered	Trichoderma atroviride	not registered	crop health	lettuce	Agrimm	powder	Yes	4.5	Trichoderma atroviride 5 x 10^8 CFU/g	-
emate		not registered	fungicide	not registered	lipopeptides derived from bacterial strains	not registered	biofungicide	all crops	Metagen Pty Ltd,	liquid	No	-	not supplied	-
mate	microbial			not registered	(not specified) 97.5% cold processed liquid fish	not registered	crop health	all crops	Queensland Eco Growth	liquid	Yes	n/a	Nitrogen 2.5%, Phosphorous 0.41%, Potassium	-
emate Jard	fish extract	not registered	crop nutrition	norregistered									0.14%, Sulphur 0.16%, Calcium 0.31%, Magnesium 0.03%, Iron 0.08%, Zinc 6ppm, Manganese 1ppm, Copper 1ppm, Boron 4ppm	
emate iard Fish	fish extract					not registered	rron health soil biology	all crons	Nutri-Tech Solutions (NTS)	liquid	Yes	10 5 - 11 5	0.03%, Iron 0.08%, Zinc 6ppm, Manganese 1ppm, Copper 1ppm, Boron 4ppm	-
emate Jard Fish Humus	fish extract	not registered	crop nutrition	not registered	humic acid	not registered	crop health, soil biology crop health, soil health	all crops all crops	Nutri-Tech Solutions (NTS) Eco Growth	liquid	Yes Yes		0.03%, Iron 0.08%, Zinc 6ppm, Manganese 1ppm, Copper 1ppm, Boron 4ppm Potassium humate 12.6%	-
al Root semate uard I Fish I Humus I Kelp ipta	fish extract	not registered				not registered not registered not registered	crop health, soil biology crop health, soil health Seed inoculation / foliar spray to form a natural physical barrier to diseases	all crops all crops all crops		liquid liquid liquid	Yes Yes Yes	n/a	0.03%, Iron 0.08%, Zinc 6ppm, Manganese 1ppm, Copper 1ppm, Boron 4ppm	-



## Hort Innovation



			Product type		ngredient(s)		Use							
Trade Name	Source	Registered	Has been used as / for (not	Active Ingredient(s) (APVMA	Main ingredient(s) of non registered	Registered Use (APVMA Registered)	Has been used as / for (not registered)2	Сгор	Manufacturer	Formulation		pН	Analysis	Trial Information
		Product Type (APVMA Registered)	registered)	Registered Products)	products						Certified Organic			
Extra	seaweed extract	not registered	growth stimulant/ regulator	not registered	Ascophyllum nodosum seaweed	not registered	crop health	all crops	Valagro	granular	No	9.2	2 Nitrogen 20%, Betains 0.2%, Mannitol 4%, Organi carbon (soluble in water) 20%	c -
Set	seaweed extract	not registered	growth stimulant/ regulator	not registered	Ascophyllum nodosum seaweed	not registered	flowering	all crops	Valagro	liquid	No	8.5	5 Boron 0.50%, Zinc 1.5%	-
ega-Kel-P		not registered	crop nutrition	not registered	kelp, fulvic acid, chemical elements	not registered	nutrition (foliar fertiliser)	vineyard, orchard, broadacre, <b>vegetables</b>	Omnia	liquid	No	<3	Nitrogen 4% wt/vol, Phosphorous 9%, Potassium 2.1%, Sulphur 2.7%, Manganese 1.9%, Zinc EDTA 1.3%, Copper EDTA 0.23%, Iron EDTA 0.18%, Boron 0.22%, Molybdenum 0.03%, Magnesium 1.3%, amino acids, seaweed, fulvic acids, biostimulants, uptake enhancers.	-
egafol		not registered	growth stimulant/ regulator	not registered	plant extracts (no further information given)		crop health, stress tolerance	all crops	Valagro	liquid	No		Nitrogen 3%, Potassium 6.6%, Organic carbon (soluble in water) 9%	-
eliorAdapt	microbial	not registered	soil biology stimulant	not registered	Bacillus amyloliquefaciens , Streptomyces sp., Trichoderma harzianum .		help accelerate breakdown of mulches, crop residues		New Edge Microbials Pty Ltd, NSW	liquid	no	6.9	not supplied	-
etcalf amatum (Isolates dAVC1 & TdAVA2)	microbial	not registered	fungicide	not registered	spores of beneficial fungus <i>Trichoderma</i> hamatum strains AVA2 and AVC1	not registered	Beneficial microbe that is a natural enemy of <i>Phytophthora</i> disease		Metcalf BioControl, Tasmania	powder	Yes	n/a	Trichoderma hamatum strains AVA2 and AVC1 at 5 x 10^10 spores/g	
etcalf 167	microbial	not registered	fungicide	not registered	spores of beneficial fungus <i>Trichoderma</i> koningii strain Td67	not registered	Beneficial microbe that is a natural enemy of grey mould ( <i>Botrytis cinerea</i> )	all crops	Metcalf BioControl, Tasmania	powder	Yes	n/a	Trichoderma koningii strain Td67 at 5 x 10^10 spores/g	https://awitc.com.au/wp- content/uploads/2016/07/130 Me lf.pdf
letcalf d81b	microbial	not registered	fungicide	not registered	spores of beneficial fungus <i>Trichoderma</i> harzianum strain Td81b	not registered	Beneficial microbe that is a natural enemy of grey mould ( <i>Botrytis cinerea</i> ) and brown rot ( <i>Monilinia</i> spp.)	all crops	Metcalf BioControl, Tasmania	powder	Yes	n/a	Trichoderma harzianum strain Td81b at 5 x 10^10 spores/g	https://awitc.com.au/wp- content/uploads/2016/07/130 Me lf.pdf
licro-Force	microbial	not registered	soil biology stimulant	not registered	beneficial soil and plant microbes'	not registered	crop health, soil biology	all crops	Nutri-Tech Solutions (NTS)	granular	Yes	n/a	not supplied	-
lobilizer	humic/fulvic	not registered	soil biology stimulant	not registered	fulvic acid and amino acids	not registered	compatibility soil fungi	all crops	Zadco (JH Biotech)	liquid	Yes	3.3 n/a	Fulvic acid and amino acids 3%	-
lyco-Force	microbial	not registered	soil biology stimulant	not registered	fungal species: Beauveria bassiana, Metarhizium anisopliae, Lecanicillium lecanii	not registered		all crops	Nutri-Tech Solutions (NTS)	granular	Yes	ING	not supplied	[
/lycoApply Defence	microbial	not registered	soil biology stimulant	not registered	various mycorrhizae, <i>Trichoderma</i> , <i>Bacillus</i> species and other bacteria (all unspecified)	not registered	mycorrhizae	all mycorrhizal crops	Mycorrhizal Applications International (MAI) Australia Pty Ltd,	powder /	Yes	n/a	not supplied	-
ЛусоApply Endo	microbial	not registered	soil biology stimulant	not registered	unspecified VAM	not registered	mycorrhizae	all mycorrhizal crops	Western Australia Mycorrhizal Applications International (MAI) Australia Pty Ltd,	powder /	Yes	n/a	not supplied	-
/lycoApply Endo/Ecto	microbial	not registered	soil biology stimulant	not registered	endo (= VAM) and ecto mycorrhizae species (not specified)	not registered	mycorrhizae	all mycorrhizal crops	Western Australia Mycorrhizal Applications International (MAI) Australia Pty Ltd,	powder /	No	n/a	not supplied	-
lycoApply Maxx	microbial	not registered	soil biology stimulant	not registered	endo (= VAM) mycorrhizae species (not	not registered	mycorrhizae	all mycorrhizal crops	Western Australia Mycorrhizal Applications	powder	No	n/a	not supplied	-
					specified)				International (MAI) Australia Pty Ltd, Western Australia					
Mycogel	microbial	not registered	growth stimulant/ regulator	not registered	mycorrhizal fungi ( <i>Rhizophagus irregularis</i> )	not registered	soil health, nutrient uptake	most crops	Kimitec	liquid gel	Yes	n/a	Rhizophagus irregularis in sterile gel; 50,000 CFU/mL	https://sustainablefarming.com.au als/trials-database/
lycormax	microbial	not registered	soil biology stimulant	not registered	Mycorrhizal fungi	not registered	root system	host crops	Zadco (JH Biotech)	granular in sachets	Yes	n/a	Glomus intraradices, Glomus mosseae, Pisolithus tinctorius, Scleroderma cepa, Scleroderma geastrum, Scleroderma citrinum and Laccaria biocolor, 250,000 propagules/cc	-
lycorrcin	microbial	not registered	soil biology stimulant	not registered	Fermentation extract ( <i>Pseudomonas putida</i> ) and plant nutrients	not registered	Root growth and health	all crops	BioStart	liquid	no	4	not specifically listed but manufacturer advises contains - Manganese, zinc, potassium, boron, phosphorous, nitrogen, amino acids	https://biostart.com.au/mycorrcin,
lycorrhiza	microbial	not registered	soil biology stimulant	not registered	vesicular arbuscular mycorrhizae (Rhizophagus irregularis)	not registered	crop health (mycorrhizae - seed coating, soi drench)	l all mycorrhizal crops	Novum Lifesciences, Queensland	powder	Yes	6 - 7.5	not supplied	-
atural Wet		not registered	wetting agent	not registered	saponin from Yucca schidigers	not registered	wetting	all crops	Zadco (JH Biotech)	liquid	Yes	n/a	Saponin 10%, Water 90%	-
Naturalure Fruit Fly Bai Concentrate	it microbial	insecticide	-	Spinosad (mixture of Spinosyn A anc Spinosyn D in an approximate ratio of 17 to 3). Spinosad is a fermentation product of <i>Saccharopolyspora spinosa</i> .	1 -	control of fruit flies (incl. Qld fruit fly, Mediterranean fruit fly)		vegetable crops, fruit crops, nut crops, ornamentals and trees	Corteva Agriscience Australia Pty Ltd, New South Wales	liquid	Yes	pН	Spinosad at 0.24 g/L: spinosad (spinosyn A, spinosyn D) 0.02%, sorbitan/monoctadecanoate/poly(oxy-1,2- ethanediyl) derivatives < 5.0%, propylene glycol < 5.0%.	
lematamax	microbial	not registered	insecticide	not registered	Verticillium chlamydosporum	not registered	nematodes	all crops	Novum Lifesciences, Queensland	liquid	Yes	6.5 - 8.5	not supplied	-
lew Era Better Grow	composite/blend	not registered	crop nutrition	not registered	composted poultry manure	not registered	soil health, nutrient uptake	all crops	Sustainable Farming Solutions	pellets	Yes	n/a	4.0% N, 1.8% P, 2.2% K, 3.2% Ca, 0.5% S, 0.6% Mg, 0.2% Fe, 370ppm Zn, 170ppm Cu, 500ppm Mn	, -
lew Era Premium	composite/blend	not registered	crop nutrition	not registered	meat, bone, fish meal; seaweed extract, composted poultry manure	not registered	pre-plant fertiliser for vegetables; basal fertiliser for fruit trees	all crops	Sustainable Farming Solutions	pellets	Yes	n/a	3.6% N, 3.1% P, 4% K, 6.3% Ca , 1.6% S, 0.7% Mg, 0.2% Fe, 0.03% Zn, 0.03% Mn, 1.4% Si	als/trials-database/
ew Era Protein Meal	composite/blend	not registered	crop nutrition	not registered	animal protein blend	not registered	slow release source of natural N	all crops	Sustainable Farming Solutions	n/a	Yes	n/a	13% N	https://sustainablefarming.com.au als/trials-database/
itroGuard next generation ersion of TwinN)	microbial	not registered	soil biology stimulant	not registered	Rhizobacteria (not specified, possibly Azospirillum spp.) fixing nitrogen and producing plant growth factors (e.g. auxins) + Bacillus spp.	not registered	soil health, nutrient uptake	all vegetable crops + others	Mapleton Agri Biotec Pty Ltd / Vanadis Bio Science Pty Ltd, Queensland	freeze dried	No	n/a	not supplied	https://www.mabiotec.com/crop- trials.php
odulaid (Inoculant)	microbial	not registered	soil biology stimulant	not registered	One or more rhizobial strains	not registered	Stimulation of rhizobial nodulation, nitrogen fixation and yield	crop and pasture <b>legumes</b>	BASF Australia Ltd.	compost style	e No	n/a	Rhizobia at > 1 x 10^9 CFU/g. The strains are classified into Groups (AL, B, C, E, F, G, H I, J, N) matched to crops they can inoculate.	https://crop- solutions.basf.com.au/preview/f/p uct/59cb38598d5c5b7640c83751/r ulaid_fact_sheet.pdf
odulator (Inoculant ranules)	microbial	not registered	soil biology stimulant	not registered	One or more rhizobialstrains	not registered	Stimulation of rhizobial nodulation, nitrogen fixation and yield	crop and pasture <b>legumes</b>	BASF Australia Ltd.	granular	No	n/a	Rhizobia > 1 x 10^7 CFU/g. The strains are classified into Groups (AL, C, E, F, G, N) matched t crops they can inoculate.	https://crop_ olutions.basf.com.au/preview/f/p uct/Sa02730b0f5b0f7632fb2d64/2 56 fcc inoculant collateral updat act_sheet_nodulator_web.pdf
NoduleN	microbial	not registered	soil biology stimulant	not registered	One or more rhizobial strains	not registered	Stimulation of rhizobial nodulation, nitrogen fixation and yield	crop and pasture <b>legumes</b>	New Edge Microbials Pty Ltd, NSW	compost style	P No	n/a	Rhizobia > 1 x 10^7 CFU/g. The strains are classified into Groups (AL, AM, B, C, F, G, H, I, J, M, N, P, S, Specials: Adzuki bean, Biserrula, Desmanthus, Leucaena, Messina, Sulla) matched to the crops they can inoculate.	





Trade Name	Source	Registered	Product type Has been used as / for (not		gredient(s) Main ingredient(s) of non registered	Registered Lise (AR)/MA Registered)	Use Has been used as / for (not registered)2	Cron	Manufacturer	Formulation	Australian	nH	Analysis	Trial Information
	Source	Registered Product Type	registered)	Active Ingredient(s) (APVMA Registered Products)	products	Registered Use (APVMA Registered)	Has been used as / for (not registered)2	Сгор	Manutacturer	Formulation	Certified	рн	Analysis	I rial information
		(APVMA Registered)									Organic			
all	microbial	fungicide (not	-	Agrobacterium radiobacter var.	-	Preventative control of crown gall	-	almond, pecan, rose, stone fruit, walnut (registered) +	0, ,	powder	No	n/a	Agrobacterium radiobacter var. radiobacter strain	-
		registered for vegetables)		radiobacter strain K1026		disease ( <i>Rhizobium radiobacter, R.</i> <i>rhizogenes</i> ) in stone fruit, nut trees,		vegetable crops (non registered)	(Bio-Care); Becker Underwood Pty Ltd,				K1026 at 1 x 10^9 CFU/g peat	
						ornamentals			NSW					
									/ BASF Australia Ltd,					
cleon Liquid	microbial	not registered	growth stimulant/ regulator	not registered	enzymes - lipase, mannanase		enhances nutrient availability to soil	all crops	Victoria Elemental Enzymes	liquid	no	5.0 - 10.0	Lipase 750mU/mL, Mannanase 350U/mL	https://sustainablefarming.com
tiliser Enzyme			0				microbes and plant roots resulting in		,	1				oduct/nucleon/
lditive							improvements in soil and plant health,							
ıtri-Kelp	seaweed extract	not registered	crop nutrition	not registered	Ascophyllum nodosum (giberellins, cytokinins,	not registered	growth and yield. nutrition, soil biology, stress	all crops	Nutri-Tech Solutions (NTS)	granular	Yes	n/a	Nitrogen 1.17%, Phosphorous 0.23%, Potassium	-
					auxins)					0		-	19.12%, Sulphur 1.8%, Magnesium 0.37%, Calcium	n
													0.34%, Silicon 679ppm, Iron 471ppm, Boron	
													135ppm, Zinc 38ppm, Manganese 37ppm, Mohybdonum 2ppm, Cobalt 1ppm	
tri-Sea liquid fish	fish extract	not registered	crop nutrition	not registered	amino acids, natural nitrogen, trace elements	not registered	nutrition, soil biology	all crops	Nutri-Tech Solutions (NTS)	liquid	Yes	2.2 - 4.2	Molybdenum 2ppm, Cobalt 1ppm Nitrogen 5%, Phosphorous 0.65%, Potassium	-
													1.32%, Sulphur 1.65%, Calcium 0.19%, Magnesium	n
ıtri-Stim saponins	plant extract	not registered	wetting agent	not registered	saponins	not registered	water tension	all crops	Nutri-Tech Solutions (NTS)	granular	Yes	n/a	0.11% Saponins 70%	-
ionmate	microbial	not registered	wetting agent growth stimulant/ regulator	not registered	Trichoderma atroviride	not registered	root growth	onions	Agrimm	-	Yes	n/a	not supplied	-
ganic-N	humic/fulvic	not registered	crop nutrition	not registered	nitrogen & fulvic acids	not registered	managing crop nitrogen demand & building	all crops	Sustainable Farming Solutions	liquid	Yes	5.5-7.5	10% N w/v with amino acids, 23% fulvic acids w/v,	https://sustainablefarming.com als/trials-database/
oto-Finish	composite/bland	pot registered	growth stimulant/ regulator	pot registered	silicon koln humic acid	pot registered	yield. Supports crops under stress	all crops	Nutri-Tech Solutions (NTS)	liguid	Yes	11 to 12	37.5% organic C w/v Potassium 10.6%, Silicon 10.38%	als/ tridis-uatabase/
oton	composite/blend plant extract	not registered	growth stimulant/ regulator stress resistance	not registered not registered	silicon, kelp, humic acid dicarboxylic acids	not registered not registered	crop health stress	all crops all crops	Sipcam (Agricrop)	· ·	No	_	5 500g/kg blend plant derived dicarboxylic acids	-
/lgreen 200	seaweed extract	not registered	growth stimulant/ regulator	not registered	Ascophyllum nodosum seaweed extract	Not Registered	Prevents Abiotic Stress	all crops	Rovensa ANZ (Tradecorp)	Liquid	Yes	5	100% seaweed extract (Ascophyllum nodosum).	have the second
int of Health int Assist	composite/blend	not registered	stress resistance	not registered	VAMs (not specified), <i>Trichoderma</i> spp., silica, zeolites, kelp,	not registered	enhanced fertiliser uptake, soil health, mycorrhizae	all mycorrhizal crops	Batphone Australia Pty Ltd, Queensland	granular/powo	NO	-	not supplied	https://www.batphone.com.au es/articles/Testimonials/Belle
					natural surfactant (saponins), humic and		Sourceard, myconnizae		Queensionu					rialofPlantAssistMPB-1.pdf
					fulvic acids,									
ant of Health	microbial	pot registered	coil biology stimulant	pot registered	natural rock minerals	pet registered	mucorrhizzo	all mycorchizal crops	Patabana Australia Dtultd	pourdor	Voc	n/2	minimum 100,000 fungal spores/kg	
ant of Health ot Extender	microbial	not registered	soil biology stimulant	not registered	VAMs (not specified) and other benefical micro-organisms (not specified)	not registered	mycorrhizae	all mycorrhizal crops	Batphone Australia Pty Ltd, Queensland	powder	Yes	n/a	minimum 100,000 lungal spores/kg	-
ant of Health	microbial	not registered	soil biology stimulant	not registered	blend of beneficial bacterial strains	not registered	enhanced fertiliser uptake, soil health	all crops	Batphone Australia Pty Ltd,	powder	No	n/a	not supplied	-
crobe Army Mix	a de calebra la		a structure and as the st	a star shite and	and other microbes (not specified)		a design of the state of the state		Queensland	10. S.I.	N		and a set Park	https://www.batabaaa.com.ov
ant of Health crobe Probiotic (MPB	microbial	not registered	soil biology stimulant	not registered	lactic acid bacteria, yeast, phototropic bacteria (not specified)	not registered	enhanced fertiliser uptake, soil health	all crops	Batphone Australia Pty Ltd, Queensland	liquid	No	-	not supplied	https://www.batphone.com.au es/articles/Testimonials/Belle
					bacteria (not specifica)				Queensiana					rialofPlantAssistMPB-1.pdf
antjuice	plant extract	not registered	growth stimulant/ regulator	not registered	algae extract ( <i>Ulva</i> spp.)	not registered	crop health	all crops	Pacific Bio	liquid	No	11.5-12.5	auxins (IAA) 295 ng/g FW, 1.4% K, 2.6 g/L S, 2.2 g/L	
antmate Drench	microbial	not registered	growth stimulant/ regulator	not registered	Trichoderma harzianum	not registered	crop health	all crops	Agrimm	powder	Yes	4.5	Na Trichoderma harzianum 1 x 10^8 CFU/g	-
antmate Foliar	microbial	not registered	growth stimulant/ regulator	not registered	Trichoderma atroviride	not registered	crop health	all crops	Agrimm		Yes	4.5	Trichoderma atroviride 1 x 10^9 CFU/g	-
antmate Granular	microbial	not registered	growth stimulant/ regulator	not registered	Trichoderma harzianum	not registered	crop health	all crops	Agrimm	-	Yes	n/a	Trichoderma harzianum 1 x 10^6 CFU/g	-
atform	microbial	not registered	crop nutrition	not registered	5 species mycorrhizal fungi and a range of Trichoderma and bacterial species (no	not registered	root system	all crops	Nutri-Tech Solutions (NTS)	granular	Yes	n/a	not supplied	-
					detailed info given)									
otifert LMW 8	amino acids	not registered	growth stimulant/ regulator	not registered	amino acids, peptides	not registered	crop health	all crops	Sipcam (Agricrop)	liquid	No	6 to 7	Protein hydrolyzates, animal 50%	-
rafish	fish extract	not registered	crop nutrition	not registered	fish extract	not registered	nutrition	all crops	Omnia	liquid	Yes	<4	Nitrogen 2.5% wt/vol, Phosphorous 1.25% wt/vol, 19 amino acids	-
rakelp				not registered	bull kelp (Durvillaea potatorum)	not registered	-	all crops	Omnia	liquid	Yes	4	kelp extracts 9-10%	-
urakelp MGanic	seaweed extract	not registered	crop nutrition			and a set as the state of the section of the	1				165	4		https://www.sumitomo-
	seaweed extract plant extract	not registered insecticide	-	pyrethrins	-	greenhouse thrips   passion vine	-	avocados   brassicas   capsicums   chillies   citrus	Sumitomo Chemical Australia	liquid	Yes	n/a	13g/L Pyrethrins	
			-		-	hopper   macadamia lace bug	-	eggplants   grapes   kiwifruits   lettuces   macadamias	Sumitomo Chemical Australia Pty Ltd	liquid		n/a	13g/L Pyrethrins	chem.com.au/sites/default/fil
			-			hopper   macadamia lace bug   diamondback moth   pea aphids   beet		eggplants   grapes   kiwifruits   lettuces   macadamias   stone fruits   strawberries   tomatoes   leafy vegetables		liquid		n/a	13g/L Pyrethrins	chem.com.au/sites/default/fil
			-			hopper   macadamia lace bug	-	eggplants   grapes   kiwifruits   lettuces   macadamias		liquid		4 n/a	13g/L Pyrethrins	chem.com.au/sites/default/fil
Ganic Ilcova active				pyrethrins Spinosad (mixture of Spinosyn A and	•	hopper   macadamia lace bug   diamondback moth   pea aphids   beet armyworm   potato aphids   fruitfly   rutherglen bug   spiders control of range of insect pests (incl.	-	eggplants   grapes   kiwifruits   lettuces   macadamias   stone fruits   strawberries   tomatoes   leafy vegetables	Pty Ltd			8.0 - 9.5	Spinosad at 240 g/L: spinosad (spinosyn A,	chem.com.au/sites/default/fil
Ganic Icova active	plant extract	insecticide		pyrethrins Spinosad (mixture of Spinosyn A and Spinosyn D in an approximate ratio	•	hopper   macadamia lace bug   diamondback moth   pea aphids   beet armyworm   potato aphids   fruitfly   rutherglen bug   spiders	-	eggplants   grapes   kiwifruits   lettuces   macadamias   stone fruits   strawberries   tomatoes   leafy vegetables   legume vegetables	Pty Ltd Corteva Agriscience Australia Pty Ltd,		Yes	8.0 - 9.5 (1% pH	Spinosad at 240 g/L: spinosad (spinosyn A, spinosyn D) 22.54%,	chem.com.au/sites/default/fil
Ganic Icova active	plant extract	insecticide	-	pyrethrins Spinosad (mixture of Spinosyn A and	•	hopper   macadamia lace bug   diamondback moth   pea aphids   beet armyworm   potato aphids   fruitfly   rutherglen bug   spiders control of range of insect pests (incl.	-	eggplants   grapes   kiwifruits   lettuces   macadamias   stone fruits   strawberries   tomatoes   leafy vegetables   legume vegetables	Pty Ltd		Yes	8.0 - 9.5 (1% pH	Spinosad at 240 g/L: spinosad (spinosyn A,	chem.com.au/sites/default/fil
Ganic Ilcova active	plant extract	insecticide	-	pyrethrins Spinosad (mixture of Spinosyn A and Spinosyn D in an approximate ratio of 17 to 3). Spinosad is a	-	hopper   macadamia lace bug   diamondback moth   pea aphids   beet armyworm   potato aphids   fruitfly   rutherglen bug   spiders control of range of insect pests (incl.	-	eggplants   grapes   kiwifruits   lettuces   macadamias   stone fruits   strawberries   tomatoes   leafy vegetables   legume vegetables	Pty Ltd Corteva Agriscience Australia Pty Ltd,		Yes	8.0 - 9.5 (1% pH	Spinosad at 240 g/L: spinosad (spinosyn A, spinosyn D) 22.54%, ) propylene glycol >=10.0 - < 20.0%,	chem.com.au/sites/default/file
Sanic Icova active Itrust Organic	plant extract	insecticide	-	pyrethrins Spinosad (mixture of Spinosyn A and Spinosyn D in an approximate ratio of 17 to 3). Spinosad is a fermentation product of Saccharopolyspora spinosa.		hopper   macadamia lace bug   diamondback moth   pea aphids   beet armyworm   potato aphids   fruitfly   rutherglen bug   spiders control of range of insect pests (incl. diamondback moth, thrips, leaf miners)	- -	eggplants   grapes   kiwifruits   lettuces   macadamias   stone fruits   strawberries   tomatoes   leafy vegetables   legume vegetables vegetable crops, fruit crops, herbs, ornamentals and forestry	Pty Ltd Corteva Agriscience Australia Pty Ltd, New South Wales	liquid	Yes Yes	8.0 - 9.5 (1% pH electrode)	Spinosad at 240 g/L: spinosad (spinosyn A, spinosyn D) 22.54%, propylene glycol >=10.0 - < 20.0%, polyethoxylated dodecyl alcohol >= 1.0 - < 3.0%, spinosyn B >=0.25 - < 1.0%.	chem.com.au/sites/default/fil ature/pypanic brochure 2022
Ganic Ilcova active Itrust Organic	plant extract	insecticide	crop nutrition - growth stimulant/ regulator	pyrethrins Spinosad (mixture of Spinosyn A and Spinosyn D in an approximate ratio of 17 to 3). Spinosad is a fermentation product of	- - humic acid/ fulvic acid/ fish extract/ molasses	hopper   macadamia lace bug   diamondback moth   pea aphids   beet armyworm   potato aphids   fruitfly   rutherglen bug   spiders control of range of insect pests (incl. diamondback moth, thrips, leaf miners)	- - crop health	eggplants   grapes   kiwifruits   lettuces   macadamias   stone fruits   strawberries   tomatoes   leafy vegetables   legume vegetables	Pty Ltd Corteva Agriscience Australia Pty Ltd,	liquid	Yes	8.0 - 9.5 (1% pH electrode)	Spinosad at 240 g/L: spinosad (spinosyn A, spinosyn D) 22.54%, ) propylene glycol >=10.0 - < 20.0%, polyethoxylated dodecyl alcohol >= 1.0 - < 3.0%,	chem.com.au/sites/default/fil ature/pypanic brochure 2022
Ganic Icova active ntrust Organic adSHOT	plant extract microbial composite/blend	insecticide	-	pyrethrins Spinosad (mixture of Spinosyn A and Spinosyn D in an approximate ratio of 17 to 3). Spinosad is a fermentation product of Saccharopolyspora spinosa.		hopper   macadamia lace bug   diamondback moth   pea aphids   beet armyworm   potato aphids   fruitfly   rutherglen bug   spiders control of range of insect pests (incl. diamondback moth, thrips, leaf miners) not registered	- - crop health root growth	eggplants   grapes   kiwifruits   lettuces   macadamias   stone fruits   strawberries   tomatoes   leafy vegetables   legume vegetables vegetable crops, fruit crops, herbs, ornamentals and forestry	Pty Ltd Corteva Agriscience Australia Pty Ltd, New South Wales	liquid	Yes Yes	8.0 - 9.5 (1% pH electrode) 10.0-11.0	Spinosad at 240 g/L: spinosad (spinosyn A, spinosyn D) 22.54%,           propylene glycol >=10.0 - < 20.0%,	chem.com.au/sites/default/fil ature/pytanic brochure 2022
Ganic alcova active ntrust Organic uadSHOT difarm	plant extract microbial composite/blend plant extract	insecticide insecticide not registered not registered	growth stimulant/ regulator	pyrethrins         Spinosad (mixture of Spinosyn A and Spinosyn D in an approximate ratio of 17 to 3). Spinosad is a fermentation product of Saccharopolyspora spinosa.         not registered         not registered	humic acid/ fulvic acid/ fish extract/ molasses plant extracts (no further information given)	hopper   macadamia lace bug   diamondback moth   pea aphids   beet armyworm   potato aphids   fruitfly   rutherglen bug   spiders control of range of insect pests (incl. diamondback moth, thrips, leaf miners) not registered not registered	root growth	eggplants   grapes   kiwifruits   lettuces   macadamias           stone fruits   strawberries   tomatoes   leafy vegetables           legume vegetables         vegetable crops, fruit crops, herbs, ornamentals and forestry         all crops         all crops	Pty Ltd Corteva Agriscience Australia Pty Ltd, New South Wales SLTEC Valagro	liquid Iiquid Iiquid	Yes Yes Yes No	8.0 - 9.5 (1% pH electrode) 10.0-11.0 5.0	Spinosad at 240 g/L: spinosad (spinosyn A, spinosyn D) 22.54%, propylene glycol >= 10.0 - < 20.0%, polyethoxylated dodecyl alcohol >= 1.0 - < 3.0%, spinosyn B >=0.25 - < 1.0%. 8% Molasses, 8% kelp, 6.6% Fish, 8% Fulvic, 3.4% K 0 Nitrogen 3%, Potassium 8%, Zinc 0.10%, Organic carbon (soluble in water) 10%	chem.com.au/sites/default/file ature/pwtanic brochure 2022 - - -
Ganic Ilcova active htrust Organic IadSHOT difarm	plant extract microbial composite/blend	insecticide insecticide not registered	growth stimulant/ regulator	pyrethrins Spinosad (mixture of Spinosyn A and Spinosyn D in an approximate ratio of 17 to 3). Spinosad is a fermentation product of Saccharopolyspora spinosa. not registered	humic acid/ fulvic acid/ fish extract/ molasses plant extracts (no further information given) Microbial inoculum: <i>Kocuria rosea, Bacillus</i>	hopper   macadamia lace bug   diamondback moth   pea aphids   beet armyworm   potato aphids   fruitfly   rutherglen bug   spiders control of range of insect pests (incl. diamondback moth, thrips, leaf miners) not registered	root growth Pre-plant soil conditioner/fertiliser	eggplants   grapes   kiwifruits   lettuces   macadamias   stone fruits   strawberries   tomatoes   leafy vegetables   legume vegetables         vegetable crops, fruit crops, herbs, ornamentals and forestry         all crops	Pty Ltd Corteva Agriscience Australia Pty Ltd, New South Wales SLTEC Valagro IAO Pty Ltd,	liquid Iiquid Iiquid	Yes Yes	8.0 - 9.5 (1% pH electrode) 10.0-11.0 5.0	Spinosad at 240 g/L: spinosad (spinosyn A, spinosyn D) 22.54%, propylene glycol >=10.0 - < 20.0%, polyethoxylated dodecyl alcohol >= 1.0 - < 3.0%, spinosyn B >=0.25 - < 1.0%. 8% Molasses, 8% kelp, 6.6% Fish, 8% Fulvic, 3.4% k 0 Nitrogen 3%, Potassium 8%, Zinc 0.10%, Organic carbon (soluble in water) 10% Bacterial inoculum (total concentration 3.25 x	chem.com.au/sites/default/fil ature/pwpanic brochure 2022. - -
Ganic Ilcova active htrust Organic IadSHOT difarm	plant extract microbial composite/blend plant extract	insecticide insecticide not registered not registered	growth stimulant/ regulator	pyrethrins         Spinosad (mixture of Spinosyn A and Spinosyn D in an approximate ratio of 17 to 3). Spinosad is a fermentation product of Saccharopolyspora spinosa.         not registered         not registered	humic acid/ fulvic acid/ fish extract/ molasses plant extracts (no further information given)	hopper   macadamia lace bug   diamondback moth   pea aphids   beet armyworm   potato aphids   fruitfly   rutherglen bug   spiders control of range of insect pests (incl. diamondback moth, thrips, leaf miners) not registered not registered	root growth	eggplants   grapes   kiwifruits   lettuces   macadamias           stone fruits   strawberries   tomatoes   leafy vegetables           legume vegetables         vegetable crops, fruit crops, herbs, ornamentals and forestry         all crops         all crops	Pty Ltd Corteva Agriscience Australia Pty Ltd, New South Wales SLTEC Valagro	liquid Iiquid Iiquid	Yes Yes Yes No	8.0 - 9.5 (1% pH electrode) 10.0-11.0 5.0	Spinosad at 240 g/L: spinosad (spinosyn A, spinosyn D) 22.54%, propylene glycol >= 10.0 - < 20.0%, polyethoxylated dodecyl alcohol >= 1.0 - < 3.0%, spinosyn B >=0.25 - < 1.0%. 8% Molasses, 8% kelp, 6.6% Fish, 8% Fulvic, 3.4% K 0 Nitrogen 3%, Potassium 8%, Zinc 0.10%, Organic carbon (soluble in water) 10%	chem.com.au/sites/default/fil ature/pwpanic brochure 2022. 
Ganic Ilcova active htrust Organic IadSHOT difarm	plant extract microbial composite/blend plant extract	insecticide insecticide not registered not registered	growth stimulant/ regulator	pyrethrins         Spinosad (mixture of Spinosyn A and Spinosyn D in an approximate ratio of 17 to 3). Spinosad is a fermentation product of Saccharopolyspora spinosa.         not registered         not registered	humic acid/ fulvic acid/ fish extract/ molasses plant extracts (no further information given) Microbial inoculum: Kocuria rosea, Bacillus megaterium, Azospirillum brasilense,	hopper   macadamia lace bug   diamondback moth   pea aphids   beet armyworm   potato aphids   fruitfly   rutherglen bug   spiders control of range of insect pests (incl. diamondback moth, thrips, leaf miners) not registered not registered	root growth Pre-plant soil conditioner/fertiliser supplement to stimulate beneficial	eggplants   grapes   kiwifruits   lettuces   macadamias           stone fruits   strawberries   tomatoes   leafy vegetables           legume vegetables         vegetable crops, fruit crops, herbs, ornamentals and forestry         all crops         all crops	Pty Ltd Corteva Agriscience Australia Pty Ltd, New South Wales SLTEC Valagro IAO Pty Ltd,	liquid Iiquid Iiquid	Yes Yes Yes No	8.0 - 9.5 (1% pH electrode) 10.0-11.0 5.0	Spinosad at 240 g/L: spinosad (spinosyn A, spinosyn D) 22.54%,         propylene glycol >= 10.0 - < 20.0%,	chem.com.au/sites/default/fil ature/pytanic brochure 2022. - - -
Ganic Icova active Itrust Organic IadSHOT difarm efsaver Classic	plant extract microbial composite/blend plant extract microbial	insecticide insecticide not registered not registered	growth stimulant/ regulator growth stimulant/ regulator soil biology stimulant	pyrethrins         Spinosad (mixture of Spinosyn A and Spinosyn D in an approximate ratio of 17 to 3). Spinosad is a fermentation product of Saccharopolyspora spinosa.         not registered         not registered         not registered	humic acid/ fulvic acid/ fish extract/ molasses plant extracts (no further information given) Microbial inoculum: Kocuria rosea, Bacillus megaterium, Azospirillum brasilense, Arthrobacter crystallopoietes, Bacillus simplex.	hopper   macadamia lace bug   diamondback moth   pea aphids   beet armyworm   potato aphids   fruitfly   rutherglen bug   spiders control of range of insect pests (incl. diamondback moth, thrips, leaf miners) not registered not registered not registered	root growth Pre-plant soil conditioner/fertiliser supplement to stimulate beneficial microbial activity in the root zone and biological processes.	eggplants   grapes   kiwifruits   lettuces   macadamias           stone fruits   strawberries   tomatoes   leafy vegetables           legume vegetables         vegetable crops, fruit crops, herbs, ornamentals and forestry         all crops         all crops	Pty Ltd Corteva Agriscience Australia Pty Ltd, New South Wales SLTEC Valagro IAO Pty Ltd, Queensland	liquid liquid liquid powder	Yes Yes Yes Yes	8.0 - 9.5 (1% pH electrode) 10.0-11.0 5.0 4.5 - 7.5	Spinosad at 240 g/L: spinosad (spinosyn A, spinosyn D) 22.54%, propylene glycol >=10.0 - < 20.0%, polyethoxylated dodecyl alcohol >= 1.0 - < 3.0%, spinosyn B >=0.25 - < 1.0%. 8% Molasses, 8% kelp, 6.6% Fish, 8% Fulvic, 3.4% k 0 Nitrogen 3%, Potassium 8%, Zinc 0.10%, Organic carbon (soluble in water) 10% Bacterial inoculum (total concentration 3.25 x 10% CFU/m): Kocuria rosea, Bacillus megaterium, Azospirillum brasilense, Arthrobacter crystallopoietes, Bacillus simplex. Inert carrier	chem.com.au/sites/default/fil ature/pwpanic brochure 2022. 
Ganic Icova active Itrust Organic IadSHOT difarm efsaver Classic	plant extract microbial composite/blend plant extract microbial	insecticide insecticide not registered not registered	growth stimulant/ regulator	pyrethrins         Spinosad (mixture of Spinosyn A and Spinosyn D in an approximate ratio of 17 to 3). Spinosad is a fermentation product of Saccharopolyspora spinosa.         not registered         not registered	humic acid/ fulvic acid/ fish extract/ molasses plant extracts (no further information given) Microbial inoculum: Kocuria rosea, Bacillus megaterium, Azospirillum brasilense,	hopper   macadamia lace bug   diamondback moth   pea aphids   beet armyworm   potato aphids   fruitfly   rutherglen bug   spiders control of range of insect pests (incl. diamondback moth, thrips, leaf miners) not registered not registered	root growth Pre-plant soil conditioner/fertiliser supplement to stimulate beneficial microbial activity in the root zone and	eggplants   grapes   kiwifruits   lettuces   macadamias           stone fruits   strawberries   tomatoes   leafy vegetables           legume vegetables         vegetable crops, fruit crops, herbs, ornamentals and forestry         all crops         all crops	Pty Ltd Corteva Agriscience Australia Pty Ltd, New South Wales SLTEC Valagro IAO Pty Ltd,	liquid Iiquid Iiquid	Yes Yes Yes No	8.0 - 9.5 (1% pH electrode) 10.0-11.0 5.0 4.5 - 7.5	Spinosad at 240 g/L: spinosad (spinosyn A, spinosyn D) 22.54%, propylene glycol >=10.0 - < 20.0%, polyethoxylated dodecyl alcohol >= 1.0 - < 3.0%, spinosyn B >=0.25 - < 1.0%. 8% Molasses, 8% kelp, 6.6% Fish, 8% Fulvic, 3.4% k 0 Nitrogen 3%, Potassium 8%, Zinc 0.10%, Organic carbon (soluble in water) 10% Bacterial inoculum (total concentration 3.25 x 10% CFU/m): Kocuria rosea, Bacillus megaterium, Azospirillum brasilense, Arthrobacter crystallopoietes, Bacillus simplex. Inert carrier	chem.com.au/sites/default/fil ature/pwpanic brochure 2022. 
Sanic Icova active itrust Organic adSHOT difarm afsaver Classic ax	plant extract microbial composite/blend plant extract microbial seaweed extract	insecticide insecticide not registered not registered	growth stimulant/ regulator growth stimulant/ regulator soil biology stimulant	pyrethrins         Spinosad (mixture of Spinosyn A and Spinosyn D in an approximate ratio of 17 to 3). Spinosad is a fermentation product of Saccharopolyspora spinosa.         not registered         not registered         not registered	humic acid/ fulvic acid/ fish extract/ molasses plant extracts (no further information given) Microbial inoculum: <i>Kocuria rosea, Bacillus megaterium, Azospirillum brasilense,</i> <i>Arthrobacter crystallopoietes, Bacillus simplex.</i> kelp extract + cobalt several species of beneficial bacteria and	hopper   macadamia lace bug   diamondback moth   pea aphids   beet armyworm   potato aphids   fruitfly   rutherglen bug   spiders control of range of insect pests (incl. diamondback moth, thrips, leaf miners) not registered not registered not registered	root growth Pre-plant soil conditioner/fertiliser supplement to stimulate beneficial microbial activity in the root zone and biological processes.	eggplants   grapes   kiwifruits   lettuces   macadamias           stone fruits   strawberries   tomatoes   leafy vegetables           legume vegetables         vegetable crops, fruit crops, herbs, ornamentals and forestry         all crops         all crops	Pty Ltd Corteva Agriscience Australia Pty Ltd, New South Wales SLTEC Valagro IAO Pty Ltd, Queensland SLTEC AgroBest Australia Pty Ltd,	liquid liquid liquid powder liquid	Yes Yes Yes Yes	8.0 - 9.5 (1% pH electrode) 10.0-11.0 4.5 - 7.5 5.0- 7.0	Spinosad at 240 g/L: spinosad (spinosyn A, spinosyn D) 22.54%,         propylene glycol >= 10.0 - < 20.0%,	chem.com.au/sites/default/fii ature/pyganic brochure 2022. 
Sanic Icova active itrust Organic adSHOT difarm afsaver Classic ax	plant extract microbial composite/blend plant extract microbial seaweed extract	insecticide insecticide not registered not registered not registered	growth stimulant/ regulator growth stimulant/ regulator soil biology stimulant growth stimulant/ regulator	pyrethrins         Spinosad (mixture of Spinosyn A and Spinosyn D in an approximate ratio of 17 to 3). Spinosad is a fermentation product of Saccharopolyspora spinosa.         not registered         not registered         not registered         not registered         not registered         not registered	humic acid/ fulvic acid/ fish extract/ molasses plant extracts (no further information given) Microbial inoculum: <i>Kocuria rosea, Bacillus megaterium, Azospirillum brasilense,</i> <i>Arthrobacter crystallopoietes, Bacillus simplex.</i> kelp extract + cobalt	hopper   macadamia lace bug   diamondback moth   pea aphids   beet armyworm   potato aphids   fruitfly   rutherglen bug   spiders control of range of insect pests (incl. diamondback moth, thrips, leaf miners) not registered not registered not registered	root growth Pre-plant soil conditioner/fertiliser supplement to stimulate beneficial microbial activity in the root zone and biological processes. crop health/ stress tolerance	eggplants   grapes   kiwifruits   lettuces   macadamias           stone fruits   strawberries   tomatoes   leafy vegetables           legume vegetables         vegetable crops, fruit crops, herbs, ornamentals and forestry         all crops         all crops         all crops         all crops	Pty Ltd Corteva Agriscience Australia Pty Ltd, New South Wales SLTEC Valagro IAO Pty Ltd, Queensland SLTEC	liquid liquid liquid powder liquid	Yes Yes Yes No Yes No	8.0 - 9.5 (1% pH electrode) 10.0-11.0 4.5 - 7.5 5.0- 7.0	Spinosad at 240 g/L: spinosad (spinosyn A, spinosyn D) 22.54%,         propylene glycol >= 10.0 - < 20.0%,	chem.com.au/sites/default/fil ature/pyganic brochure 2022 - - -
Sanic Icova active itrust Organic adSHOT difarm afsaver Classic ax	plant extract microbial composite/blend plant extract microbial seaweed extract	insecticide insecticide not registered not registered not registered	growth stimulant/ regulator growth stimulant/ regulator soil biology stimulant growth stimulant/ regulator	pyrethrins         Spinosad (mixture of Spinosyn A and Spinosyn D in an approximate ratio of 17 to 3). Spinosad is a fermentation product of Saccharopolyspora spinosa.         not registered         not registered         not registered         not registered         not registered         not registered	humic acid/ fulvic acid/ fish extract/ molasses plant extracts (no further information given) Microbial inoculum: <i>Kocuria rosea, Bacillus megaterium, Azospirillum brasilense,</i> <i>Arthrobacter crystallopoietes, Bacillus simplex.</i> kelp extract + cobalt several species of beneficial bacteria and	hopper   macadamia lace bug   diamondback moth   pea aphids   beet armyworm   potato aphids   fruitfly   rutherglen bug   spiders control of range of insect pests (incl. diamondback moth, thrips, leaf miners) not registered not registered not registered	root growth Pre-plant soil conditioner/fertiliser supplement to stimulate beneficial microbial activity in the root zone and biological processes. crop health/ stress tolerance	eggplants   grapes   kiwifruits   lettuces   macadamias           stone fruits   strawberries   tomatoes   leafy vegetables           legume vegetables         vegetable crops, fruit crops, herbs, ornamentals and forestry         all crops         all crops         all crops         all crops	Pty Ltd Corteva Agriscience Australia Pty Ltd, New South Wales SLTEC Valagro IAO Pty Ltd, Queensland SLTEC AgroBest Australia Pty Ltd,	liquid liquid liquid powder liquid	Yes Yes Yes No Yes No	8.0 - 9.5 (1% pH electrode) 10.0-11.0 4.5 - 7.5 5.0- 7.0	Spinosad at 240 g/L: spinosad (spinosyn A, spinosyn D) 22.54%,         propylene glycol >= 10.0 - < 20.0%,	chem.com.au/sites/default/fii ature/pyganic brochure 2022
Ganic Ilcova active Itrust Organic IadSHOT difarm efsaver Classic Iax vitalize	plant extract microbial plant extract microbial seaweed extract microbial	insecticide insecticide not registered not registered not registered not registered	growth stimulant/ regulator growth stimulant/ regulator soil biology stimulant growth stimulant/ regulator soil biology stimulant	pyrethrins         Spinosad (mixture of Spinosyn A and Spinosyn D in an approximate ratio of 17 to 3). Spinosad is a fermentation product of <i>Saccharopolyspora spinosa</i> .         not registered	humic acid/ fulvic acid/ fish extract/ molasses plant extracts (no further information given) Microbial inoculum: <i>Kocuria rosea, Bacillus megaterium, Azospirillum brasilense,</i> <i>Arthrobacter crystallopoietes, Bacillus simplex.</i> kelp extract + cobalt several species of beneficial bacteria and fungi	hopper   macadamia lace bug   diamondback moth   pea aphids   beet armyworm   potato aphids   fruitfly   rutherglen bug   spiders control of range of insect pests (incl. diamondback moth, thrips, leaf miners) not registered not registered not registered not registered	root growth Pre-plant soil conditioner/fertiliser supplement to stimulate beneficial microbial activity in the root zone and biological processes. crop health/ stress tolerance enhanced fertiliser uptake, soil health	eggplants   grapes   kiwifruits   lettuces   macadamias           stone fruits   strawberries   tomatoes   leafy vegetables           legume vegetables         vegetable crops, fruit crops, herbs, ornamentals and forestry         all crops	Pty Ltd Corteva Agriscience Australia Pty Ltd, New South Wales SLTEC Valagro IAO Pty Ltd, Queensland SLTEC AgroBest Australia Pty Ltd, Queensland	liquid liquid powder liquid liquid	Yes Yes Yes Yes Yes Yes	8.0 - 9.5 (1% pH electrode) 10.0-11.0 4.5 - 7.5 5.0- 7.0 3.8	Spinosad at 240 g/L: spinosad (spinosyn A, spinosyn D) 22.54%,         propylene glycol >=10.0 - < 20.0%,	chem.com.au/sites/default/fil ature/pyganic brochure 2022.
Ganic Ilcova active Itrust Organic IadSHOT difarm efsaver Classic Iax vitalize	plant extract microbial plant extract microbial seaweed extract microbial	insecticide insecticide not registered not registered not registered	growth stimulant/ regulator growth stimulant/ regulator soil biology stimulant growth stimulant/ regulator	pyrethrins         Spinosad (mixture of Spinosyn A and Spinosyn D in an approximate ratio of 17 to 3). Spinosad is a fermentation product of Saccharopolyspora spinosa.         not registered         not registered         not registered         not registered         not registered         not registered	humic acid/ fulvic acid/ fish extract/ molasses plant extracts (no further information given) Microbial inoculum: <i>Kocuria rosea, Bacillus megaterium, Azospirillum brasilense,</i> <i>Arthrobacter crystallopoietes, Bacillus simplex.</i> kelp extract + cobalt several species of beneficial bacteria and	hopper   macadamia lace bug   diamondback moth   pea aphids   beet armyworm   potato aphids   fruitfly   rutherglen bug   spiders control of range of insect pests (incl. diamondback moth, thrips, leaf miners) not registered not registered not registered	root growth Pre-plant soil conditioner/fertiliser supplement to stimulate beneficial microbial activity in the root zone and biological processes. crop health/ stress tolerance enhanced fertiliser uptake, soil health improving fruit formation, increasing fruit	eggplants   grapes   kiwifruits   lettuces   macadamias           stone fruits   strawberries   tomatoes   leafy vegetables           legume vegetables         vegetable crops, fruit crops, herbs, ornamentals and forestry         all crops         all crops         all crops         all crops	Pty Ltd Corteva Agriscience Australia Pty Ltd, New South Wales SLTEC Valagro IAO Pty Ltd, Queensland SLTEC AgroBest Australia Pty Ltd,	liquid liquid powder liquid liquid	Yes Yes Yes No Yes No	8.0 - 9.5 (1% pH electrode) 10.0-11.0 4.5 - 7.5 5.0- 7.0	Spinosad at 240 g/L: spinosad (spinosyn A, spinosyn D) 22.54%, propylene glycol >=10.0 - < 20.0%, polyethoxylated dodecyl alcohol >= 1.0 - < 3.0%, spinosyn B >=0.25 - < 1.0%. 8% Molasses, 8% kelp, 6.6% Fish, 8% Fulvic, 3.4% k 0 Nitrogen 3%, Potassium 8%, Zinc 0.10%, Organic carbon (soluble in water) 10% Bacterial inoculum (total concentration 3.25 × 10^8 CFU/m): Kocuria rosea, Bacillus megaterium, Azospirillum brasilense, Arthrobacter crystallopoiets, Bacillus simplex. Inert carrier 10% kelp, 0.2% Cobalt, 4.3% P, 10.3%K, 0.1% S, 0.02% Mo Total of 10^9 CFU/mi: Stutzderi spp., Pseudomonas spp., Bacillus spp., Streptomyces cellulosae, Azotobacter spp., Azospirillum brasilense, Polyangium cellulosum, Yarrowia lipolytica 2.9% NATCA, 3.2% TCA, 8.7% Free Amino acids,	chem.com.au/sites/default/file ature/pytanic brochure 2022 
Ganic Ilcova active ntrust Organic IadSHOT difarm efsaver Classic lax vitalize ino High Tech	plant extract microbial plant extract microbial seaweed extract microbial	insecticide insecticide not registered not registered not registered not registered	growth stimulant/ regulator growth stimulant/ regulator soil biology stimulant growth stimulant/ regulator soil biology stimulant	pyrethrins         Spinosad (mixture of Spinosyn A and Spinosyn D in an approximate ratio of 17 to 3). Spinosad is a fermentation product of <i>Saccharopolyspora spinosa</i> .         not registered	humic acid/ fulvic acid/ fish extract/ molasses plant extracts (no further information given) Microbial inoculum: <i>Kocuria rosea, Bacillus megaterium, Azospirillum brasilense,</i> <i>Arthrobacter crystallopoietes, Bacillus simplex.</i> kelp extract + cobalt several species of beneficial bacteria and fungi	hopper   macadamia lace bug   diamondback moth   pea aphids   beet armyworm   potato aphids   fruitfly   rutherglen bug   spiders control of range of insect pests (incl. diamondback moth, thrips, leaf miners) not registered not registered not registered not registered	root growth Pre-plant soil conditioner/fertiliser supplement to stimulate beneficial microbial activity in the root zone and biological processes. crop health/ stress tolerance enhanced fertiliser uptake, soil health	eggplants   grapes   kiwifruits   lettuces   macadamias           stone fruits   strawberries   tomatoes   leafy vegetables           legume vegetables         vegetable crops, fruit crops, herbs, ornamentals and forestry         all crops	Pty Ltd Corteva Agriscience Australia Pty Ltd, New South Wales SLTEC Valagro IAO Pty Ltd, Queensland SLTEC AgroBest Australia Pty Ltd, Queensland	liquid liquid powder liquid liquid	Yes Yes Yes Yes Yes Yes	8.0 - 9.5 (1% pH electrode)           10.0-11.0           5.0           5.0-7.0           3.8           n/a	Spinosad at 240 g/L: spinosad (spinosyn A, spinosyn D) 22.54%,         propylene glycol >=10.0 - < 20.0%,	chem.com.au/sites/default/fili ature/pyganic brochure 2022
Ganic Ilcova active ntrust Organic JadSHOT difarm efsaver Classic lax vitalize ino High Tech izomax	plant extract microbial plant extract microbial seaweed extract microbial plant extract microbial	insecticide insecticide insecticide insecticide not registered	growth stimulant/ regulator         growth stimulant/ regulator         growth stimulant/ regulator         soil biology stimulant         growth stimulant/ regulator         soil biology stimulant         crop nutrition         growth stimulant/ regulator	pyrethrins         Spinosad (mixture of Spinosyn A and Spinosyn D in an approximate ratio of 17 to 3). Spinosad is a fermentation product of Saccharopolyspora spinosa.         not registered	humic acid/ fulvic acid/ fish extract/ molasses plant extracts (no further information given) Microbial inoculum: <i>Kocuria rosea, Bacillus megaterium, Azospirillum brasilense,</i> <i>Arthrobacter crystallopoietes, Bacillus simplex.</i> kelp extract + cobalt several species of beneficial bacteria and fungi plant extracts <i>Bacillus amyloliquefaciens</i>	hopper   macadamia lace bug   diamondback moth   pea aphids   beet armyworm   potato aphids   fruitfly   rutherglen bug   spiders control of range of insect pests (incl. diamondback moth, thrips, leaf miners) not registered not registered not registered not registered not registered not registered not registered not registered	root growth Pre-plant soil conditioner/fertiliser supplement to stimulate beneficial microbial activity in the root zone and biological processes. crop health/ stress tolerance enhanced fertiliser uptake, soil health improving fruit formation, increasing fruit set, lengthening rachis (grapes) crop health	eggplants   grapes   kiwifruits   lettuces   macadamias           stone fruits   strawberries   tomatoes   leafy vegetables           legume vegetables         vegetable crops, fruit crops, herbs, ornamentals and forestry         all crops         all crops         all crops         all crops         berries   grapes   fruiting vegetables   nuts   citrus         all crops	Pty Ltd Corteva Agriscience Australia Pty Ltd, New South Wales SLTEC Valagro IAO Pty Ltd, Queensland SLTEC AgroBest Australia Pty Ltd, Queensland Kimitec Novum Lifesciences, Queensland	liquid liquid powder liquid liquid liquid liquid	Yes Yes Yes No Yes No Yes No Yes	8.0 - 9.5 (1% pH electrode)           10.0-11.0           5.0           5.0-7.0           3.8           n/a           4.5 - 8.5	Spinosad at 240 g/L: spinosad (spinosyn A, spinosyn D) 22.54%, propylene glycol >=10.0 - < 20.0%, polyethoxylated dodecyl alcohol >= 1.0 - < 3.0%, spinosyn B >=0.25 - < 1.0%. 8% Molasses, 8% kelp, 6.6% Fish, 8% Fulvic, 3.4% M Nitrogen 3%, Potassium 8%, Zinc 0.10%, Organic carbon (soluble in water) 10% Bacterial inoculum (total concentration 3.25 x 10^8 CFU/m): <i>Kocuria rosea, Bacillus megaterium,</i> <i>Azospirillum brasilense, Arthrobacter</i> <i>crystallopoietes, Bacillus simplex.</i> Inert carrier 10% kelp, 0.2% Cobalt, 4.3% P, 10.3%K, 0.1% S, 0.02% Mo Total of 10/9 CFU/mI: <i>Stutzderi spp., Pseudomonas spp., Bacillus spp.,</i> <i>Streptomyces cellulosae, Azotobacter spp.,</i> <i>Azospirillum brasilense, Polyangium cellulosum,</i> <i>Varrowia lipolytica</i> 2.9% NATCA, 3.2% TCA, 8.7% Free Amino acids, 1.9% Total N, 1.9% Organic N, 7.7% K	chem.com.au/sites/default/fil ature/pyganic brochure 2022.
Ganic alcova active ntrust Organic uadSHOT difarm eefsaver Classic lax vitalize ino High Tech iizomax	plant extract microbial plant extract microbial seaweed extract microbial plant extract	insecticide insecticide insecticide not registered not registered not registered not registered not registered	growth stimulant/ regulator         growth stimulant/ regulator         soil biology stimulant         growth stimulant/ regulator         soil biology stimulant         crop nutrition	pyrethrins         Spinosad (mixture of Spinosyn A and Spinosyn D in an approximate ratio of 17 to 3). Spinosad is a fermentation product of Saccharopolyspora spinosa.         not registered	humic acid/ fulvic acid/ fish extract/ molasses plant extracts (no further information given) Microbial inoculum: Kocuria rosea, Bacillus megaterium, Azospirillum brasilense, Arthrobacter crystallopoietes, Bacillus simplex. kelp extract + cobalt several species of beneficial bacteria and fungi plant extracts	hopper   macadamia lace bug   diamondback moth   pea aphids   beet armyworm   potato aphids   fruitfly   rutherglen bug   spiders control of range of insect pests (incl. diamondback moth, thrips, leaf miners) not registered not registered not registered not registered not registered	root growth Pre-plant soil conditioner/fertiliser supplement to stimulate beneficial microbial activity in the root zone and biological processes. crop health/ stress tolerance enhanced fertiliser uptake, soil health improving fruit formation, increasing fruit set, lengthening rachis (grapes)	eggplants   grapes   kiwifruits   lettuces   macadamias           stone fruits   strawberries   tomatoes   leafy vegetables           legume vegetables         vegetable crops, fruit crops, herbs, ornamentals and forestry         all crops         all crops         all crops         all crops         all crops         all crops         berries   grapes   fruiting vegetables   nuts   citrus	Pty Ltd Corteva Agriscience Australia Pty Ltd, New South Wales SLTEC Valagro IAO Pty Ltd, Queensland SLTEC AgroBest Australia Pty Ltd, Queensland Kimitec Novum Lifesciences,	liquid liquid powder liquid liquid liquid liquid	Yes Yes No Yes No Yes No	8.0 - 9.5 (1% pH electrode)           10.0-11.0           5.0           5.0-7.0           3.8           n/a	Spinosad at 240 g/L: spinosad (spinosyn A, spinosyn D) 22.54%,         propylene glycol >=10.0 - < 20.0%,	chem.com.au/sites/default/file ature/pyganic brochure 2022   
Ganic Ilcova active Intrust Organic IadSHOT Idifarm If a content of the second	plant extract microbial plant extract microbial seaweed extract microbial plant extract microbial	insecticide insecticide insecticide insecticide not registered	growth stimulant/ regulator         growth stimulant/ regulator         growth stimulant/ regulator         soil biology stimulant         growth stimulant/ regulator         soil biology stimulant         crop nutrition         growth stimulant/ regulator	pyrethrins         Spinosad (mixture of Spinosyn A and Spinosyn D in an approximate ratio of 17 to 3). Spinosad is a fermentation product of Saccharopolyspora spinosa.         not registered	humic acid/ fulvic acid/ fish extract/ molasses plant extracts (no further information given) Microbial inoculum: <i>Kocuria rosea, Bacillus megaterium, Azospirillum brasilense,</i> <i>Arthrobacter crystallopoietes, Bacillus simplex.</i> kelp extract + cobalt several species of beneficial bacteria and fungi plant extracts <i>Bacillus amyloliquefaciens</i>	hopper   macadamia lace bug   diamondback moth   pea aphids   beet armyworm   potato aphids   fruitfly   rutherglen bug   spiders control of range of insect pests (incl. diamondback moth, thrips, leaf miners) not registered not registered not registered not registered not registered not registered not registered not registered	root growth Pre-plant soil conditioner/fertiliser supplement to stimulate beneficial microbial activity in the root zone and biological processes. crop health/ stress tolerance enhanced fertiliser uptake, soil health improving fruit formation, increasing fruit set, lengthening rachis (grapes) crop health	eggplants   grapes   kiwifruits   lettuces   macadamias           stone fruits   strawberries   tomatoes   leafy vegetables           legume vegetables         vegetable crops, fruit crops, herbs, ornamentals and forestry         all crops         all crops         all crops         all crops         berries   grapes   fruiting vegetables   nuts   citrus         all crops	Pty Ltd Corteva Agriscience Australia Pty Ltd, New South Wales SLTEC Valagro IAO Pty Ltd, Queensland SLTEC AgroBest Australia Pty Ltd, Queensland Kimitec Novum Lifesciences, Queensland	liquid liquid powder liquid liquid liquid liquid	Yes Yes Yes No Yes No Yes No Yes	8.0 - 9.5 (1% pH electrode)           10.0-11.0           5.0           5.0-7.0           3.8           n/a           4.5 - 8.5	Spinosad at 240 g/L: spinosad (spinosyn A, spinosyn D) 22.54%, propylene glycol >=10.0 - < 20.0%, polyethoxylated dodecyl alcohol >= 1.0 - < 3.0%, spinosyn B >=0.25 - < 1.0%. 8% Molasses, 8% kelp, 6.6% Fish, 8% Fulvic, 3.4% M Nitrogen 3%, Potassium 8%, Zinc 0.10%, Organic carbon (soluble in water) 10% Bacterial inoculum (total concentration 3.25 x 10^8 CFU/m): <i>Kocuria rosea, Bacillus megaterium,</i> <i>Azospirillum brasilense, Arthrobacter</i> <i>crystallopoietes, Bacillus simplex.</i> Inert carrier 10% kelp, 0.2% Cobalt, 4.3% P, 10.3%K, 0.1% S, 0.02% Mo Total of 10/9 CFU/mI: <i>Stutzderi spp., Pseudomonas spp., Bacillus spp.,</i> <i>Streptomyces cellulosae, Azotobacter spp.,</i> <i>Azospirillum brasilense, Polyangium cellulosum,</i> <i>Varrowia lipolytica</i> 2.9% NATCA, 3.2% TCA, 8.7% Free Amino acids, 1.9% Total N, 1.9% Organic N, 7.7% K	chem.com.au/sites/default/file ature/pyganic brochure 2022   
Ganic Ilcova active trrust Organic adSHOT difarm efsaver Classic lax vitalize ino High Tech izomax izomax OB	plant extract microbial plant extract microbial seaweed extract microbial plant extract microbial	insecticide insecticide insecticide insecticide not registered	growth stimulant/ regulator         growth stimulant/ regulator         growth stimulant/ regulator         soil biology stimulant         growth stimulant/ regulator         soil biology stimulant         crop nutrition         growth stimulant/ regulator	pyrethrins         Spinosad (mixture of Spinosyn A and Spinosyn D in an approximate ratio of 17 to 3). Spinosad is a fermentation product of Saccharopolyspora spinosa.         not registered	humic acid/ fulvic acid/ fish extract/ molasses plant extracts (no further information given) Microbial inoculum: <i>Kocuria rosea, Bacillus megaterium, Azospirillum brasilense,</i> <i>Arthrobacter crystallopoietes, Bacillus simplex.</i> kelp extract + cobalt several species of beneficial bacteria and fungi plant extracts <i>Bacillus amyloliquefaciens</i>	hopper   macadamia lace bug   diamondback moth   pea aphids   beet armyworm   potato aphids   fruitfly   rutherglen bug   spiders control of range of insect pests (incl. diamondback moth, thrips, leaf miners) not registered not registered not registered not registered not registered not registered not registered not registered not registered not registered	root growth Pre-plant soil conditioner/fertiliser supplement to stimulate beneficial microbial activity in the root zone and biological processes. crop health/ stress tolerance enhanced fertiliser uptake, soil health improving fruit formation, increasing fruit set, lengthening rachis (grapes) crop health	eggplants   grapes   kiwifruits   lettuces   macadamias           stone fruits   strawberries   tomatoes   leafy vegetables           legume vegetables         vegetable crops, fruit crops, herbs, ornamentals and forestry         all crops         all crops         all crops         all crops         berries   grapes   fruiting vegetables   nuts   citrus         all crops	Pty Ltd Corteva Agriscience Australia Pty Ltd, New South Wales SLTEC Valagro IAO Pty Ltd, Queensland SLTEC AgroBest Australia Pty Ltd, Queensland Kimitec Novum Lifesciences, Queensland	liquid liquid powder liquid liquid liquid liquid	Yes Yes Yes No Yes No Yes No Yes	8.0 - 9.5 (1% pH electrode)           10.0-11.0           5.0           5.0-7.0           3.8           n/a           4.5 - 8.5	Spinosad at 240 g/L: spinosad (spinosyn A, spinosyn D) 22.54%,         propylene glycol >=10.0 - < 20.0%,	chem.com.au/sites/default/file ature/pyganic brochure 2022   
Ganic alcova active ntrust Organic uadSHOT difarm tefsaver Classic lax vitalize ino High Tech iizomax iizovator™ OB iizovator™ PC	plant extract         microbial         composite/blend         plant extract         microbial         seaweed extract         microbial         plant extract         microbial         plant extract         microbial         plant extract         microbial         plant extract         microbial         humic/fulvic         humic/fulvic	insecticide insecticide insecticide not registered not registered not registered not registered not registered not registered not registered	growth stimulant/ regulator         growth stimulant/ regulator         growth stimulant/ regulator         soil biology stimulant         growth stimulant/ regulator         soil biology stimulant         growth stimulant/ regulator         soil biology stimulant         soil biology stimulant         growth stimulant/ regulator         soil biology stimulant         growth stimulant/ regulator         soil biology stimulant         soil biology stimulant	pyrethrins         Spinosad (mixture of Spinosyn A and Spinosyn D in an approximate ratio of 17 to 3). Spinosad is a fermentation product of Saccharopolyspora spinosa.         not registered         not registered	humic acid/ fulvic acid/ fish extract/ molasses plant extracts (no further information given) Microbial inoculum: Kocuria rosea, Bacillus megaterium, Azospirillum brasilense, Arthrobacter crystallopoietes, Bacillus simplex. kelp extract + cobalt several species of beneficial bacteria and fungi plant extracts Bacillus amyloliquefaciens potassium humate, potassium fulvate	hopper   macadamia lace bug   diamondback moth   pea aphids   beet armyworm   potato aphids   fruitfly   rutherglen bug   spiders control of range of insect pests (incl. diamondback moth, thrips, leaf miners) not registered not registered	root growth Pre-plant soil conditioner/fertiliser supplement to stimulate beneficial microbial activity in the root zone and biological processes. crop health/ stress tolerance enhanced fertiliser uptake, soil health improving fruit formation, increasing fruit set, lengthening rachis (grapes) crop health soil health soil health, root system	eggplants   grapes   kiwifruits   lettuces   macadamias   stone fruits   strawberries   tomatoes   leafy vegetables   legume vegetables         vegetable crops, fruit crops, herbs, ornamentals and forestry         all crops         berries   grapes   fruiting vegetables   nuts   citrus         all crops         berries   grapes   fruiting vegetables   nuts   citrus         all crops         broadacre, orchards, potatoes	Pty Ltd Corteva Agriscience Australia Pty Ltd, New South Wales SLTEC Valagro IAO Pty Ltd, Queensland SLTEC AgroBest Australia Pty Ltd, Queensland Kimitec Novum Lifesciences, Queensland Omnia	liquid liquid liquid liquid liquid liquid liquid liquid liquid	Yes Yes No Yes No Yes No Yes Yes Yes	8.0 - 9.5 (1% pH electrode)           10.0-11.0           5.0           5.0-7.0           3.8           n/a           4.5 - 8.5           >9           >9	Spinosad at 240 g/L: spinosad (spinosyn A, spinosyn D) 22.54%, propylene glycol >=10.0 - < 20.0%, polyethoxylated dodecyl alcohol >= 1.0 - < 3.0%, spinosyn B >=0.25 - < 1.0%. 8% Molasses, 8% kelp, 6.6% Fish, 8% Fulvic, 3.4% k 0 Nitrogen 3%, Potassium 8%, Zinc 0.10%, Organic carbon (soluble in water) 10% Bacterial inoculum (total concentration 3.25 × 10^8 CFU/ml): Kocuria rosea, Bacillus megaterium, Azospirillum brasilense, Arthrobacter crystallopoiets, Bacillus simplex. Inert carrier 10% kelp, 0.2% Cobalt, 4.3% P, 10.3%K, 0.1% S, 0.02% Mo Total of 10^9 CFU/ml: Stutzderi spp., Pseudomonas spp., Bacillus spp., Streptomyces cellulosae , Azotobacter spp., Azospirillum brasilense, Polyangium cellulosum, Yarrowia lipolytica 2.9% NATCA, 3.2% TCA, 8.7% Free Amino acids, 1.9% Total N, 1.9% Organic N, 7.7% K 1 x 10° CFU/ml Nitrogen 0.25% wt/vol, Potassium 4.66%, Potassium humate 18.2%, Potassium fulvate 0.5%	chem.com.au/sites/default/files ature/pyganic_brochure_2022_f.
Ganic alcova active ntrust Organic uadSHOT udifarm tefsaver Classic tefsaver Classic tersaver	plant extract         microbial         composite/blend         plant extract         microbial         seaweed extract         microbial         plant extract         microbial         plant extract         microbial         plant extract         microbial         plant extract         microbial	insecticide insecticide insecticide not registered not registered not registered not registered not registered not registered not registered	growth stimulant/ regulator         growth stimulant/ regulator         growth stimulant/ regulator         soil biology stimulant         growth stimulant/ regulator         soil biology stimulant         crop nutrition         growth stimulant/ regulator         soil biology stimulant	pyrethrins         Spinosad (mixture of Spinosyn A and Spinosyn D in an approximate ratio of 17 to 3). Spinosad is a fermentation product of Saccharopolyspora spinosa.         not registered	humic acid/ fulvic acid/ fish extract/ molasses plant extracts (no further information given) Microbial inoculum: <i>Kocuria rosea, Bacillus megaterium, Azospirillum brasilense,</i> <i>Arthrobacter crystallopoietes, Bacillus simplex.</i> kelp extract + cobalt several species of beneficial bacteria and fungi plant extracts <i>Bacillus amyloliquefaciens</i> potassium humate, potassium fulvate	hopper   macadamia lace bug   diamondback moth   pea aphids   beet armyworm   potato aphids   fruitfly   rutherglen bug   spiders control of range of insect pests (incl. diamondback moth, thrips, leaf miners) not registered not registered not registered not registered not registered not registered not registered not registered not registered not registered	root growth Pre-plant soil conditioner/fertiliser supplement to stimulate beneficial microbial activity in the root zone and biological processes. crop health/ stress tolerance enhanced fertiliser uptake, soil health improving fruit formation, increasing fruit set, lengthening rachis (grapes) crop health soil health	eggplants   grapes   kiwifruits   lettuces   macadamias           stone fruits   strawberries   tomatoes   leafy vegetables           legume vegetables         vegetable crops, fruit crops, herbs, ornamentals and forestry         all crops         berries   grapes   fruiting vegetables   nuts   citrus         all crops         broadacre, orchards, potatoes	Pty Ltd Corteva Agriscience Australia Pty Ltd, New South Wales SLTEC Valagro IAO Pty Ltd, Queensland SLTEC AgroBest Australia Pty Ltd, Queensland Kimitec Novum Lifesciences, Queensland Omnia	liquid liquid liquid liquid liquid liquid liquid liquid	Yes Yes Yes No Yes No Yes No Yes Yes	8.0 - 9.5 (1% pH electrode)           10.0-11.0           5.0-7.0           3.8           n/a           4.5 - 8.5           >9	Spinosad at 240 g/L: spinosad (spinosyn A, spinosyn D) 22.54%, propylene glycol >=10.0 - < 20.0%, polyethosylated dodecyl alcohol >= 1.0 - < 3.0%, spinosyn B >=0.25 - < 1.0%. 8% Molasses, 8% kelp, 6.6% Fish, 8% Fulvic, 3.4% F 0 Nitrogen 3%, Potassium 8%, Zinc 0.10%, Organic carbon (soluble in water) 10% Bacterial inoculum (total concentration 3.25 x 10% CE/J/ml): Kocuria rosea, Bacillus megaterium, Azospirillum brasilense, Arthrobacter crystallopoietes, Bacillus simplex. Inert carrier 10% kelp, 0.2% Cobalt, 4.3% P, 10.3%K, 0.1% S, 0.02% Mo Total of 10^9 CFU/ml: Stutzderi spp., Pseudomonas spp., Bacillus spp., Streptomyces cellulosae, Azotobacter spp., Azospirillum brasilense, Polyangium cellulosum, Yarrowia lipolytica 2.9% NATCA, 3.2% TCA, 8.7% Free Amino acids, 1.9% Total N, 1.9% Organic N, 7.7% K 1 x 10° CFU/ml Nitrogen 0.25% wt/vol, Potassium 4.66%, Potassium humate 138, Potassium 4.66%, Potassium humate 13%, Potassium 4.66%, Potassium humate 13%, Potassium fulvate 0.5% Bacillus amyloliquefaciens FZB42 2.5 x 10^10	chem.com.au/sites/default/files ature/pyganic_brochure_2022_f.
Ganic alcova active ntrust Organic uadSHOT difarm tefsaver Classic lax vitalize ino High Tech iizomax iizovator™ OB iizovator™ PC	plant extract         microbial         composite/blend         plant extract         microbial         seaweed extract         microbial         plant extract         microbial         plant extract         microbial         plant extract         microbial         plant extract         microbial         humic/fulvic         humic/fulvic	insecticide insecticide insecticide not registered not registered not registered not registered not registered not registered not registered	growth stimulant/ regulator         growth stimulant/ regulator         growth stimulant/ regulator         soil biology stimulant         growth stimulant/ regulator         soil biology stimulant         growth stimulant/ regulator         soil biology stimulant         soil biology stimulant         growth stimulant/ regulator         soil biology stimulant         growth stimulant/ regulator         soil biology stimulant         soil biology stimulant	pyrethrins         Spinosad (mixture of Spinosyn A and Spinosyn D in an approximate ratio of 17 to 3). Spinosad is a fermentation product of Saccharopolyspora spinosa.         not registered         not registered	humic acid/ fulvic acid/ fish extract/ molasses plant extracts (no further information given) Microbial inoculum: Kocuria rosea, Bacillus megaterium, Azospirillum brasilense, Arthrobacter crystallopoietes, Bacillus simplex. kelp extract + cobalt several species of beneficial bacteria and fungi plant extracts Bacillus amyloliquefaciens potassium humate, potassium fulvate	hopper   macadamia lace bug   diamondback moth   pea aphids   beet armyworm   potato aphids   fruitfly   rutherglen bug   spiders control of range of insect pests (incl. diamondback moth, thrips, leaf miners) not registered not registered	root growth Pre-plant soil conditioner/fertiliser supplement to stimulate beneficial microbial activity in the root zone and biological processes. crop health/ stress tolerance enhanced fertiliser uptake, soil health improving fruit formation, increasing fruit set, lengthening rachis (grapes) crop health soil health soil health, root system	eggplants   grapes   kiwifruits   lettuces   macadamias   stone fruits   strawberries   tomatoes   leafy vegetables   legume vegetables         vegetable crops, fruit crops, herbs, ornamentals and forestry         all crops         berries   grapes   fruiting vegetables   nuts   citrus         all crops         berries   grapes   fruiting vegetables   nuts   citrus         all crops         broadacre, orchards, potatoes	Pty Ltd Corteva Agriscience Australia Pty Ltd, New South Wales SLTEC Valagro IAO Pty Ltd, Queensland SLTEC AgroBest Australia Pty Ltd, Queensland Kimitec Novum Lifesciences, Queensland Omnia	liquid liquid liquid liquid liquid liquid liquid liquid liquid	Yes Yes No Yes No Yes No Yes Yes Yes	8.0 - 9.5 (1% pH electrode)           10.0-11.0           5.0           5.0-7.0           3.8           n/a           4.5 - 8.5           >9           >9	Spinosad at 240 g/L: spinosad (spinosyn A, spinosyn D) 22.54%, propylene glycol >=10.0 - < 20.0%, polyethoxylated dodecyl alcohol >= 1.0 - < 3.0%, spinosyn B >=0.25 - < 1.0%. 8% Molasses, 8% kelp, 6.6% Fish, 8% Fulvic, 3.4% k 0 Nitrogen 3%, Potassium 8%, Zinc 0.10%, Organic carbon (soluble in water) 10% Bacterial inoculum (total concentration 3.25 × 10^8 CFU/ml): Kocuria rosea, Bacillus megaterium, Azospirillum brasilense, Arthrobacter crystallopoiets, Bacillus simplex. Inert carrier 10% kelp, 0.2% Cobalt, 4.3% P, 10.3%K, 0.1% S, 0.02% Mo Total of 10^9 CFU/ml: Stutzderi spp., Pseudomonas spp., Bacillus spp., Streptomyces cellulosae , Azotobacter spp., Azospirillum brasilense, Polyangium cellulosum, Yarrowia lipolytica 2.9% NATCA, 3.2% TCA, 8.7% Free Amino acids, 1.9% Total N, 1.9% Organic N, 7.7% K 1 x 10° CFU/ml Nitrogen 0.25% wt/vol, Potassium 4.66%, Potassium humate 18.2%, Potassium fulvate 0.5%	chem.com.au/sites/default/files ature/pyganic_brochure_2022_f.







			Droduct tupo	1	agradiant(c)		lleo	1	1			1		1
Trade Name	Source	Registered Product Type	Product type Has been used as / for (not registered)	Active Ingredient(s) (APVMA Registered Products)	gredient(s) Main ingredient(s) of non registered products	Registered Use (APVMA Registered)	Use Has been used as / for (not registered)2	Сгор	Manufacturer	Formulation	Certified	рН	Analysis	Trial Information
		(APVMA Registered)									Organic			
Rootmate	microbial	not registered	growth stimulant/ regulator	not registered	Trichoderma harzianum	not registered	crop health	all crops	Agrimm	granular	No	n/a	not supplied	-
Sabel X Canola		not registered	growth stimulant/ regulator	not registered	endophytic Trichoderma spp.	not registered	yield, crop health, soil health	canola	Sustainable Farming Solutions	dry seed treatment	Yes	6-7	Trichoderma spp. 5 x 10^7 CFU/g	https://sustainablefarming.com.au/tr als/trials-database/
Sabel-X Cereal	microbial	not registered	growth stimulant/ regulator	not registered	endophytic Trichoderma spp.	not registered	yield, crop health, soil health	wheat   barley   oats   rye   spelt   triticale	Sustainable Farming Solutions	dry seed treatment	Yes	6-7	Trichoderma spp. 5 x 10^7 CFU/g	https://sustainablefarming.com.au/tr als/trials-database/ https://sustainablefarming.com.au/tr
Sabel-X Corn	microbial	not registered	growth stimulant/ regulator	not registered	endophytic Trichoderma spp.	not registered	yield, crop health, soil health yield, crop health, soil health	field corn   popcorn   sweetcorn   sunflowers	Sustainable Farming Solutions	dry seed treatment	Yes	6-7	Trichoderma spp. 7 x 10^7 CFU/g Trichoderma spp. 7 x 10^7 CFU/g	als/trials-database/ https://sustainablefarming.com.au/tr
Sabel-X Hort	microbial	not registered	growth stimulant/ regulator	not registered	endophytic Trichoderma spp.	not registered	yield, crop nealth, soil nealth	vegetables	Sustainable Farming Solutions	soluble powder	Yes	0-7	Inchoderma spp. 7 x 10-7 CF0/g	als/trials-database/
Sea Brown Powder	seaweed extract	not registered	soil biology stimulant	not registered	brown kelp ( <i>Laminaria [Saccharina] japonica</i> )	not registered	reduced plant stress, increased microbial activity	all crops	Seawins	powder	SXC certified	8 - 10	Nitrogen (N) 1.5%, phosphorus (P) 1.5%, potassium (K) 16.6%, iron (Fe), 0.26%, boron (B) 0.19%, alginic acid 15%, organic matter 50%	-
SeaChange Liquid Kelp	seaweed extract	not registered	crop nutrition	not registered	bull kelp	not registered	crop health	all crops	Nutri-Tech Solutions (NTS)	liquid	Yes	3.6 - 4.6	Potassium 1.39%, Calcium 0.09%, Iodine 22mg/L	-
Seanergy	seaweed extract	not registered	crop nutrition	not registered	(Tasmanian) kelp extract	not registered	crop health, stress tolerance	all crops	Sipcam (Agricrop)	liquid	No		Nitrogen 1%, Phosphorous 0.95%, Potassium 3.5%, Sulphur 7.5%, Calcium 0.6%, Magnesium 0.6%, Iron 200ppm, Manganese 6ppm, Zinc 18ppm, Copper 6ppm, Betaine 2%	-
Serenade Opti	microbial	fungicide	-	Bacillus amyloliquefaciens strain QST 713	•	Botrytis, bacterial spot	•	registered for grapes, strawberries, <b>tomatoes, chillies,</b> capsicums, brassicas, vegetables, avocado, tropical fruit crops.	Bayer CropScience	granular	Yes	4.5 - 8.5	Bacillus amyloliquefaciens strain QST 713 1.3x10^10 CFU/g	trials undertaken by manufacturer on bunch rot in grapes (high level results available on APVMA website)
Serenade Prime	microbial	fungicide	-	Bacillus amyloliquefaciens strain QST 713 (1.34%)	-	rhizoctonia, black scurf, pineapple disease	-	registered as biofungicide for <b>potatoes</b> , sugarcane and bananas. Soil ameliorant for <b>vegetables</b> , tree crops, row crops, berries, other small fruits.	Bayer CropScience	liquid	Yes	4.5 - 8.5	Bacillus amyloliquefaciens strain QST 713 1.3x10^12 CFU/g	https://www.crop.bayer.com.au/prod ucts/bayer-biologics/serenade- prime#tab-3
Serenade Soil Activ	microbial	fungicide (pending registration)	-	Bacillus amyloliquefaciens strain QST 713	-	Soil-borne diseases (rhizoctonia root rot, black scurf)	-	registration pending as biofungicide. Soil ameliorant (nutrient uptake) for <b>vegetables</b> and other horticultural crops	Bayer CropScience	liquid	Pending	-	Bacillus amyloliquefaciens QST 713 at no less than 1.0 10^12 CFU/L	https://www.crop.bayer.com.au/prod ucts/bayer-biologics/serenade-soil- activ#tab-4
Serifel Biofungicide	microbial	fungicide		Enzyme alpha-amylase (from Bacillus amyloliquefaciens strain MBI600, formerly named Bacillus subtilis strain MBI600)	-	Preventative control of <i>Botrytis cinerea</i> in grapes and strawberries + minor use permits for control of soil-borne and foliar pathogens in non-food nursery stocks		horticultural crops (including grapes, strawberries, <b>vegetables</b> ) + others	BASF Australia Ltd.	powder	Yes	n/a	Enzyme alpha-amylase from Bacillus amyloliquefaciens strain MBI600 at 110 g/kg (> 5.5 x 10^10 CFU/g)	Trials undertaken by Eurofins in 5 grape and strawberry (+ protected data of manufacturer with APVMA)
Sero-X	plant extract	pest deterrent	-	Extract of butterfly pea ( <i>Clitoria ternotea</i> )	-	Suppression of diamondback moth in brassicas. Control/Suppression of greer mirids, silver leaf white fly (Biotype B) and Heliothis in cotton. Reduction in formation of the microsclerotia of Verticillium dahlae in cotton		brassicas, cotton	Innovate AG Pty Ltd, New South Wales	liquid	No (SXC allowed input only)	-	<i>Clitoria ternatea</i> extract at 400 g/L. Extract contains different cyclic peptides (cyclotides).	https://innovate. ag.com.au/pteets.ok/2021/05/0-2021 Sero-X-Technical-Manual-Email- Version.odf
Sipcam Delfin WG biological insecticide	microbial	insecticide	-	Bacillus thuringiensis subspecies kurstaki strain SA-11	-	armyworm   cabbage moth   cabbage white butterfly   Helicoverpa armigera   light brown apple moth   looper   native budworm or bollworm   painted vine moth   pear looper   soybean looper   vine moth		amenity tree   cereal grain   forestry   fruit   general agricultural use   herb   non-agricultural area - general   oilseed crop   ornamental   tobacco   turf   <b>vegetable</b>   vine	Sipcam (Agricrop)	granular	Νο	n/a	Bacillus thruringiensis subspecies kurstaki strain SA-11. Concentration not given.	
Soil & Seed	composite/blend	not registered	soil biology stimulant	not registered	Fermented product - Microbial inoculum: Bacteria ( <i>Pseudomonas</i> spp., Actinomycetes, Gram positive spp., Gram negative spp., anaerobic spp.), Fungi ( <i>Aspergillus</i> spp., <i>Penicillium</i> spp., unspecified yeast spp.), protozoans (not specified); Liquid food source: molasses, raw sugar, seaweed concentrate, fish hydrosylate, humic compounds, vitamins, minerals	not registered	Soil amendment, seed inoculant for enchanced soil health	all crops	BioAg Pty Ltd, New South Wales	liquid	Yes	3.4 - 4.5	Micro-organisms (total of 38.6 g/L): Bacteria (total of 26.7 g/L): <i>Pseudomonas</i> spp. 4.8 g/L, <i>Actinomycetes</i> 0.7 g/L, Gram positive spp. 3.2 g/L, Gram negative spp. 23.4 g/L, Anaerobic spp. 0.1 g/L; Total fungi at 11.5 g/L; All % as w/w %. Ash 6.5%, Fat 0.15%, Protein 1.6%, Carbohydrate 18.2%, Phosphorus 2.09%, Phosphorus (bio-available) 2.04%, Orthophosphate (water soluble) 1.7%	
Soil Activator	composite/blend	not registered	soil biology stimulant	not registered	amino acids, vitamins, seaweed extracts, humus, fish & molasses	not registered	soil biological activity	all crops	Sustainable Farming Solutions	liquid	Yes	3.2 - 4	Fish emulsion, seaweed extracts, fulvic acid,	https://sustainablefarming.com.au/tr als/trials-database/
Soil Enhancer	humic/fulvic	not registered	soil biology stimulant	not registered	humus	not registered	soil biological activity	all crops	Sustainable Farming Solutions	liquid	Yes	Alkaline >	9 Humic acid, seaweed extracts	https://sustainablefarming.com.au/tr
Squadron	microbial	not registered	growth stimulant/ regulator	not registered	Pseudomonas fluorescens	not registered	crop health	all crops	Novum Lifesciences, Queensland	liquid	Yes	4.5 - 8.5	1 x 10 <sup>8</sup> CFU/ml	als/trials-database/ -
Start Up Ultra	microbial	not registered	soil biology stimulant	not registered	Four species of VAMs (vesicular arbuscular mycorrhizae, not specified)	not registered	mycorrhizae	all mycorrhizal crops	MicrobeSmart Pty Ltd, South Australia	powder	No	n/a	not supplied	-
Stimulate	composite/blend	not registered	growth stimulant/ regulator	not registered	kelp, fulvic acid, alginic acid	not registered	nutrition, stress, soil biology	all crops	Nutri-Tech Solutions (NTS)	granular	Yes	6.7	Fulvic Acid 35%, Alginic acid 9%, Nitrogen 1.69%, Potassium 11%, Sulphur 2.48%, Magnesium 0.98%, Calcium 0.72%, Iron 0.53%	-
Stress Buster	seaweed extract	not registered	stress resistance	not registered	polysaccharides, polyglutamic acid, osmolytes	not registered	crop health	all crops	Seawins	liquid	SXC certified	4-6	seaweed polysaccharides 10%, alginic acid 3%, fulvic acid 5%, polyglutamic acid 0.5%, amino acid 1%, total organic matter 15-20%	-
Sudo-Shield	1	not registered	stress resistance	not registered	Pseudomonas fluorescens	not registered	recovery from pathogen damage	all crops	Nutri-Tech Solutions (NTS)	granular	Yes	n/a	none provided	support in literature
Super Kelp liquid	seaweed extract		crop nutrition	not registered	Ascophyllum sp & Durvillaea sp	not registered	reduces stress effects in crops	all crops	Sustainable Farming Solutions		Yes	4-4.5	Soluble K - 2%; Seaweed extract; alginic acid - 1.5%	https://sustainablefarming.com.au/tr als/trials-database/
Super Kelp powder	seaweed extract		crop nutrition	not registered	Ascophyllum sp	not registered	reduces stress effects in crops	all crops	Sustainable Farming Solutions	powder	Yes		Alginic Acid 12-18%, N 1.5%, K 17-22%	https://sustainablefarming.com.au/tr als/trials-database/
Superzyme	microbial	not registered	soil biology stimulant	not registered	Bacillus subtilis, Pseudomonas putida, Trichoderma koningii and Trichoderma harzianum.	not registered	soil biology, crop health	all crops	Zadco (JH Biotech)	granular	Yes	n/a	Bacillus subtilis, Pseudomonas putida, Trichoderma koningii and Trichoderma harzianum, 2 x 10^9 CFU/gram	-



			Product type		Ingredient(s)		Use		1			1		
Trade Name	Source	Registered	Has been used as / for (not	Active Ingredient(s) (APVMA	Main ingredient(s) of non registered	Registered Use (APVMA Registered)	Has been used as / for (not registered)2	Сгор	Manufacturer	Formulation	Australian	рН	Analysis	Trial Information
		Product Type (APVMA	registered)	Registered Products)	products						Certified Organic			
CROP VAM	composite/blend	Registered) not registered	crop nutrition	not registered	4 VAM species: Claroideoglomus etunicatum,	not registered	Pre-plant fertiliser/biological seed coating	all mycorrhizal crops	LawrieCo Pty Ltd trading as	powder +	Yes	8.0 - 8.3	Multiple microbial species at 32,500 propagules/L,	-
		0		5	Funneliformis mosseae , Rhizophagus		for enhanced fertiliser uptake,		LawrieCo,	liquid			Phosphorus 1.68%,	
					irregularis , Rhizophagus aggregatus ;		soil health, mycorrhizae		South Australia				Potassium 0.71%, Sulphur 0.15%, Calcium 5.17%,	
					5 Bacillus spp.: B. subtilis, B. laterosporus, B.								Silicate 2.52 %, Zinc oxide 2.40%,	
					licheniformus, B. megaterium, B. pumilus; 1								Manganese carbonate 1.53%,	
					Paenibacillus sp.: P.s polymyxa;								Humic acid 4.40%, Fulvic acid 3.18% (all %=w/v%)	
					4 Trichoderm a spp.: T. harzianum, T. viride, T. koningii, T. nolysporum: humic and fullyic									
					T. koningii, T. polysporum; humic and fulvic acids									
					acius									
/eet	plant extract	not registered	growth stimulant/ regulator	not registered	plant extracts (no further information given)	not registered	ripening	all crops	Valagro	liquid	No	3.5	Calcium 7.2%, Magnesium 0.6%	-
hergy	microbial	not registered	soil biology stimulant	not registered	Bacillus subtilis , magnesium	not registered	nutrient availability, soil biology	all crops	Seawins	powder	SXC certified	5.5 - 8.5	Bacillus subtilis (1.0-1.5) x 10^10CFU/g,	-
													magnesium 13.5%, calcium 0.2%, green seaweed polysaccharide 1%, alginic acid 0.13%	
nertrol Horti	plant extract	wetting agent	-	Emulsifiable botanical oil	-	improves rainfastness, drift control,	-	all crops	Organic Crop Protectants Pty	liquid	Yes	-	Emulsifiable botanical oil 850 g/L (100% canola oil)	-
tanical Oil						wetting and sticking, biological activity o	f		Ltd,					
ncentrate						sprays			New South Wales					
knar 1200 SC	microbial	insecticide	-	Bacillus thuringiensis subsp.	-	Control of first to early fourth instar	-	all crops - (stagnant and standing ponds, etc.)	Valent BioSciences Corporation	liquid	No	-	Bacillus thuringiensis subsp. israelensis strain SA3A	-
				israelensis serotype H14		mosquito larvae ( <i>Culicidae</i> family)			USA / Sumitomo Chemical Australia Pty Ltd, NSW				at minimum potency of 1200 ITU/mg (= 5.6% w/w)	
									Australia Pty Ltu, NSW					
norex Gold	plant extract	fungicide	-	Tea tree oil (Melaleuca alternifolia)	-	Preventative control of foliar diseases	-	horticultural crops (capsicum, cucurbits, tomato - powdery	Stockton (Israel) Ltd, Israel /	liquid	No	89-96	Tea tree oil ( <i>Melaleuca alternifolia</i> ) at 222 g/L (28%	Trials undertaken by
	P			,		(powdery mildew, Botrytis grey mould)		mildew) and grapes (Botrytis grey mould, powdery mildew)	Syngenta Australia Pty Ltd, NSW				w/v), ethanol (4% w/v)	manufacturer (protected
														with APVMA)
Agricultural	composite/blend	d not registered	soil biology stimulant	not registered	plant extracts, kelp, molasses, fish meal	not registered	Stimulate Micro Organisms	all crops and pasture	Best Farming Systems Pty Ltd	liquid	Yes		all % as w/w%: Potassium 0.2%, Sulphur 0.1%,	https://bestfarmingsystems.c
													soluable potash 0.5%, Boron 0.05%, Iron 0.02%	<u>rials/</u>
mate	microbial	not registered	growth stimulant/ regulator	not registered	Trichoderma harzianum	not registered	crop health	all crops	Agrimm	granular	No		not supplied	-
Culture	microbial	not registered	growth stimulant/ regulator	not registered	Bacillus licheniformis, Bacillus	not registered	crop health	all crops	SLTEC	liquid	No	n/a	Bacillus licheniformis 1 x 10 <sup>8</sup> CFU/ml, Bacillus	-
					methylotrophicus, Bacillus subtilis								methylotrophicus 2 x 10^8 CFU/ml, Bacillus subtilis	
													2 x 10^8 CFU/ml, water based culture medium	
-D25	microbial	not registered	soil biology stimulant	not registered	Trichoderma harzianum and Trichoderma	not registered	soil biology, crop health	all crops	Zadco (JH Biotech)	granular	Yes	n/a	Trichoderma harzianum and Trichoderma koningii ,	-
025	microbian	not registered	son blology sumulant	not registered	koningii	notregistered	son biology, crop nearth	anciops	Zadeo (in biotech)	granular	ies	100	5 x 10^7 CFU/gram	-
Kelp	seaweed extract	t not registered	crop nutrition	not registered	Laminaria, Sargassum, Ascophyllum nodosum	not registered	crop health	all crops	Nutri-Tech Solutions (NTS)	granular	Yes	n/a	Alginic acid 18%, Nitrogen 0.89%, Potassium 15%,	-
										0			Iron 1.07%, Sulphur 1.05%, Calcium 0.45%,	
													Magnesium 0.17%, Silicone 445ppm, Manganese	
													92ppm, Zinc 48ppm, Boron 46ppm, Copper	
													34ppm, Cobalt 8ppm, Molybdenum 5ppm	
ich-a-soil	microbial	not registered	disease suppressant	not registered	spores of beneficial fungus Trichoderma	not registered	root system, fusarium resistance	turf, intensive horticulture	Metcalf BioControl,	powder	Yes	n/a	Trichoderma viride (indigenous strain) at 5 x	-
					viride (indigenous strain)				Tasmania				10^10 spores/g	
aha ahiala		ant an ainte an al	even the stimule stift as substant	ant an eletera el	Trickedenne bereienung T liegenung T		area haaleh		Nutri Tech Colutions (NITC)	areaular	Vee	-	ant supplical	
icho-shield	microbial	not registered	growth stimulant/ regulator	not registered	Trichoderma harzianum, T. lignorum, T. koningii	not registered	crop health	all crops	Nutri-Tech Solutions (NTS)	granular	Yes	n/a	not supplied	-
ichomight	microbial	not registered	stress resistance	not registered	Trichoderma spp.	not registered	crop health, stress tolerance	all crops	Novum Lifesciences,	liquid	Yes	6.5 - 7	not supplied	-
					· · · · · · · · · · · · · · · · · · ·				Queensland				· · · · FF · · ·	
boroot WG	humic/fulvic	not registered	soil biology stimulant	not registered	humic, fulvic acids , L-α free amino acids, N, F	, not registered	crop health	all crops	Rovensa ANZ (Tradecorp)	microgranula	No	6.7	Total Humic Extract (THE): 29.1%, L-α free amino	
					к								acids 22.2%, organic Nitrogen 3.0%, Phosphorus	duct/turbo-root-wg/
													7.1%, Potassium 14.9%, Iron EDDHA 0.1%,	
													Manganese EDTA 0.2%, Zinc EDTA 0.2%,	
	4												Molybdenum 0.25% [%ages w/w]	
inN	microbial	not registered	soil biology stimulant	not registered	rhizobacteria (not specified, possibly	not registered	soil health, nutrient uptake	all vetegable crops + others	Mapleton Agri Biotec Pty Ltd /	freeze dried	No	n/a	not supplied	https://www.mabiotec.com/ trials.php
					Azospirillum spp.?) fixing nitrogen and				Vanadis Bio Science Pty Ltd,					
tobac WG	microbial	insecticide	-	Bacillus thuringiensis subsp.	producing plant growth factors (e.g. auxins)	common banded mosquite   common	-	all crops	Queensland Sumitomo Chemical Australia	grapular	Yes	n/a	Bacillus thuringiensis subsp. israelensis strain	
lobac wo	microbian	insecticide	-	israelensis strain AM65-52		common banded mosquito   common Australian anopheline   <i>Culex</i>			Pty Ltd	granular	165	100	AM65-52 Minimum Potency 3000 ITU/mg	-
				ISI DETENSIS SUBITI AMIOS-SZ		australicus   saltmarsh mosquito							Awos-sz winimum rotency sooo noring	
						saltwater culex   brown								
						house mosquito   Dengue vectors								
						including: Aedes aegypti and Aedes								
						albopictus								
tolex	microbial	insecticide	-	Seed inoculation / foliar spray to	-	Control of first to early fourth instar	-	all crops - (stagnant and standing ponds, etc.)	Valent BioSciences Corporation,	granular	No	n/a	Bacillus sphaericus strain 2362, strain ABTS-1743	-
				form a natural physical barrier to		mosquito larvae ( <i>Culex</i> spp., <i>Anopheles</i>			USA / Sumitomo Chemical				fermentation solids and solubles - no numbers	
				diseases		spp.)			Australia Pty Ltd, NSW				supplied	
· · · · · ·									DAGEA II II II I	P. 11	N	NG		
fer biological	microbial	insecticide	-	Beauveria bassiana	-	chrysanthemum aphid - suppression of	-	protected vegetables and ornamentals	BASF Australia Ltd.	liquid	No	NG	Beauveria bassiana strain PPRI 5339 >8 x 10^9	-
cticide						green peach aphid - suppression							CFU/ml	
						greenhouse whitefly - suppression of								
						onion thrips - suppression only   rose aphid - suppression of   silverleaf								
						whitefly - suppression   sweet potato								
						whitefly - suppression of   two spotted								
						spider mite - suppression of   western								
						flower thrip - suppression								
		not registered	crop nutrition	not registered	humic and fulvic acids	not registered	improving soil structure, promoting	all soil grown crops	Sustainable Farming Solutions	pellets	Yes	9.5-11	40% humic and fulvic acids (with potassium),	https://sustainablefarming.c
al Earth	humic/fulvic	1					microbial activity, reducing Phosphorous						37.9% silicates, Ca-0.22% Fe-2.43% Mg-0.54% S-	als/trials-database/
tal Earth	humic/fulvic		1				lockup						0.39% K-3.44% Cu-17ppm Co-7.7ppm Mn-52ppm	
al Earth	humic/fulvic									1	1	1	Mo-1.05ppm Na-0.34% P-150ppm Se-0.81ppm, Zn	
al Earth	humic/fulvic													
									Custoine ble Ceruitine Collari	li av si al	Vee	25.42	11.5ppm	https://sustainablofarmiaa.a
al Earth		not registered	growth stimulant/ regulator	not registered	brassinosteriods and tricontanol	not registered	stimulates root growth	all crops	Sustainable Farming Solutions	liquid	Yes	3.5-4.2	11.5ppm Highly active plant stimulants from fermentation	https://sustainablefarming.co als/trials-database/
azyme	plant extract												11.5ppm Highly active plant stimulants from fermentation process	
		not registered	growth stimulant/ regulator	not registered	brassinosteriods and tricontanol brassinosteriods and tricontanol	not registered	stimulates root growth vigour in seedlings and improved root development	all crops all direct sown crops		liquid liquid	Yes Yes	3.5-4.2 3.5-4.2	11.5ppm Highly active plant stimulants from fermentation	als/trials-database/
azyme azyme ST (seed	plant extract						vigour in seedlings and improved root					3.5-4.2	11.5ppm Highly active plant stimulants from fermentation process	als/trials-database/ https://sustainablefarming.co





			Product type		ngredient(s)		Use							
Trade Name	Source	Registered Product Type (APVMA Registered)	Has been used as / for (not registered)	Active Ingredient(s) (APVMA Registered Products)	Main ingredient(s) of non registered products	Registered Use (APVMA Registered)	Has been used as / for (not registered)2	Crop	Manufacturer	Formulation	Australian Certified Organic	рН	Analysis	Trial Information
ViVUS Armigen biological insecticide	microbial	insecticide		Nuclear polyhedrosis virus of Helicoverpa armigera		Helicoverpa spp.		berryfruit (all)   brassica vegetables (all)   celery   cereal grains (all)   chickpeas   cotton   cucurbits   fruiting vegetables   lucerne (alfalfa)   oilseeds (all)   ornamental flowers and plants (all)   pome fruit (all)   potatoes   pulses (all)   sorghum   sweetcorn	AgBiTech Pty Ltd	liquid	Yes	n/a	Helicoverpa armigera virus 7.5 x 10^9 POB/mL	-
ViVUS Max biological insecticide	microbial	insecticide		Nuclear polyhedrosis virus of Helicoverpa armigera		Helicoverpa armigera   Helicoverpa punctigera		(a) Sognah   Soccetar Societar Socie	AgBiTech Pty Ltd	liquid	Yes	n/a	Helicoverpa armigera virus 5.0 x 10^9 POB/mL	-
Weed Zap	plant extract	not registered	herbicide	not registered	clove oil, cinnamon oil, cottonseed oil, oleic acid, lauric acid	not registered	weeds	all crops	Zadco (JH Biotech)	liquid	Yes	n/a	Clove oil 19%, Cinnamon oil 19%, Cottonseed oil 19%, oleic acid 19%, lauric acid 19%, inert ingredients: lactose and water 5%	-
Xentari WG BTA biological insecticide water dispersible granule	microbial	insecticide	-	Bacillus thuringiensis subsp. aizawai	-	cabbage centre grub   cabbage cluster caterpillar   cabbage moth   cabbage white butterfly	-	brassica spp. or cole crop   broccoli   brussels sprouts   cabbage   cauliflower	Sumitomo Chemical Australia Pty Ltd	granular	Yes	n/a	Bacillus thuringiensis subsp. aizawai . Concentration not given.	Trials undertaken by manufacturer
Yieldon	plant extract	not registered	growth stimulant/ regulator	not registered	plant extracts (no further information given)	not registered	-	seed crops	Valagro	liquid	No	6	5 Nitrogen 3%, Potassium 2.5%, Molybdenum 0.2%, Manganese 0.5%, Zinc 0.5%, Organic carbon (soluble in water) 10%	, -
YLAD Living Compost	composite/blend	I not registered	growth stimulant/ regulator	not registered	Micro-organisms (not specified); Manure, Wheat straw, Compost, Clay.	not registered	Pre-plant soil conditioner/fertiliser to stimulate beneficial microbial activity in the root zone and biological processes: nitroger fixation, phosphorus solubolisation, growth hormone production.		YLAD Living Soils, New South Wales	compost style	Yes	7.3 - 8.1	Inoculum: Micro-organisms (concentrations not specified); Manure 30 - 60%, Wheat straw 30%, Compost 20%, Clay 10%.	Seed inoculation / foliar spray tu form a natural physical barrier diseases

Hort Innovation, Applied Horticultural Research Pty Ltd (AHR) and RM Consulting Group (RMCG) make no representations and expressly disclaims all warranties (to the extent permitted by law) about the accuracy, completeness, or currency of information in this fact sheet. Users of this material should take independent action before relying on its accuracy in any way. Reliance on any information provided by Hort Innovation, AHR or RMCG is entirely at your own risk. Hort Innovation, AHR or RMCG are not responsible for, and will not be liable for, any loss, damage, claim, expense, cost (including from Hort Innovation, AHR, RMCG or any other person's negligence or otherwise) from your use or non-use of information from project VG16078 - Soil Wealth and Integrated Crop Protection - Phase 2 or from reliance on information contained in this material or that Hort Innovation, AHR or RMCG provides to you by any other means.





